

Golang Garble String Decryption

Published: 2023-08-03 · Archived: 2026-04-05 19:54:05 UTC

```
Testing /tmp/test/cba236aff9c3379946527145a5604eaac6d4c691343b32c625386b3df06c9f4f
reflect: slice index out of range
j < s.Len
6103515625
30517578125
762939453125
476837158203125
2384185791015625
59604644775390625
1490116119384765625
7450580596923828125
37252902984619140625
186264514923095703125
2910383045673370361328125
227373675443232059478759765625
3552713678800500929355621337890625
444089209850062616169452667236328125
strconv: illegal AppendInt/FormatInt base
0123456789ABCDEF
sync: negative WaitGroup counter
Anatolian_Hieroglyphs
Buginese
Chorasmian
Chorasmian
Cyrillic
Devanagari
Ethiopic
Glagolitic
Gunjala_Gondi
Gurmukhi
Hiragana
Imperial_Aramaic
Kayah_Li
Kharoshthi
Linear_A
Linear_B
Medefaidrin
Meetei_Mayek
New_Tai_Lue
Old_Italic
```

Old_Turkic
Samaritan
Saurashtra
Sora_Sompeng
Ugaritic
Diacritic
IDS_Tertiary_Operator
Join_Control
Other_Math
Quotation_Mark
Sentence_Terminal
Variation_Selector
complex128
reflect.Copy
Interface
method ABI and value ABI do not align
method ABI and value ABI don't align
reflect:
reflect:
reflect:
 on zero Value
reflect: call of
outCount > 0
unknown type kind
reflect: NumIn of non-func type
reflect: Elem of invalid type
: value of type
reflect.Set
MapIter.Value called before Next
reflect.Value.Len
reflect.Value.Addr of unaddressable value
reflect:
invalid write result
multiple Read calls return no data or error
invalid argument
permission denied
file already closed
SetFilePointerEx
interrupt
broken pipe
alarm clock
terminated
1.3.6.1.4.1.311.10.3.3
permission denied
advertise error
invalid exchange
invalid slot

bad font file format
operation canceled
resource deadlock avoided
disk quota exceeded
file exists
bad address
interrupted system call
key has expired
level 3 halted
level 3 reset
cannot exec a shared library directly
too many levels of symbolic links
file name too long
no XENIX semaphores available
network is down
network dropped connection on reset
no data available
exec format error
required key not available
link has been severed
no message of desired type
machine is not on the network
block device required
operation not permitted
broken pipe
protocol error
numerical result out of range
object is remote
srmount error
connection timed out
too many users
msock.dll
ConvertStringSidToSidW
CreateProcessAsUserW
CryptGenRandom
CryptReleaseContext
GetLengthSid
CertCloseStore
CertFreeCertificateChain
CertOpenStore
CertOpenSystemStoreW
CertVerifyCertificateChainPolicy
CreateDirectoryW
CreateProcessW
CreateSymbolicLinkW
DeleteFileW
DuplicateHandle

FlushViewOfFile
FreeLibrary
GetCurrentDirectoryW
GetFileAttributesW
GetFileType
GetProcAddress
GetShortPathNameW
GetStdHandle
GetSystemDirectoryW
GetTimeZoneInformation
GetVersion
InitializeProcThreadAttributeList
Process32NextW
ReadConsoleW
ReadFile
SetCurrentDirectoryW
SetFileAttributesW
SetFileCompletionNotificationModes
SetFilePointer
SetFileTime
TerminateProcess
UpdateProcThreadAttribute
NetApiBufferFree
RtlGetNtVersionNumbers
TranslateNameW
CommandLineToArgvW
FreeAddrInfoW
GetAddrInfoW
WSACleanup
WSAEnumProtocolsW
WSAStartup
gethostbyname
getpeername
getsockopt
shutdown
failed to find ConnectEx:
Failed to load
unexpected key value type
advapi32.dll
kernel32.dll
RegDeleteKeyW
RegEnumValueW
RegSetValueExW
bad value for field
Morocco Standard Time
W. Central Africa Standard Time
Aleutian Standard Time

Central Brazilian Standard Time
Greenland Standard Time
Central America Standard Time
Cuba Standard Time
Central Standard Time (Mexico)
US Mountain Standard Time
Magallanes Standard Time
Canada Central Standard Time
Newfoundland Standard Time
Pacific Standard Time (Mexico)
Jordan Standard Time
Arabic Standard Time
SE Asia Standard Time
Arabian Standard Time
Israel Standard Time
Nepal Standard Time
Magadan Standard Time
N. Central Asia Standard Time
Omsk Standard Time
Myanmar Standard Time
Korea Standard Time
Russia Time Zone 10
Iran Standard Time
Yakutsk Standard Time
Azores Standard Time
AUS Eastern Standard Time
FLE Standard Time
Russian Standard Time
Saratov Standard Time
West Pacific Standard Time
time: Reset called on uninitialized Timer
time: Stop called on uninitialized Timer
: extra text:
fractional second
parsing time
parsing time
Time.UnmarshalBinary: no data
Time.UnmarshalBinary: unsupported version
iphlpapi.dll
netapi32.dll
userenv.dll
DuplicateTokenEx
ImpersonateSelf
RevertToSelf
GetConsoleCP
GetCurrentThread
GetFinalPathNameByHandleW

```
GetModuleFileNameW
MoveFileExW
MultiByteToWideChar
UnlockFileEx
NetShareAdd
GetProfilesDirectoryW
use of closed network connection
use of closed file
file type does not support deadline
not pollable
/dev/stdout
/dev/stderr
ComputerNameEx
ComputerNameEx
GetFileType
SetWriteDeadline
SetDeadline
syntax error scanning complex number
%!(BADPREC)
(BADINDEX)
<invalid reflect.Value>
0123456789abcdefx
0123456789abcdefx
0123456789abcdefx
0123456789abcdefx
0123456789abcdefx
0123456789abcdefx
<not Stringer>
.WithValue(type
.WithCancel
bytes.Buffer.WriteTo: invalid Write count

crypto: requested hash function #
  is unavailable
SHA-512/224
SHA-512/256
BLAKE2b-256
BLAKE2b-384
unknown hash value
crypto/cipher: invalid buffer overlap
crypto/cipher: output smaller than input
boringcrypto: not available
crypto/cipher: invalid buffer overlap
crypto/aes: input not full block
crypto/aes: invalid buffer overlap
crypto/aes: invalid buffer overlap
invalid P521Element encoding
invalid P384Element encoding
```

invalid P384Element encoding
invalid P521 point encoding
P384 point is the point at infinity
invalid scalar length
invalid scalar length
invalid P256 element encoding
invalid P256 element encoding
invalid P256 compressed point encoding
invalid P256 point encoding
P224 point not on curve
invalid P224 point encoding
crypto/ecdh: invalid private key
crypto/ecdh: invalid public key
boringcrypto:
impossible
impossible
division by zero
division by zero
non sequence tagged as set
struct contains unexported fields
invalid object identifier
empty integer
internal error
generalized
unsupported:
non-minimal tag
indefinite length found (not DER)
superfluous leading zeros in length
20060102150405Z0700
20060102150405Z0700
base 128 integer too large
zero length OBJECT IDENTIFIER
integer too large
integer too large
cryptobyte: internal error
060102150405Z0700
0601021504Z0700
edwards25519: invalid point encoding length
crypto/rsa: missing public modulus
crypto/rsa: public exponent too small
crypto/sha256: invalid hash state size

-----END

SERIALNUMBER
invalid IP
TypeCNAME
TypeAXFR

ClassCSNET
ClassHESIOD
ClassANY
RCodeSuccess
RCodeNameError
segment prefix is reserved
nil resource body
insufficient data for resource body length
too many Authorities to pack (>65535)
compressed name in SRV resource data
skipping Question Name
unpacking Question.Type
unpacking header
server misbehaving
[::1]:53
no such network interface
broadcast
pointtopoint
unixpacket
unixgram
transmitfile
criterion too short
criterion lacks equal sign
/etc/nsswitch.conf
notfound
tryagain
i/o timeout
getprotobyname
unknown port
unknown IP protocol specified
non-IPv6 address
non-IPv4 address
too many colons in address
too many colons in address
dragonfly
/etc/resolv.conf
/etc/resolv.conf
readfrom
unixpacket
connectex
nil context
_gateway
localhost
go package net: hostLookupOrder(
myhostname
getaddrinfow
getaddrinfow

```
cannot marshal DNS message
empty url
invalid character
crypto/des: input not full block
crypto/des: output not full block
DES-EDE3-CBC
AES-128-CBC
AES-192-CBC
AES-256-CBC
x509usefallbackroots
SHA256-RSA
SHA512-RSA
SHA512-RSAPSS
ECDSA-SHA256
ECDSA-SHA512
x509sha1
-----BEGIN X509 CRL
x509: unhandled critical extension
x509: malformed spki
x509: malformed subjectUniqueID
x509: malformed extension
x509: invalid CRL distribution point
x509: invalid authority key identifier
x509: invalid authority info access
x509: empty name constraints extension
x509: failed to parse URI constraint %q
x509: RSA key missing NULL parameters
x509: invalid RSA public exponent
x509: invalid ECDSA parameters
x509: malformed GeneralizedTime
x509: malformed OID
x509: malformed parameters
invalid NumericString
unsupported string type: %v
getCert can't be nil
2006-01-02T15:04:05Z07:00
2006-01-02T15:04:05Z07:00
avx512ifma
avx512vbmi
avx512vnniw
avx512vaes
avx512bf16
pclmulqdq
GODEBUG sys/cpu: can not disable "
chacha20poly1305: invalid buffer overlap
bad record MAC
decryption failed
```

record overflow
bad certificate
expired certificate
export restriction
user canceled
unrecognized name
tls: invalid ServerKeyExchange message
master secret
key expansion
TLS 1.3, client CertificateVerify
tls: failed to sign handshake:
c ap traffic
tls: received empty certificates message
SERVER_HANDSHAKE_TRAFFIC_SECRET
tls: server selected unsupported group
tls: server chose an unconfigured cipher suite
DOWNGRD
DOWNGRD
unknown cipher type
unknown cipher type
unknown cipher type
tls: failed to verify certificate: %s
finished
ClientAuthType(
tls: internal error: unsupported key (%T)
tls: unsupported public key: %T
PKCS1WithSHA384
SignatureScheme(
ECDSA verification failure
bufio.Scanner: token too long
Accept-Charset
Accept-Language
Cache-Control
Content-Id
Content-Language
Content-Type
Dkim-Signature
Last-Modified
Message-Id
Mime-Version
Set-Cookie
User-Agent
X-Powered-By
mime: no media type
()<>@,;:\\"/[]?=
multipartmaxheaders
not available

gzip: invalid header
bidirule: failed Bidi Rule
Cache-Control
Content-Encoding
Content-Type
Keep-Alive
Max-Forwards
Proxy-Authenticate
Proxy-Connection
Transfer-Encoding
hpack: string too long
hpack: invalid Huffman-encoded data
access-control-allow-origin
cache-control
content-encoding
if-modified-since
last-modified
location
max-forwards
proxy-authorization
retry-after
set-cookie
user-agent
:authority
accept-charset
accept-encoding
accept-ranges
access-control-allow-origin
cache-control
content-encoding
content-language
content-length
max-forwards
proxy-authorization
strict-transport-security
user-agent
accept-encoding
content-location
content-type
if-match
if-none-match
if-unmodified-since
max-forwards
proxy-authenticate
strict-transport-security
user-agent
www-authenticate

```
decoding error: %v
(sensitive)
http_proxy
no_proxy
REQUEST_METHOD
localhost
seeker can't seek
INTERNAL_ERROR
SETTINGS_TIMEOUT
INADEQUATE_SECURITY
HTTP_1_1_REQUIRED
received from peer
pseudo header field after regular
RST_STREAM
END_STREAM
END_HEADERS
invalid stream ID
invalid dependent stream ID
goroutine
HalfClosedLocal
HEADER_TABLE_SIZE
ENABLE_PUSH
INITIAL_WINDOW_SIZE
MAX_FRAME_SIZE
MAX_HEADER_LIST_SIZE
Connection
Keep-Alive
http2: no cached connection was available
http2: aborting request body write
http2: response body closed
Mon, 02 Jan 2006 15:04:05 GMT
http: no such file
entity body too short
User-Agent
http-server
Content-Type
Transfer-Encoding
<!DOCTYPE HTML
text/plain; charset=utf-16be
text/plain; charset=utf-8
image/gif
image/gif
image/webp
audio/aiff
audio/mpeg
video/avi
audio/wave
```

video/webm
font/collection
font/woff
application/x-rar-compressed
application/wasm
Transfer-Encoding
http: invalid Read on closed Body
http: unexpected EOF reading trailer
http: putIdleConn: keep alives disabled
net/http: TLS handshake timeout
Connection
Content-Length
Content-Length
Content-Length
Transfer-Encoding
Connection
Connection: close

Transfer-Encoding: chunked

Transfer-Encoding
invalid Trailer key
Switching Protocols
Processing
No Content
Reset Content
Partial Content
Moved Permanently
Bad Request
Unauthorized
Forbidden
Not Acceptable
Request Timeout
Length Required
Request URI Too Long
Requested Range Not Satisfiable
Expectation Failed
Failed Dependency
Precondition Required
Too Many Requests
Internal Server Error
Bad Gateway
Service Unavailable
Gateway Timeout
Variant Also Negotiates
Insufficient Storage
Not Extended

invalid username/password version
succeeded
host unreachable
TTL expired
unknown code:
nil context
too many authentication methods
FQDN too long
socks connect
Connection
Cache-Control
malformed HTTP status code
net/http: invalid method %q
net/http: nil Context
HTTP/1.1
recv_rststream_
Unhandled Setting: %v
HTTP/2.0
http2: too many 1xx informational responses
Content-Length
Content-Length
Transfer-Encoding
Connection
Transfer-Encoding
Content-Length
accept-language
access-control-allow-methods
content-length
content-range
last-modified
www-authenticate
, settings:
 data=%q
frame_settings_ack_with_length
frame_settings_mod_6
DATA frame with stream ID 0
invalid pseudo-header %q
read_frame_eof
read_frame_other
assigned stream ID 0
invalid HTTP header value for header %q
:authority
transfer-encoding
keep-alive
content-length
user-agent
Go-http-client/2.0

```
http2: Transport health check success
http2: Framer %p: read %v
http2: Framer %p: wrote %v
Accept-Encoding
RoundTrip retrying after failure: %v
RoundTrip failure: %v
proxyconnect
Proxy-Authorization
net/http: internal error: misuse of tryDeliver
Accept-Encoding
Set-Cookie
Mon, 02 Jan 2006 15:04:05 MST
Authorization
*http2.Transport
Connection
Idempotency-Key
Connection
Host: %s

User-Agent
User-Agent: %s

Error creating file:
Error saving file:
discord_token.txt
Error deleting file:
Completed :devil:
Testing /tmp/test/09fe863dcb614006e00656d148839349f57de039f1c016bd9e6acd968f2ea542
complex64
complex128
unsafe.Pointer
on zero Value
reflect.Value.Len
outCount > 0
t.inCount > 0
reflect: NumField of non-struct type
t.mcount > 0
name offset field
read varint
file already exists
interrupt
trace/breakpoint trap
user defined signal 1
segmentation fault
broken pipe
terminated
invalid exchange
```

bad file descriptor
invalid request descriptor
operation canceled
no child processes
RFS specific error
disk quota exceeded
file too large
host is down
identifier removed
operation now in progress
invalid argument
input/output error
is a directory
is a named type file
multihop attempted
no data available
no message of desired type
machine is not on the network
package not installed
device not a stream
block device required
directory not empty
socket operation on non-socket
name not unique on network
no such device or address
numerical result out of range
srmount error
text file busy
resource temporarily unavailable
exchange full
crypt32.dll
dnsapi.dll
iphlpapi.dll
mswsock.dll
netapi32.dll
LookupAccountSidW
RegEnumKeyExW
CertCloseStore
CertEnumCertificatesInStore
CertVerifyCertificateChainPolicy
DnsNameCompare_W
DnsQuery_W
DnsRecordListFree
GetAdaptersInfo
GetIfEntry
CancelIoEx
CreateFileMappingW

CreateFileW
CreateIoCompletionPort
CreatePipe
DeviceIoControl
FindNextFileW
GetCommandLineW
GetFileType
GetLastError
GetShortPathNameW
GetStdHandle
GetSystemDirectoryW
LoadLibraryW
MapViewOfFile
PostQueuedCompletionStatus
Process32FirstW
Process32NextW
ReadDirectoryChangesW
SetEndOfFile
SetFileCompletionNotificationModes
SetFilePointer
SetFileTime
SetHandleInformation
TerminateProcess
UnmapViewOfFile
VirtualLock
VirtualUnlock
WriteConsoleW
GetAcceptExSockaddrs
TransmitFile
NetGetJoinInformation
GetUserNameExW
TranslateNameW
FreeAddrInfoW
WSAStartup
gethostbyname
getsockname
getsockopt
procedure in
advapi32.dll
userenv.dll
AdjustTokenPrivileges
DuplicateTokenEx
ImpersonateSelf
OpenThreadToken
RevertToSelf
GetCurrentThread
GetModuleFileNameW

UnlockFileEx
NetShareDel
DestroyEnvironmentBlock
GetProfilesDirectoryW
WSASocketW
value out of range
invalid syntax
30517578125
762939453125
3814697265625
19073486328125
11920928955078125
59604644775390625
298023223876953125
1490116119384765625
37252902984619140625
2910383045673370361328125
3552713678800500929355621337890625
88817841970012523233890533447265625
444089209850062616169452667236328125
6938893903907228377647697925567626953125
ryuFtoaFixed32 called with prec > 9
0123456789abcdef
0123456789ABCDEF
ParseInt
ParseInt
ParseUint
invalid bit size
ParseFloat
ParseFloat
ParseFloat
Bopomofo
Canadian_Aboriginal
Chorasmian
Cyrillic
Devanagari
Dives_Akuru
Ethiopic
Georgian
Glagolitic
Gunjala_Gondi
Hiragana
Imperial_Aramaic
Kayah_Li
Mahajani
Malayalam
Masaram_Gondi

```
Meetei_Mayek
Old_Hungarian
Old_Hungarian
Old_North_Arabian
Old_Permic
Old_South_Arabian
Old_Turkic
Pahawh_Hmong
Phoenician
Samaritan
Saurashtra
Syloti_Nagri
Tai_Tham
Tifinagh
Ugaritic
Warang_Citi
ASCII_Hex_Digit
ASCII_Hex_Digit
Diacritic
IDS_Binary_Operator
Join_Control
Other_ID_Continue
Other_ID_Start
Other_Math
Regional_Indicator
Soft_Dotted
Unified_Ideograph
Variation_Selector
White_Space
reflect: New(nil)
reflect: Zero(nil)
reflect.Copy
Interface
method ABI and value ABI do not align
precomputed stack offset
method ABI and value ABI don't align
unexpected value step
reflect:
  of method on nil interface value
typ.size > 0
unknown ABI part kind
mismatch between ABI description and types
unknown method
reflect: call of
i < length
reflect.StructOf: field "
" is anonymous but has PkgPath set
```

has no name
has invalid name
has no type
&x.field safe
reflect: unexpected GC program
reflect.FuncOf: too many arguments
sizeof(rtype) > 0
bad argSize
bad argSize
t.inCount > 0
reflect: nil type passed to Type.ConvertibleTo
reflect: NumIn of non-func type
are not comparable
reflect.Value.UnsafeAddr
reflect: slice capacity out of range in SetCap
reflect: slice length out of range in SetLen
reflect.Value.setRunes of non-rune slice
reflect.Set
reflect: send on recv-only channel
reflect.Value.OverflowUint
reflect: Method index out of range
reflect: Method on nil interface value
reflect.Value.IsZero
reflect.Value.Elem
using zero Value argument
reflect: cannot use
reflect.Value.Call: wrong argument count
precomputed stack arg offset
precomputed value offset
using unaddressable value
reflect: Bits of non-arithmetic Type
non-empty string
non-empty string
RegSetValueExW
November
bad value for field
Sudan Standard Time
W. Central Africa Standard Time
Argentina Standard Time
Eastern Standard Time (Mexico)
Turks And Caicos Standard Time
Pacific SA Standard Time
Pacific Standard Time (Mexico)
Middle East Standard Time
Syria Standard Time
Bangladesh Standard Time
Israel Standard Time

Russia Time Zone 11
Nepal Standard Time
Magadan Standard Time
Myanmar Standard Time
Arab Standard Time
Korea Standard Time
Singapore Standard Time
Taipei Standard Time
West Asia Standard Time
Iran Standard Time
Vladivostok Standard Time
Caucasus Standard Time
Cen. Australia Standard Time
Tasmania Standard Time
GTB Standard Time
Central Europe Standard Time
Turkey Standard Time
Belarus Standard Time
Russian Standard Time
Saratov Standard Time
Central European Standard Time
Samoa Standard Time
Easter Island Standard Time
Fiji Standard Time
Line Islands Standard Time
Norfolk Standard Time
Tonga Standard Time
malformed time zone information
,M3.2.0,M11.1.0
time: invalid duration
time: unknown unit
out of range
: day-of-year does not match day
: day out of range
Time.MarshalText:
Time.MarshalJSON:
Time.UnmarshalBinary: invalid length
unixpacket
internal error: unknown network type
inconsistent poll.fdMutex
i/o timeout
os: process already finished
ComputerNameEx
GetFileType
SyscallConn.Write
SyscallConn.Read
OpenProcess

```
GetProcessTimes
truncate
SyscallConn
negative offset
%!(BADWIDTH)
0123456789abcdefx
0123456789ABCDEFX
0123456789abcdefx
0123456789ABCDEFX
strings.Reader.ReadAt: negative offset
binary.BigEndian
binary.LittleEndian
bytes.Reader.Seek: invalid whence
bytes.Reader.Seek: negative position
bytes.Reader.UnreadRune: at beginning of slice
randautoseed
number has no digits
invalid rune %#U
math/big: cannot unmarshal %q into a *big.Int
negative bit index
impossible
impossible
invalid base
underflow
crypto/rand: argument to Int is <= 0
archive/tar: invalid tar header
archive/tar: write after close
././@LongLink
././@LongLink
GlobalHead.0.0
PaxHeaders.0
%s%d.%09d
archive/tar: unknown file mode %v
Devmajor
AccessTime
only PAX supports TypeXGlobalHeader
SCHILY.xattr.
bufio: tried to rewind past start of buffer
hash/crc32: invalid hash state size
gzip.Write: non-Latin-1 header string
context.TODO
execerrdot
executable file not found in %PATH%
SYSTEMROOT
exec: environment variable contains NUL
```

... omitting

exec: StdinPipe after process started
exec: canceling Cmd
invalid port %q after host
net/url: invalid userinfo
net/url: invalid control character in URL
in host name

RIPEMD-160
SHA3-384
SHA-512/256
unknown hash value
cipher: incorrect tag size given to GCM
crypto/cipher: output smaller than input
crypto/cipher: invalid buffer overlap
crypto/aes: invalid key size
crypto/cipher: incorrect GCM tag size
crypto/cipher: invalid buffer overlap
crypto/cipher: invalid buffer overlap
crypto/aes: input not full block
crypto/aes: invalid buffer overlap
invalid P384Element encoding
invalid scalar length
invalid P384 compressed point encoding
P256 point is the point at infinity
invalid scalar length
invalid scalar length
invalid P224 point encoding
crypto/ecdh: invalid private key size
bigmod: invalid montgomeryMul input
cannot represent time as UTCTime
NumericString contains invalid character
internal error
internal error
optional
printable
application
unknown Go type: %v
unknown Go type for slice
sequence tag mismatch
truncated tag or length
indefinite length found (not DER)
truncated tag or length
superfluous leading zeros in length
non-minimal length
20060102150405Z0700
060102150405Z0700
integer too large

```
integer not minimally-encoded
invalid boolean
cryptobyte: internal error
0601021504Z0700
20060102150405Z0700
cryptobyte: internal error
zero parameter
negative coordinate
invalid integer
scalar has high bit set illegally
w must be at least 2 by the definition of NAF
invalid scalar length
crypto/rsa: verification error
invalid padding
```

-----END

```
2.5.4.11
SERIALNUMBER
netip.ParsePrefix(
netip.ParsePrefix(
): bad bits after slash:
  parsing
invalid ip:port
not an ip:port
unexpected slice size
invalid AddrPort
colon must be followed by more characters
unexpected character
ParseAddr(
invalid IP
As4 called on IP zero value
negative Prefix bits
prefix length
invalid Prefix
too many pointers (>10)
zero length segment
Question
unpacking Question.Name
unpacking Question.Type
skipping:
authorities
additional
invalid DNS response
server misbehaving
/etc/hosts
invalid network interface index
loopback
```

```
pointtopoint
missing address
unixgram
sotypeToNet unknown socket type
unknown mode:
unixpacket
setsockopt
setsockopt
setsockopt
raw-write
criterion too short
unclosed criterion bracket
/etc/nsswitch.conf
i/o timeout
invalid
non-IPv6 address
non-IPv4 address
CIDR address
sockaddr
wsasendmsg
wsarecvmsg
wsarecvmsg
unixgram
.localhost
go package net: confVal.netCgo =
go package net: using cgo DNS resolver
go package net: hostLookupOrder(
unexpected network:
invalid IP address
crypto/des: input not full block
crypto/md5: invalid hash state size
DES-EDE3-CBC
AES-128-CBC
AES-192-CBC
x509: decryption password incorrect
SHA256-RSA
ECDSA-SHA384
ECDSA-SHA512
x509: unhandled critical extension
X509 CRL
x509: signing with MD5 is not supported
x509: %q cannot be encoded as an IA5String
x509: ECDSA verification failure
x509: Ed25519 verification failure
x509: failed to parse EC private key:
x509: unknown EC private key version %d
x509: malformed tbs certificate
```

x509: malformed spki
x509: malformed signature
x509: invalid constraint value:
x509: cannot parse URI %q: %s
x509: invalid ECDSA parameters
x509: zero or negative DSA parameter
x509: unknown public key algorithm
x509: unsupported time format
x509: malformed OID
CERTIFICATE
2006-01-02T15:04:05Z07:00
current time %s is after %s
2006-01-02T15:04:05Z07:00
email address
%s %q is not permitted by any constraint
avx512bw
avx512dq
avx512ifma
avx512vnniw
avx5124fmaps
avx512vpopcntdq
avx512vbmi2
avx512bitalg
avx512bf16
chacha20: wrong HChaCha20 nonce size
unexpected message
decryption failed
bad certificate
unknown certificate
user canceled
no renegotiation
unsupported extension
bad certificate hash value
tls: invalid ClientKeyExchange message
client finished
master secret
tls: server selected unsupported curve
c ap traffic
s ap traffic
tls: invalid server key share
tls: malformed key_share extension
tls: received malformed key_share extension
CLIENT_RANDOM
resumption
tls: short read from Rand:
unknown cipher type
unknown cipher type

tls: internal error: wrong nonce length
tls: keys must have at least one key
ClientAuthType(
tls: unsupported certificate curve (%s)
tls: unsupported public key: %T
PKCS1WithSHA384
PKCS1WithSHA512
SignatureScheme(
expected an RSA public key, got %T
Accept-Ranges
Content-Id
Dkim-Signature
If-Modified-Since
Message-Id
Mime-Version
Set-Cookie
User-Agent
X-Imforwards
X-Powered-By
image/avif
text/css; charset=utf-8
text/html; charset=utf-8
image/jpeg
image/webp
quotedprintable: invalid bytes after =: %q
multipartfiles
quoted-printable
caller error
Cache-Control
Content-Length
Content-Range
Max-Forwards
Transfer-Encoding
varint integer overflow
:authority
accept-charset
accept-encoding
cache-control
content-length
content-type
if-unmodified-since
location
max-forwards
retry-after
set-cookie
www-authenticate
/index.html

accept-charset
accept-encoding
authorization
content-disposition
content-length
content-type
if-modified-since
location
proxy-authenticate
retry-after
strict-transport-security
transfer-encoding
accept-encoding
authorization
content-encoding
content-language
content-type
if-modified-since
location
max-forwards
proxy-authorization
retry-after
www-authenticate
invalid encoding
id (%v) <= evictCount (%v)
invalid byte in chunk length
https_proxy
no_proxy
REQUEST_METHOD
read from empty dataBuffer
PROTOCOL_ERROR
FLOW_CONTROL_ERROR
SETTINGS_TIMEOUT
STREAM_CLOSED
REFUSED_STREAM
CONNECT_ERROR
ENHANCE_YOUR_CALM
END_HEADERS
END_HEADERS
END_HEADERS
MAX_FRAME_SIZE
body closed by handler
http2: stream closed
http2: handler panicked
Keep-Alive
Proxy-Connection
Transfer-Encoding

http2: no cached connection was available
http2: response body closed
header too long
Transfer-Encoding
Content-Length
Transfer-Encoding
Content-Type
net/http: abort Handler
http: Server closed
http2server
application/pdf
%!PS-Adobe-
RIFF WEBPVP
video/avi
font/collection
font/woff2
application/zip

Content-Length
Transfer-Encoding
Transfer-Encoding
Transfer-Encoding
http: unexpected EOF reading trailer
http2client
http: read on closed response body
Content-Length
keep-alive
Connection
Content-Length
Content-Length
Content-Length
unexpected type
Transfer-Encoding
Transfer-Encoding
Content-Length
Connection: close

Connection
Content-Length
Transfer-Encoding
invalid Trailer key
Trailer:
Processing
Non-Authoritative Information
No Content
Reset Content
Already Reported

Not Modified
Temporary Redirect
Permanent Redirect
Bad Request
Not Found
Not Acceptable
Request URI Too Long
Unprocessable Entity
Failed Dependency
Service Unavailable
Not Extended
invalid username/password version
network unreachable
host unreachable
command not implemented
nil context
too many authentication methods
unknown address type
unknown error
socks bind
missing form body
Unhandled Setting: %v
recv_goaway_
Content-Length
Content-Encoding
Connection
out of range
http2debug=1
accept-language
access-control-allow-credentials
access-control-allow-methods
access-control-max-age
content-disposition
content-length
if-none-match
proxy-authenticate
proxy-authorization
retry-after
set-cookie
transfer-encoding
x-forwarded-for
, settings:
 data=%q
 (%d bytes omitted)
 ping=%q
frame_ping_length
frame_pushpromise_promiseid_short

```
frame_priority_zero_stream
frame_priority_bad_length
PRIORITY frame payload size was %d; want 5
frame_data_stream_0
invalid header field name %q
stream error: stream ID %d; %v
connection error: %s
read_frame_eof
read_frame_unexpected_eof
read_frame_other
assigned stream ID 0
:authority
content-length
user-agent
content-length
Go-http-client/2.0
http2: Framer %p: wrote %v
Accept-Encoding
err must be non-nil
UNKNOWN_FRAME_TYPE_%d
proxyconnect
Proxy-Authorization
Proxy-Authorization
  already registered
http: nil Request.URL
http: nil Request.Header
net/http: invalid method %q
persistConn was already in LRU
nil error
readLoopPeekFailLocked: %w
Content-Encoding
Authorization
*http2.Transport
application/x-www-form-urlencoded
failed to parse Location header %q: %v
Idempotency-Key
X-Idempotency-Key
Connection
100-continue
Authorization
Go-http-client/1.1
User-Agent
http: multipart handled by ParseMultipartForm
nil context
Content-Length: 0

http: nil Cookie
```

```
; Domain=
Mon, 02 Jan 2006 15:04:05 GMT
; Max-Age=
; HttpOnly
trace/breakpoint trap
1.3.6.1.5.5.7.3.1
CfgMgr32.dll
crypt32.dll
ole32.dll
sechost.dll
userenv.dll
version.dll
wtsapi32.dll
ChangeServiceConfigW
CreateWellKnownSid
CryptAcquireContextW
DeleteService
EnumServicesStatusExW
EqualSid
GetLengthSid
GetNamedSecurityInfoW
GetSecurityInfo
InitializeSecurityDescriptor
InitiateSystemShutdownExW
IsTokenRestricted
LookupAccountNameW
QueryServiceConfig2W
QueryServiceStatus
RegQueryInfoKeyW
RegQueryValueExW
RegisterEventSourceW
ReportEventW
SetSecurityDescriptorOwner
SetSecurityDescriptorSacl
SetSecurityInfo
CertCloseStore
CertDeleteCertificateFromStore
CertDuplicateCertificateContext
CertFindExtension
CertFreeCertificateChain
CertOpenStore
CryptDecodeObject
CryptProtectData
CryptQueryObject
GetAdaptersInfo
GetBestInterfaceEx
GetIfEntry
```

GetIfEntry
CloseHandle
CreateDirectoryW
CreateEventExW
CreateFileW
CreateJobObjectW
CreateMutexExW
CreateMutexW
CreatePipe
CreateProcessW
CreateSymbolicLinkW
DeleteProcThreadAttributeList
DeviceIoControl
DuplicateHandle
FindClose
FindCloseChangeNotification
FindNextVolumeW
FindVolumeClose
FindVolumeMountPointClose
FlushViewOfFile
GetComputerNameW
GetConsoleScreenBufferInfo
GetCurrentProcessId
GetExitCodeProcess
GetFileType
GetLastError
GetLogicalDriveStringsW
GetNamedPipeInfo
GetProcessId
GetProcessTimes
GetQueuedCompletionStatus
GetShortPathNameW
GetSystemPreferredUILanguages
GetSystemTimePreciseAsFileTime
GetSystemWindowsDirectoryW
GetUserPreferredUILanguages
GetVolumeInformationByHandleW
GetWindowsDirectoryW
IsWow64Process
IsWow64Process2
LoadResource
MapViewOfFile
Module32NextW
MoveFileExW
MultiByteToWideChar
OpenEventW
OpenMutexW

OpenThread
PulseEvent
QueryDosDeviceW
QueryInformationJobObject
ReadConsoleW
ReadDirectoryChangesW
ReadProcessMemory
ResumeThread
SetCommTimeouts
SetDllDirectoryW
SetDllDirectoryW
SetEvent
SetFileCompletionNotificationModes
SetFileInformationByHandle
SetFilePointer
SetHandleInformation
SetStdHandle
SetVolumeLabelW
SetVolumeMountPointW
Thread32Next
VirtualLock
VirtualProtect
VirtualProtectEx
VirtualUnlock
WriteProcessMemory
GetAcceptExSockaddrs
TransmitFile
NtCreateFile
NtSetInformationFile
RtlDosPathNameToNtPathName_U_WithStatus
RtlDosPathNameToRelativeNtPathName_U_WithStatus
RtlNtStatusToDosErrorNoTeb
CoGetObject
CoInitializeEx
StringFromGUID2
EnumProcessModules
GetModuleInformation
UnsubscribeServiceChangeNotifications
TranslateNameW
SetupDiCallClassInstaller
SetupDiCancelDriverInfoSearch
SetupDiClassNameFromGuidExW
SetupDiDestroyDeviceInfoList
SetupDiDestroyDriverInfoList
SetupDiGetClassInstallParamsW
SetupDiGetDeviceInfoListDetailW
SetupDiGetDeviceRegistryPropertyW

```
SetupDiSetClassInstallParamsW
SetupDiSetDeviceRegistryPropertyW
SetupUninstallOEMInfW
CommandLineToArgvW
SHGetKnownFolderPath
ExitWindowsEx
GetWindowThreadProcessId
GetFileVersionInfoW
WSACleanup
WSAIoctl
WSARecvFrom
closesocket
gethostbyname
getsockname
getsockname
setsockopt
WTSFreeMemory
WTSQueryUserToken
AddDllDirectory
kernel32.dll
Failed to find
  procedure in
InternetReadFile
HttpQueryInfoW
failed to add cookies: %w
status %s invalid: %w
HTTP/1.1
in literal true (expecting 'e')
after decimal point in numeric literal
in \u hexadecimal character escape
in \u hexadecimal character escape
looking for beginning of value
json: encoding error for type %q: %q
MarshalText
json: Unmarshal(nil)
json: Unmarshal(non-pointer
  into Go value of type
SplitHostPort
%s://%s%s:%d
empty host
No proxy found
illegal base32 data at input byte
padding contained in alphabet
unreachable
  chunk is too large:
bit depth %d, color type %d
ORGANOSOLS
```

WHIRLWINDS
COPOLYMERS
QUINTUPLET
AFFRICATING
KNEECAPPING
PACHALIC
CHERNOZEMIC
ALLOCATIONS
ENTICEMENTS
GREASEWOODS
PICTURIZATIONS
FATALISM
GREASERS
ANTITUSSIVE
BLASTERS
ERASURES
DISAPPROBATIONS
SALUTARY
SULLENLY
SOPHISTICATEDLY
READDRESSING
TECHNOLOGIES
HIEROGLYPHIC
FANTAILED
MEANINGFULLY
STEREOTYPICALLY
SUBSATELLITE
UNRESOLVABLE
SPADEFISH
COHOLDERS
GALLANTLY
BEARDEDNESSES
WITHOUTDOORS
RESTRIVES
IMMUNOGENETIC
MEDICATING
HYPERLIPEMIAS
GENTAMICIN
PREPROCESSING
CIGUATERAS
RATCHETING
MUCKRAKING
CARBOLIZES
EUTHANIZED
LENTIGINES
DERMATOSES
PLANATIONS

REVOCAION
MAUMETRIES
BOOTLESSLY
POIKILOTHERMIC
REDEVELOPED
REASSEMBLES
MISDOUBTING
DACTYLOLOGY
ADMITTEE
DEVIANCY
ROUGHNESSES
OMNIMODE
SUBTHEME
DOUBLEHEADER
FRONTCOURTS
COWORKER
SOUTHWESTER
KEYSTONE
COUNTERVIOLENCE
NONDECEPTIVE
DRILLABILITY
OUTPRAYS
TRANSSEXUALISMS
POSTCOLONIAL
GEMMOLOGISTS
METALWORKERS
BLOODIEST
SITUATING
POSTPOSITION
PRESANCTIFIED
APRIORITY
UNSCALABLE
MANIACALLY
DOCUMENTALIST
VACATIONED
OUTCOACHED
SADDLERIES
MUNCHABLES
TETRAHEDRA
NONDEFENSE
PERICYCLIC
UNSHEATHED
CRYSTALLIZING
HIEROPHANT
EPITOMISED
STOMACHERS
avx512bw

avx512dq
avx512ifma
avx512vnniw
avx5124fmaps
avx512vpopcntdq
avx512vbmi2
avx512bitalg
avx512bf16
chacha20: wrong HChaCha20 nonce size
vYX8FuuKAH0zhNc9Pog06z2jzf9QcwFER55IiH12oEY
invalid peer key
incomplete encoded signature
unsupported signature algorithm
ciphertext too short
field %v contains invalid UTF-8
proto:
cannot parse reserved wire type
mismatching end group marker
parse error
Int32Kind
Sint64Kind
Uint64Kind
Kind(%d)
<unknown: %T>
Syntax(%d)
is_extension
idempotency_level
uninterpreted_option
uninterpreted_option
positive_int_value
aggregate_value
deprecated
input_type
client_streaming
server_streaming
allow_alias
java_multiple_files
java_generate_equals_and_hash
optimize_for
deprecated
objc_class_prefix
csharp_namespace
php_namespace
extende
reserved_range
reserved_name
nested_type

```
source_code_info
Repeated
repeated
google.golang.org/protobuf/types/known/
google.golang.org/genproto
cb27e3aa (May 26th, 2020)
GOLANG_PROTOBUF_REGISTRATION_CONFLICT
Extensions
Services
IsMapEntry
RequiredNumbers
ExtensionRanges
Messages
IsExtension
HasDefault
ContainingOneof
ReservedRanges
IsPlaceholder
ContainingMessage
FieldRanges
[:alnum:]
[:^ascii:]
[:^cntrl:]
[:^digit:]
[:print:]
[:^upper:]
[:^word:]
[:xdigit:]
InstRuneAnyNotNL
rune <nil>
anynotnl ->
unhandled
bad inst
unexpected InstFail
infinity
invalid character %q in string
01234567
index out of range
invalid range: %v
non-contiguous repeated field
non-contiguous repeated field
non-contiguous repeated field
zigzag32
zigzag64
string field contains invalid UTF-8
reflect.Value.IsZero
missing Go struct field for
```

missing Go struct field for
invalid Message.WhichOneof descriptor on
XXX_OneofWrappers
ExtensionRangeArray
protobuf
protobuf_val
protobuf_oneof
UnknownX%X
invalid type: got %v, want %v
invalid type: got %v, want %v
invalid type: got %v, want %v
invalid oneof descriptor
mismatching field: %v
field %v is invalid
weakFields
XXX_unrecognized
extensionFields
protobuf
XXX_OneofFuncs
0123456789
%v: unable to resolve extension %v: %v
invalid oneof descriptor
for message
message %T is neither a v1 or v2 Message
mismatching extension lengths
http session closed
https://%s
javascripts
no session
en-US,en;q=0.9
net-timeout
max-errors
force-http
host-header
proxy-password
60000000000
Incomplete IMAGE_NT_HEADERS
Unaligned section
Error building import table: %w
ntdll.dll not found
Ordinal number too low
Ordinal number too high
Incomplete section
RegDeleteKeyW
RegEnumValueW
ExpandEnvironmentStringsW
User32.dll

```
advapi32.dll
kernel32.dll
MiniDumpWriteDump
DeleteDC
GlobalAlloc
GlobalFree
LogonUserW
CreateProcessW
CreateRemoteThread
CreateThread
GetProcessHeap
HeapReAlloc
PssCaptureSnapshot
QueueUserAPC
VirtualProtectEx
[DEBUG]
Void Main()
OleAut32.dll
ShowWindow
GetErrorInfo
mscorlib.dll
CLRCreateInstance
Installed Runtimes: %v
%s is not loadable for some reason
InstalledRuntimes Next Error:
%s

Could not find any installed runtimes
Entering into iclrruntimeinfo.GetVersion()...
Entering into iclrruntimeinfo.Release()...
C:\Windows\System32\kernel32.dll
could not retrieve service status: %v
pipe has been closed for write
kernel32.dll
ws2_32.dll
ImpersonateSelf
CreateFileW
GetCurrentThread
LocalAlloc
NtCreateNamedPipeFile
WSAGetOverlappedResult
convert
failed to write
peer not found
GetDefaultPrinterW
uxtheme.dll
CloseThemeData
```

GetThemeTextExtent
IsAppThemed
SetWindowTheme
user32.dll
AnimateWindow
BeginPaint
CallWindowProcW
CreateDialogParamW
DefWindowProcW
DeleteMenu
DestroyIcon
DestroyWindow
DrawFocusRect
DrawTextExW
EnableWindow
GetAncestor
GetCursorPos
GetDpiForWindow
GetIconInfo
GetRawInputData
GetSubMenu
GetWindowPlacement
GetWindowRect
InsertMenuItemW
LoadMenuW
MonitorFromWindow
MoveWindow
OpenClipboard
PeekMessageW
ScreenToClient
SetActiveWindow
SetCapture
SetMenuDefaultItem
SetWindowLongW
SetWindowPlacement
SetWindowPos
SystemParametersInfoW
UnhookWinEvent
WindowFromDC
WindowFromPoint
DragFinish
SHGetFileInfoW
ShellExecuteW
SHParseDisplayName
PdhAddCounterW
PdhCloseQuery
PdhCollectQueryData

PdhOpenQuery
wglCreateContext
wglMakeCurrent
wglShareLists
CoUninitialize
OleUninitialize
kernel32.dll
CloseHandle
CreateActCtxW
FileTimeToSystemTime
GetConsoleTitleW
GetPhysicallyInstalledSystemMemory
GetVersion
SizeofResource
gdiplus.dll
GdiipDisposeImage
GdiplusShutdown
CreateBitmap
CreateBrushIndirect
CreateFontIndirectW
DeleteDC
GetTextColor
GetTextExtentExPointW
GetViewportOrgEx
PlayEnhMetaFile
Polyline
RemoveFontMemResourceEx
RoundRect
SetBkMode
SetStretchBltMode
StartDocW
StartPage
StretchBlt
SwapBuffers
AlphaBlend
TransparentBlt
ChooseColorW
CommDlgExtendedError
ImageList_AddMasked
ImageList_Create
ImageList_Destroy
RegCloseKey
RegEnumValueW
RegSetValueExW
EnumDisplayMonitors
EnumDisplaySettingsW
Kernel32.dll

GetTcp6Table2
GetExtendedUdpTable
Process32First
invalid handle value: %#v
error decrypting: %v
could not generate random confounder: %v
error encrypting data: %v
integrity verification failed
des-cbc-raw
des3-cbc-raw
des3-cbc-sha1-kd
dsaWithSHA1-CmsOID
rc2CBC-EnvOID
aes128-sha1
aes128-sha2
aes256-cts-hmac-sha384-192
aes256-sha2
arcfour-hmac
integrity verification failed
non sequence tagged as set
unknown Go type
have already forked
application
internal error: unknown string type %d
truncated tag or length
truncated tag or length
length too large
superfluous leading zeros in length
non-minimal length
0601021504Z0700
integer too large
integer not minimally-encoded
invalid boolean
error generating confounder: %v
incorrect keysize: expected: %v actual: %v
error getting etype: %v
00001000
00008000
KRB_AP_ERR_MODIFIED Message stream modified
byte array is less than 2 bytes: %d
%s's length is less than %d
^\\s*\\[libdefaults\\]\\s*
^\\s*\\[realms\\]\\s*
^\\s*\\[domain_realm\\]\\s*
domain_realm
00000010
des3-cbc-sha1

camellia128-cts-cmac
des-cbc-crc
des-cbc-md4
des3-cbc-sha1
arcfour-hmac-md5
des-cbc-crc
des3-cbc-sha1
des-cbc-md5
kerberos-adm
kerberos
no KDC SRV records found for realm %s
allow_weak_crypto
canonicalize
ccache_type
default_keytab_name
default_tkt_enctypes
dns_lookup_kdc
libdefaults section line (%s): %v
libdefaults section line (%s): %v
k5login_authoritative
kdc_default_options
noaddresses
libdefaults section line (%s): %v
libdefaults section line (%s): %v
libdefaults section line (%s): %v
safe_checksum_type
ticket_lifetime
udp_preference_limit
verify_ap_req_nofail
%x-%x-%x-%x-%x
encapsulated
conformant
size not valid: %v
could not fill element %d of pipe: %v
could not read private header filler: %v
could not get rawbytes field(%s) size: %v
could not process struct field(%s): %v
could not fill %s: %v
could not fill %s: %v
could not fill %s: %v
could not fill %s: %v
conformant
unsupported type
could not decode deferred referent: %v
unable to process byte stream: %v
could not fill index %v of slice: %v
could not process ClientClaimsInfo: %v

```
error unmarshaling KerbValidationInfo: %v
error unmarshaling DeviceInfo: %v
application,explicit,tag:%v
Encoding_Error
Encoding_Error
Encoding_Error
KRBMessage_Handling_Error
KRBMessage_Handling_Error
Encoding_Error
error processing TGS_REQ body
Decrypting_Error
KRBMessage_Handling_Error
Encoding_Error
Decrypting_Error
Decrypting_Error
Encoding_Error
KRBMessage_Handling_Error
error unmarshaling Ticket within AS_REP
Encoding_Error
KRBMessage_Handling_Error
Encoding_Error
error unmarshaling PAC: %v
error unmarshaling encrypted part: %v
application,explicit,tag:%d
KRBMessage_Handling_Error
error marshaling change passwd data
KRBMessage_Handling_Error
Encoding_Error
Encoding_Error
error unmashalling ETYPE-INFO2 data
Encrypting_Error
Encrypting_Error
error getting key from credentials
Encoding_Error
TGT session renewed for %s (EndTime: %v)
ticket renewed for %s (EndTime: %v)
KRBMessage_Handling_Error
KRBMessage_Handling_Error
KDC_Error
cookiejar: illegal cookie domain attribute
cookiejar: no host name available (IP only)
application,explicit,tag:%v
krb5token too short
error unmarshaling KRB5Token KRBError: %v
error marshalling AP_REQ for MechToken: %v
invalid state %d
rsa-sha2-512
```

```
ecdsa-sha2-nistp256-cert-v01@openssh.com
ssh-ed25519-cert-v01@openssh.com
aes128-ctr
aes192-ctr
password
aes128-ctr
arcfour256
aes128-cbc
aes192-ctr
curve25519-sha256
ssh-rsa-cert-v01@openssh.com
ecdsa-sha2-nistp256
ecdsa-sha2-nistp384
ssh-ed25519
hmac-sha2-256
hmac-sha1-96
serviceRequestMsg
serviceAcceptMsg
extInfoMsg
kexInitMsg
kexDHInitMsg
kexDHReplyMsg
userAuthSuccessMsg
globalRequestMsg
channelOpenMsg
channelOpenConfirmMsg
windowAdjustMsg
pointer to unsupported type
unsupported type: %v
openssh-key-v1
ssh: private key unexpected length
nistp256
ssh: no key found
RSA PRIVATE KEY
EC PRIVATE KEY
OPENSSSH PRIVATE KEY
ssh: signature type %s for key type %s
ssh: unsupported curve
invalid size %d for Ed25519 public key
ssh-ed25519
ssh-ed25519
nistp521
ecdsa-sha2-nistp256
ssh-ed25519
ecdsa-sha2-nistp256-cert-v01@openssh.com
ecdsa-sha2-nistp521-cert-v01@openssh.com
diffie-hellman-group14-sha256
```

```
curve25519-sha256
server to client cipher
client to server MAC
ssh-rsa-cert-v01@openssh.com
gssapi-with-mic
ssh-connection
ssh-connection
ssh-connection
SSH-2.0-Go
ssh: command %v failed
ssh: empty packet
ssh: padding %d too large
ssh: packet too large
ssh: MAC failure
aes128-cbc
unknown channel type
unknown reason %d
ssh: extended code %d unimplemented
ssh: remote side wrote too much
invalid request
en_US.UTF-8
not a global message %#v
sk-ssh-ed25519-cert-v01@openssh.com
rsa-sha2-512
agent: unsupported algorithm %q
agent: failure
ssh-ed25519
ssh-ed25519
agent: failure
no supported authentication mechanism
failed to get request, %v
datagram to short
datagram to short
unrecognized command[%d]
network is unreachable
dial udp invalid
use of closed network connection
use of closed network connection
bind to %v blocked by rules
password
shell wait error
Unsupported pivot listener type
IsDebuggerPresent
language not supported
kernel32
could not find kernel32 dll:
Server 2016
```

```
Testing /tmp/test/009f0391a6ad93e17b7c8719dcbdb50d46bc5cb6afe8af2a60e00f4bcb41cf3e
  on zero Value
  reflect: chanDir of non-chan type
  t.xcount > 0
  name flag field
  name offset field
  read varint
  trace/breakpoint trap
  permission denied
  bad message
  device or resource busy
  software caused connection abort
  destination address required
  is a named type file
  key has expired
  level 2 halted
  level 2 not synchronized
  level 3 reset
  can not access a needed shared library
  cannot exec a shared library directly
  too many links
  multihop attempted
  no XENIX semaphores available
  no data available
  no locks available
  package not installed
  block device required
  object is remote
  remote I/O error
  cannot send after transport endpoint shutdown
  timer expired
  crypt32.dll
  dnsapi.dll
  kernel32.dll
  secur32.dll
  ws2_32.dll
  RegEnumKeyExW
  RegOpenKeyExW
  CertCloseStore
  CertVerifyCertificateChainPolicy
  GetIfEntry
  CloseHandle
  CreatePipe
  ExitProcess
  FreeLibrary
  GetComputerNameW
  GetConsoleMode
```

GetCurrentDirectoryW
GetEnvironmentStringsW
GetProcAddress
GetProcessTimes
GetQueuedCompletionStatus
GetShortPathNameW
GetSystemDirectoryW
GetTimeZoneInformation
GetVersion
OpenProcess
PostQueuedCompletionStatus
Process32FirstW
ReadFile
SetFileAttributesW
SetFileTime
SetHandleInformation
TerminateProcess
UnmapViewOfFile
UpdateProcThreadAttribute
VirtualLock
VirtualUnlock
GetAcceptExSockaddrs
TransmitFile
NetApiBufferFree
NetUserGetInfo
CommandLineToArgvW
WSAEnumProtocolsW
closesocket
getpeername
getservbyname
getsockname
getsockopt
advapi32.dll
ImpersonateSelf
OpenThreadToken
RevertToSelf
SetTokenInformation
GetAdaptersAddresses
GetConsoleCP
GetCurrentThread
MultiByteToWideChar
GetProfilesDirectoryW
value out of range
1220703125
476837158203125
2384185791015625
59604644775390625

1490116119384765625
7450580596923828125
9094947017729282379150390625
227373675443232059478759765625
5684341886080801486968994140625
28421709430404007434844970703125
277555756156289135105907917022705078125
1387778780781445675529539585113525390625
34694469519536141888238489627838134765625
173472347597680709441192448139190673828125
mult128bitPow10: power of 10 is out of range
0123456789abcdef
ParseUint
ParseUint
ParseFloat
ParseFloat
ParseFloat
ParseFloat
ParseFloat
Balinese
Bassa_Vah
Cherokee
Cyrillic
Gunjala_Gondi
Hanifi_Rohingya
Hiragana
Inscriptional_Pahlavi
Inscriptional_Parthian
Mahajani
Mahajani
Masaram_Gondi
Medefaidrin
Meroitic_Cursive
Nandinagari
New_Tai_Lue
Ol_Chiki
Old_Persian
Old_Turkic
Pahawh_Hmong
Pahawh_Hmong
Pau_Cin_Hau
Samaritan
Samaritan
SignWriting
Syloti_Nagri
Tagbanwa
Tai_Tham
Tai_Viet

Ugaritic
Warang_Citi
Ideographic
Join_Control
Other_ID_Continue
Other_ID_Start
Other_Math
Quotation_Mark
Regional_Indicator
Sentence_Terminal
Soft_Dotted
Unified_Ideograph
Variation_Selector
White_Space
unsafe.Pointer
 to array with length
reflect: cannot convert slice with length
reflect.MakeSlice: negative cap
reflect.Copy
reflect.AppendSlice
method ABI and value ABI do not align
unexpected method step
unexpected value step
unexpected value step
 of unexported method
 of unexported method
reflect.MakeFunc
precomputed value offset
unknown ABI part kind
unknown method
 on zero Value
methodargs(
 reflect.typeptrdata: unexpected type,
 " is anonymous but has PkgPath set
 reflect.StructOf: field "
 struct {
 &x.field safe
 sizeof(rtype) > 0
 bad argSize
 invalid n
 reflect: nil type passed to Type.AssignableTo
 reflect: Key of non-map type
 reflect: FieldByName of non-struct type
 reflect: Method index out of range
 reflect.Value.Equal: invalid Kind
 reflect.Value.Convert: value of type
 reflect.Value.Type

```
<invalid Value>
reflect.Value.Slice3
i < k <= cap
reflect.Value.SetUint
reflect.Set
reflect.MapIter.SetValue
reflect.Value.Len
reflect.Value.Int
reflect.Value.Float
reflect.Value.Cap
  as type
tv.Size() != 0
precomputed value offset
CallSlice
  using value obtained using unexported field
  using unaddressable value
t.xcount > 0
non-empty string
non-empty string
read varint
RegCreateKeyExW
RegLoadMUIStringW
Wednesday
September
bad value for field
Sudan Standard Time
Sao Tome Standard Time
Libya Standard Time
Greenland Standard Time
Jordan Standard Time
Arabic Standard Time
SE Asia Standard Time
Altai Standard Time
Sri Lanka Standard Time
Afghanistan Standard Time
Russia Time Zone 11
West Asia Standard Time
Iran Standard Time
Tokyo Standard Time
Tomsk Standard Time
Yakutsk Standard Time
Caucasus Standard Time
Lord Howe Standard Time
Kaliningrad Standard Time
GMT Standard Time
Russia Time Zone 3
West Pacific Standard Time
```

```
time: missing Location in call to Date
time: Stop called on uninitialized Timer
  in duration
: extra text:
  out of range
: day out of range
2006-01-02T15:04:05.999999999Z07:00
Time.MarshalText:
Time.MarshalBinary: unexpected zone offset
2006-01-02T15:04:05.999999999Z07:00
skip everything and stop the walk
not pollable
unreachable
setsockopt
unixgram
inconsistent poll.fdmutex
/dev/stdin
/dev/stdout
ComputerNameEx
ComputerNameEx
GetFileType
FindFirstFile
SyscallConn.Control
WaitForSingleObject
GetProcessTimes
exit status
exit status
SetReadDeadline
SetDeadline
%!(BADPREC)
(BADINDEX)
0123456789abcdefx
0123456789ABCDEFX
strings.Reader.Seek: invalid whence
bytes.Reader.ReadAt: negative offset
number has no digits
invalid rune %#U
impossible
division by zero
internal inconsistency
invalid base
set bit is not 0 or 1
archive/tar: header field too long
archive/tar: write after close
././@LongLink
GlobalHead.0.0
PaxHeaders.0
```

```
%s%d.%09d
archive/tar: sockets not supported
GNU cannot encode %s=%q
USTAR cannot encode %s=%q
only PAX supports TypeXGlobalHeader
GNU.sparse.
Format specifies PAX
Format specifies GNU
<unknown>
archive/tar: cannot encode header
bufio: buffer full
gzip.Write: non-Latin-1 header string
.WithValue(type
cannot create context from nil parent
key is not comparable
cannot create context from nil parent
context.TODO
execerrdot
SYSTEMROOT=
nil Context
exec: Stdout already set
exec: StdinPipe after process started
exec: Stderr already set
exec: canceling Cmd
exec: already started
invalid port %q after host
net/url: invalid userinfo
field %v contains invalid UTF-8
parse error

BoolKind
Sint32Kind
Sfixed32Kind
Fixed64Kind
StringKind
BytesKind
type mismatch: cannot convert %v to %s
name_part
deprecated
uninterpreted_option
aggregate_value
deprecated
uninterpreted_option
client_streaming
uninterpreted_option
```

```
deprecated
uninterpreted_option
java_package
java_multiple_files
cc_enable_arenas
php_namespace
extender
reserved_range
reserved_name
nested_type
message_type
Optional
<unknown:%d>
not found
found wrong type: got %v, want enum
google/protobuf/field_mask.proto
continue
fallthrough
descriptor mismatch
Messages
Extensions
ExtensionRanges
Extensions
Cardinality
IsExtension
IsPacked
ReservedRanges
IsPlaceholder
FullName
IsPlaceholder
ContainingOneof
ContainingMessage
[:^alnum:]
[:^alpha:]
[:^cntrl:]
[:^digit:]
[:^graph:]
[:lower:]
[:^lower:]
[:^print:]
[:^space:]
[:upper:]
InstCapture
InstFail
altmatch ->
error parsing regexp:
unknown empty width arg
```

```
infinity
-infinity
01234567
invalid octal escape code %q in string
index out of range
invalid range: %v
non-contiguous repeated field
overlapping ranges: %v with %v
invalid padding
0123456789abcdef
zigzag32
zigzag64
field %v has invalid nil pointer
no support for proto1 weak fields
invalid Message.Get on
XXX_OneofFuncs
XXX_OneofWrappers
ExtensionRangeArray
protobuf_key
protobuf_val
protobuf
protobuf_oneof
invalid type: got %v, want %v
invalid type: got %v, want %v
invalid type: got %v, want %v
invalid type: got %v, want %v
invalid type: got %v, want %v
invalid field: no encoder for %v %v %v
invalid kind:
weak message %v is not linked in
XXX_sizecache
unknownFields
XXX_extensions
protobuf_oneof
XXX_OneofWrappers
0123456789
invalid nil pointer
SEND_FAILURE
DISCONNECT
SHA3-512
BLAKE2s-256
crypto/cipher: message too large for GCM
cipher: incorrect length IV
crypto/cipher: invalid buffer overlap
crypto/aes: output not full block
crypto/aes: invalid buffer overlap
crypto/aes: invalid buffer overlap
```

invalid P521Element encoding
invalid scalar length
invalid scalar length
invalid P384 point encoding
invalid P256 element encoding
P224 point is the point at infinity
d.nx != 0
crypto/sha512: invalid hash state size
NumericString contains invalid character
empty integer
internal error
generalized
application
unknown Go type: %v
tags don't match (%d vs %+v) %+v %s @%d
sequence tag mismatch
truncated sequence
indefinite length found (not DER)
0601021504Z0700
060102150405Z0700
integer too large
cryptobyte: internal error
0601021504Z0700
zero parameter
ecdsa: public key point is the infinity
negative coordinate
IV for ECDSA CTR
ecdsa: internal error: r is zero
NAF digits must fit in int8
ed25519: internal error: setting scalar failed
SigEd25519 no Ed25519 collisions
SERIALNUMBER
netip.ParsePrefix(
) : bad bits after slash:
invalid ip:port
unexpected slice size
IPv4 field has octet with leading zero
IPv4 address too long
unexpected character
unexpected slice size
invalid IP
negative Prefix bits
too large for IPv4
unexpected slice size
TypeHINFO
ClassCHAOS
ClassHESIOD

RCodeNameError
segment prefix is reserved
zero length segment
Additional
skipping Question Name
invalid DNS response
/etc/hosts
ipv6-icmp
no such host
unixgram
unixpacket
setsockopt
setsockopt
setsockopt
setsockopt
/etc/nsswitch.conf
unknown port
non-IPv6 address
missing port in address
unexpected ']' in address
CIDR address
sockaddr
getadaptersaddresses
getadaptersaddresses
invalid address family
invalid address family
unixgram
unexpected type in connect
setsockopt
wsasendmsg
wsarecvmsg
wsarecvmsg
wsarecvfrom
unixpacket
nil context
localhost.localdomain
.localhost
cannot unmarshal DNS message
SRV header name is invalid
invalid port
cannot marshal DNS message
cannot marshal DNS message
cannot marshal DNS message
hostLookupOrder=
unixgram
mismatched local address type
IP address

invalid IP address
crypto/des: invalid buffer overlap
d.nx != 0
DES-EDE3-CBC
AES-256-CBC
SHA1-RSA
SHA384-RSA
SHA512-RSA
SHA256-RSAPSS
SHA384-RSAPSS
x509: cannot sign with hash function requested
x509: unknown SignatureAlgorithm
x509: %q cannot be encoded as an IA5String
x509: unhandled critical extension
x509: unknown elliptic curve
x509: malformed certificate
x509: invalid version
x509: malformed spki
x509: malformed extensions
x509: invalid authority key identifier
x509: invalid subject key identifier
x509: empty name constraints extension
x509: failed to parse URI constraint %q
x509: SAN rfc822Name is malformed
x509: invalid RSA public exponent
x509: malformed extension critical field
x509: invalid RDNSequenece
invalid UTF-8 string
invalid BMPString
invalid IA5String
invalid NumericString
2006-01-02T15:04:05Z07:00
email address
avx512pf
avx512vpopcntdq
avx512vpcplmulqdq
avx512vbmi2
GODEBUG sys/cpu: no value specified for "
GODEBUG sys/cpu: can not disable "
decompression failure
bad certificate
revoked certificate
expired certificate
illegal parameter
access denied
protocol version not supported
user canceled

no renegotiation
missing extension
unsupported extension
bad certificate status response
server finished
tls: failed to parse private key
CERTIFICATE
PRIVATE KEY
tls: unknown public key algorithm
server finished
tls: missing ServerKeyExchange message
tls: unexpected ServerKeyExchange
TLS 1.3, client CertificateVerify
tls: invalid server key share
tls: short read from Rand:
tls: unknown Renegotiation value
local error
unknown cipher type
tls: internal error: wrong nonce length
tls: internal error: wrong nonce length
%s %x %x

ClientAuthType(
no mutually supported protocol versions
tls: unsupported certificate curve (%s)
tls: unsupported public key: %T
unsupported signature algorithm: %v
PKCS1WithSHA1
PKCS1WithSHA256
SignatureScheme(
tls: alert(
NELUMBIUMS
MELTWATERS
WHIRLWINDS
THICKHEADED
REDUCIBILITIES
QUINTUPLET
SUPPORTIVE
CADDISED
RUBRICATING
FORECASTLES
FOREMANSHIP
ENTICEMENTS
SEMITRAILER
GREASEWOODS
ALLEGRETTOS
ADOPTIONIST

EVINCING
LEUCINES
EULOGIES
SULLENLY
READDRESSING
NONLIBRARIAN
GEOMAGNETISM
ETHNOCENTRIC
STEREOTYPICALLY
SUBSATELLITE
AUTHENTICITY
DAUBINGLY
COHOLDERS
GALLANTLY
WITHOUTDOORS
STONECROP
SPECIFICITIES
CHOROGRAPHIES
MEDICATING
INARGUABLE
CAMELIZE
GENTAMICIN
SCAGLIOLAS
CIGUATERAS
RATCHETING
SACAHUISTE
CORNCRAKES
MUCKRAKING
INTERMOUNTAIN
BOWDLERISE
SLOBBERERS
INJECTIONS
REVOCATION
HYDROSERES
POLLINOSIS
BOOTLESSLY
GROSSULARS
POIKILOTHERMIC
SEMINOMADIC
FEDERALIZES
DECLIVITIES
OSCILLATING
GRAVIDITIES
RESHUFFLING
REEVALUATES
FADEAWAY
DRAFFIER

OSTRACISING
GENTRICE
DEVIANCY
GROUCHES
SUBROUTINES
DOUBLEHEADER
GUESTING
FRONTCOURTS
SOUTHWESTER
OUTBOAST
WATERFLOODED
DRILLABILITY
PITCHFORKING
INNOVATIONAL
ABNEGATOR
GEMMOLOGISTS
METALWORKERS
MENTIONED
BLOODIEST
MYELOGRAM
GLYCERINS
BLUEWOODS
POSTPOSITION
DOCUMENTALIST
OUTCOACHED
SADDLERIES
PERICYCLIC
ENDOMETRIA
EVANGELISM
STERILIZATION
STOMACHERS
avx512pf
avx512vpopcntdq
avx512vpc1mulqdq
avx512vbmi2
GODEBUG sys/cpu: no value specified for "
GODEBUG sys/cpu: can not disable "
crypto/blake2b: invalid hash state identifier
invalid peer key
trusted comment:
invalid global signature
[mtls] zero data length
mtls://159.223.189.221:8888
user defined signal 1
segmentation fault
broken pipe
alarm clock

CfgMgr32.dll
iphlpapi.dll
ole32.dll
sechost.dll
user32.dll
userenv.dll
wintrust.dll
wintrust.dll
wintrust.dll
CM_Get_Device_Interface_ListW
CM_Get_Device_Interface_List_SizeW
ChangeServiceConfigW
CheckTokenMembership
ConvertSidToStringSidW
CryptGenRandom
GetLengthSid
GetSecurityDescriptorDacl
GetSecurityDescriptorSacl
GetSidIdentifierAuthority
GetSidSubAuthority
InitializeSecurityDescriptor
InitiateSystemShutdownExW
LookupAccountNameW
LookupAccountSidW
LookupPrivilegeValueW
MakeAbsoluteSD
MakeSelfRelativeSD
NotifyServiceStatusChangeW
OpenSCManagerW
OpenThreadToken
RegCloseKey
RegEnumKeyExW
RegisterServiceCtrlHandlerExW
ReportEventW
SetEntriesInAclW
SetSecurityDescriptorDacl
SetSecurityDescriptorOwner
SetSecurityDescriptorSacl
SetSecurityInfo
SetServiceStatus
SetThreadToken
CertAddCertificateContextToStore
CertEnumCertificatesInStore
CertGetCertificateChain
CertGetNameStringW
CertOpenStore
CertVerifyCertificateChainPolicy

DnsQuery_W
GetBestInterfaceEx
CreateEventExW
CreateEventW
CreateFileMappingW
CreateHardLinkW
CreateMutexExW
CreateSymbolicLinkW
CreateToolhelp32Snapshot
DuplicateHandle
ExpandEnvironmentStringsW
FindFirstChangeNotificationW
FindNextChangeNotification
FindResourceW
FlushFileBuffers
FlushViewOfFile
GenerateConsoleCtrlEvent
GetCommandLineW
GetConsoleMode
GetConsoleScreenBufferInfo
GetCurrentDirectoryW
GetCurrentProcessId
GetDiskFreeSpaceExW
GetFileAttributesExW
GetFileAttributesW
GetFileInformationByHandle
GetFileType
GetFullPathNameW
GetLastError
GetLogicalDrives
GetLongPathNameW
GetProcessPreferredUILanguages
GetProcessWorkingSetSizeEx
GetShortPathNameW
GetStdHandle
GetSystemDirectoryW
GetTempPathW
GetVolumeInformationByHandleW
GetVolumeNameForVolumeMountPointW
GetVolumePathNamesForVolumeNameW
InitializeProcThreadAttributeList
IsWow64Process2
LocalFree
LocalFree
MoveFileExW
MoveFileExW
OpenProcess

PostQueuedCompletionStatus
Process32NextW
PulseEvent
QueryFullProcessImageNameW
ReadConsoleW
ReadFile
ReadProcessMemory
ReleaseMutex
SetCommTimeouts
SetConsoleMode
SetErrorMode
SetFilePointer
SetFileTime
SetHandleInformation
SetProcessWorkingSetSizeEx
SetStdHandle
SetVolumeLabelW
SizeofResource
TerminateProcess
Thread32First
UnlockFileEx
UnmapViewOfFile
VirtualProtect
VirtualQueryEx
WTSGetActiveConsoleSessionId
WriteConsoleW
AcceptEx
GetAcceptExSockaddrs
GetAcceptExSockaddrs
NtQueryInformationProcess
RtlAddFunctionTable
RtlGetVersion
CoCreateGuid
CoInitializeEx
StringFromGUID2
SetupDiCallClassInstaller
SetupDiDestroyDeviceInfoList
SetupDiEnumDeviceInfo
SetupDiGetClassInstallParamsW
SetupDiGetDeviceInstallParamsW
SetupDiGetDeviceInstanceIdW
SetupDiGetDeviceRegistryPropertyW
SetupDiGetDriverInfoDetailW
SetupDiGetSelectedDevice
SetupDiSetDeviceRegistryPropertyW
ExitWindowsEx
VerQueryValueW

```
GetAddrInfoW
WSACleanup
WSAEnumProtocolsW
WSAIoctl
WSASocketW
WSAStartup
closesocket
getpeername
shutdown
AddDllDirectory
Error allocating headers: %w
Error finalizing sections: %w
kernelbase.dll
ntdll.dll
RtlPcToFileHeader
RtlPcToFileHeader not found
No functions exported
Resulting immediate value won't fit: %08x
Error finalizing section: %w
Error finalizing section: %w
RegConnectRegistryW
RegDeleteValueW
RegLoadMUIStringW
Kernel32.dll
User32.dll
ntdll.dll
DeleteObject
SelectObject
LogonUserW
CreateProcessW
GetExitCodeThread
InitializeProcThreadAttributeList
PssCaptureSnapshot
WriteProcessMemory
Void Main()
SafeArrayPutElement
OleAut32.dll
SafeArrayCreate
RtlCopyMemory
Entering into io.ReadStdoutStderr()...
kernel32.dll
ShowWindow
GetErrorInfo
fail to read string table length: %v
fail to read section relocations: %v
Service Pack %d
AmsiScanBuffer
```

Untrusted
extended attribute name too large
advapi32.dll
kernel32.dll
ws2_32.dll
LookupPrivilegeDisplayNameW
OpenThreadToken
BackupRead
GetNamedPipeHandleStateW
LocalAlloc
RtlDefaultNpAcl
RtlNtStatusToDosErrorNoTeb
[pivot] zero data length
D:(A;;0x1f019f;;;WD)
DeviceCapabilitiesW
DocumentPropertiesW
DrawThemeBackground
GetThemePartSize
GetThemeTextExtent
OpenThemeData
AdjustWindowRect
BeginPaint
BringWindowToTop
CreateIconIndirect
CreateMenu
DeferWindowPos
DestroyIcon
DestroyMenu
DrawMenuBar
EmptyClipboard
EnableMenuItem
EnumChildWindows
GetClassNameW
GetDesktopWindow
GetDlgItem
GetDpiForWindow
GetIconInfo
GetKeyState
GetMenuItemCount
GetRawInputData
GetSubMenu
GetSysColor
GetSysColorBrush
GetSystemMenu
GetWindowLongW
GetWindowRect
GetWindowThreadProcessId

IsDialogMessageW
LoadImageW
MonitorFromWindow
MoveWindow
NotifyWinEvent
UnregisterClassW
PeekMessageW
RegisterRawInputDevices
RemoveMenu
SetActiveWindow
SetClipboardData
SetCursorPos
SetMenuDefaultItem
SetParent
ShowWindow
SystemParametersInfoW
TrackMouseEvent
TrackPopupMenu
TrackPopupMenuEx
DragFinish
DragQueryFileW
ExtractIconW
ShellExecuteW
Shell_NotifyIconW
wglCreateContext
wglDeleteContext
wglGetLayerPaletteEntries
wglShareLists
oleaut32.dll
SysFreeString
SysStringLen
CoGetClassObject
CoInitializeEx
CoUninitialize
OleInitialize
OleSetContainedObject
kernel32.dll
CreateActCtxW
FindResourceW
GetConsoleWindow
GetCurrentThreadId
GetProfileStringW
GetVersion
SizeofResource
AddFontResourceExW
AddFontMemResourceEx
CopyEnhMetaFileW

CreateBitmap
CreateDIBSection
CreatePatternBrush
DeleteEnhMetaFile
DeleteObject
ExcludeClipRect
GetBkColor
GetEnhMetaFileW
GetEnhMetaFileHeader
GetTextColor
GetTextExtentPoint32W
GetTextMetricsW
GetViewportOrgEx
RemoveFontResourceExW
SelectObject
SetBkColor
SetStretchBltMode
SwapBuffers
TransparentBlt
GetOpenFileNameW
GetSaveFileNameW
comctl32.dll
ImageList_AddMasked
ImageList_Create
ImageList_DrawEx
ImageList_ReplaceIcon
InitCommonControlsEx
GetDC failed
SelectObject failed
Kernel32.dll
Process32Next
FIN_WAIT1
CLOSE_WAIT
error deriving key: %v
des3-cbc-md5
md5WithRSAEncryption-CmsOID
rsaEncryption-EnvOID
rsaES-OAEP-ENV-OID
aes128-cts-hmac-sha1-96
aes128-cts
aes128-sha1
aes256-cts
aes256-sha1
aes128-sha2
rc4-hmac
camellia128-cts-cmac
camellia128-cts

camellia256-cts-cmac
subkey-keymaterial
error deriving key: %v
optional
default:
data truncated
sequence tag mismatch
non-minimal tag
non-minimal length
IA5String contains invalid character
integer too large
error marshaling PAEncTSEnc: %v
error decrypting: %v
aes256-cts-hmac-sha384-192
aes128-cts-hmac-sha256-128
KDC_ERR_TGT_REVOKED TGT has been revoked
KRB_AP_ERR_TKT_NYV Ticket not yet valid
%d cannot be less than zero
%s's length is less than %d
libdefaults
^\\s*\\[realms\\]\\s*
domain_realm
^\\s*\\[.*\\]\\s*
unknown_section
des-cbc-md5
arcfour-hmac-md5
camellia256-cts-cmac
des-cbc-crc
des-cbc-md5
kerberos-adm
no KDC SRV records found for realm %s
realm line (%s)
default_domain
master_kdc
allow_weak_crypto
canonicalize
libdefaults section line (%s): %v
dns_lookup_realm
libdefaults section line (%s): %v
extra_addresses
forwardable
k5login_authoritative
kdc_default_options
libdefaults section line (%s)
noaddresses
libdefaults section line (%s): %v
permitted_enctypes

```
libdefaults section line (%s)
renew_lifetime
safe_checksum_type
verify_ap_req_nofail
wrong length byte slice (%d)
SwitchFunc
encapsulated
conformant
size not valid: %v
could not read common header length: %v
error reading bytes from stream: %v
could not get rawbytes field(%s) size: %v
could not process struct field(%s): %v
could not fill struct field(%s): %v
could not fill %s: %v
could not fill %s: %v
conformant
could not fill %v: %v
could not decode deferred referent: %v
could not fill index %v of slice: %v
error reading bytes from stream: %v
TypeUInt64
TypeBool
error processing ServerChecksum: %v
error decrypting KRBPriv EncPart: %v
Encoding_Error
Encoding_Error
KRBMessage_Handling_Error
KRBMessage_Handling_Error
KRBMessage_Handling_Error
KRBMessage_Handling_Error
Encoding_Error
application,explicit,tag:%v
Encoding_Error
KRBMessage_Handling_Error
error processing TGS_REQ body
error getting etype to encrypt authenticator
error generating new AP_REQ
Encoding_Error
KRBMessage_Handling_Error
KRBMessage_Handling_Error
Checksum_Error
error unmarshaling AS_REQ
Encoding_Error
error unmarshaling additional tickets
error decrypting AS_REP encrypted part
Encoding_Error
```

Encoding_Error
Encrypting_Error
application,explicit,tag:%v
unmarshal error of AP_REQ
Encoding_Error
service ticket provided has expired
Could not get key from keytab: %v
Encrypting_Error
error unmashalling KRBError data
Encoding_Error
Encoding_Error
Encoding_Error
error renewing TGT for %s
TGT session renewed for %s (EndTime: %v)
KRBMessage_Handling_Error
KRBMessage_Handling_Error
KRBMessage_Handling_Error
Encoding_Error
Encoding_Error
Encoding_Error
KRBMessage_Handling_Error
KRBMessage_Handling_Error
Encoding_Error
Networking_Error
mime: invalid media parameter
image/jpeg
application/json
text/javascript; charset=utf-8
application/wasm
Content Type
text/plain
us-ascii
mime: expected slash after first token
idna: internal error in punycode encoding
Connection
Content-Length
Content-Range
Max-Forwards
Proxy-Authenticate
Transfer-Encoding
:authority
accept-charset
accept-encoding
accept-ranges
access-control-allow-origin
content-range
if-modified-since

```
if-unmodified-since
location
retry-after
transfer-encoding
:authority
accept-charset
accept-encoding
gzip, deflate
accept-ranges
content-disposition
content-encoding
content-location
content-range
if-range
if-unmodified-since
last-modified
proxy-authenticate
/index.html
accept-charset
accept-encoding
access-control-allow-origin
content-disposition
content-length
content-type
if-none-match
if-range
if-unmodified-since
last-modified
max-forwards
proxy-authenticate
retry-after
transfer-encoding
user-agent
invalid proxy address %q: %v
HTTPS_PROXY
https_proxy
REQUEST_METHOD
localhost
invalid range: failed to overlap
read from empty dataBuffer
INTERNAL_ERROR
FLOW_CONTROL_ERROR
REFUSED_STREAM
CONNECT_ERROR
ENHANCE_YOUR_CALM
CONTINUATION
END_STREAM
```

END_STREAM
PRI * HTTP/2.0

SM

HEADER_TABLE_SIZE
client disconnected
http2: stream closed
Connection
Keep-Alive
Transfer-Encoding
Mon, 02 Jan 2006 15:04:05 GMT
http: no such file
header too long
Transfer-Encoding
Content-Length
Transfer-Encoding
http: Server closed
<!DOCTYPE HTML
text/plain; charset=utf-16le
image/x-icon
image/x-icon
image/bmp
image/jpeg
FORM AIFF
audio/aiff
audio/midi
RIFF AVI
video/avi
video/webm
font/ttf
Content-Length
http: CloseIdleConnections called
http2debug=2
frame_windowupdate_bad_len
frame_ping_length
frame_settings_mod_6
frame_rststream_zero_stream
frame_priority_zero_stream
Frame accessor called on non-owned Frame
[FrameHeader
krb5token too short
invalid state %d
ecdsa-sha2-nistp384-cert-v01@openssh.com
ecdsa-sha2-nistp384
ssh-ed25519

ssh: can call Accept or Reject only once
aes192-ctr
arcfour128
arcfour256
aes128-cbc
arcfour256
arcfour128
aes128-ctr
curve25519-sha256
curve25519-sha256@libssh.org
ecdh-sha2-nistp521
curve25519-sha256
ecdh-sha2-nistp256
diffie-hellman-group14-sha256
ecdsa-sha2-nistp256-cert-v01@openssh.com
ecdsa-sha2-nistp384-cert-v01@openssh.com
ecdsa-sha2-nistp256
ecdsa-sha2-nistp521
sk-ecdsa-sha2-nistp256@openssh.com
sk-ssh-ed25519@openssh.com
nistp256
hmac-sha1-96
ssh: short read
serviceRequestMsg
kexInitMsg
kexDHReplyMsg
userAuthRequestMsg
userAuthFailureMsg
channelCloseMsg
ssh: no key material for msgNewKeys
array of unsupported type
ssh: multi-key files are not supported
nistp256
ssh: invalid openssh private key
ssh: no key found
EC PRIVATE KEY
DSA PRIVATE KEY
OPENSSSH PRIVATE KEY
sk-ecdsa-sha2-nistp256@openssh.com
ssh: signature type %s for key type %s
ssh: signature did not verify
ssh-ed25519
ssh-ed25519
ssh: signature type %s for key type %s
nistp521
ssh: unsupported ecdsa key size

ecdsa-sha2-
ssh: trailing junk in public key
sk-ecdsa-sha2-nistp256@openssh.com
ssh-ed25519
ssh: DH parameter out of bounds
ssh: DH parameter out of bounds
ecdh-sha2-nistp521
ecdh-sha2-nistp256
curve25519-sha256
diffie-hellman-group-exchange-sha1
client to server MAC
server to client MAC
server to client compression
ssh-connection
server-sig-algs
public key signature algorithm
ssh-connection
publickey
ssh-connection
ext-info-c
ssh: handshake failed: %v
exit-status
ssh: MAC failure
ssh: empty packet
ssh: padding %d too large
ssh: MAC failure
aes128-gcm@openssh.com
aes128-cbc
resource shortage
unknown reason %d
sk-ecdsa-sha2-nistp256-cert-v01@openssh.com
unknown certificate type for key type
rsa-sha2-256
rsa-sha2-512
ssh-ed25519
unreachable
agent: failure
response too large
failed to get request, %v
datagram too short
destination host name too long
invalid address type: %d
failed to authenticate: %w
network is unreachable
dial udp invalid
failed to send reply, %v
listen udp failed, %v

```
failed to send reply: %v
network is unreachable
failed to send reply, %v
failed to resolve destination[%v], %v
failed to send reply, %v
Invalid ID

6ba7b814-9dad-11d1-80b4-00c04fd430c8
GetUserDefaultLocaleName
GetSystemDefaultLocaleName
could not find kernel32 dll:
Testing /tmp/test/de0e8c9c556d8b018258717931bf490b04e72668a0c54085b519c5ced51679ba
sync/atomic: store of nil value into Value
sync: inconsistent mutex state
reflect: slice index out of range
non-empty string
reflect: NumField of non-struct type
reflect: Out of non-func type
bad indir
reflect:
  using value obtained using unexported field
reflectlite.Value.Elem
reflectlite.Value.Interface
reflect.Value.Len
reflectlite.Set
errors: target cannot be nil
errors: target must be a non-nil pointer
invalid argument
invalid argument to Int63n
unexpected key value type
%SystemRoot%\system32\
syntax error in pattern
short write
short buffer
advapi32.dll
iphlpapi.dll
userenv.dll
RevertToSelf
GetModuleFileNameW
MoveFileExW
MultiByteToWideChar
UnlockFileEx
VirtualQuery
GetProcessMemoryInfo
use of closed network connection
waiting for unsupported file type
unreachable
```

unexpected runtime.netpoll error:

wsaiocctl

fork/exec

windows

<nil>

GetProcessTimes

TerminateProcess

/.config

windows

windows

CreateFile

ComputerNameEx

GetFileInformationByHandle

C

Cs

Cs

Lu

Me

N

P

Pe

Pe

Pi

S

Adlam

Bhaiksuki

Bopomofo

Brahmi

Carian

Caucasian_Albanian

Chorasmian

Cyrillic

Deseret

Egyptian_Hieroglyphs

Ethiopic

Gunjala_Gondi

Gurmukhi

Hanifi_Rohingya

Hiragana
Javanese
Kaithi
Kayah_Li
Khitani_Small_Script

Mandaic
Masaram_Gondi
Meroitic_Hieroglyphs
Miao
Nabataean
New_Tai_Lue
Nushu
Old_North_Arabian
Old_Permic
Old_Sogdian
Osage
Pahawh_Hmong
Shavian
SignWriting
Sinhala
Tamil
Thaana
ASCII_Hex_Digit
ASCII_Hex_Digit
Dash

Other_Lowercase
Pattern_White_Space
Regional_Indicator
Terminal_Punctuation
Unified_Ideograph

Greek
strings.Builder.Grow: negative count
syntax error in pattern
.
invalid syntax
parsing
invalid base
ParseUint
ParseUint
ParseInt
ParseInt
390625

```
1953125
6103515625
152587890625
59604644775390625
582076609134674072265625
14551915228366851806640625
1818989403545856475830078125
444089209850062616169452667236328125
34694469519536141888238489627838134765625
173472347597680709441192448139190673828125
ryuFtoaFixed64 called with prec > 18
unknown type kind
invalid n
reflect.nameFrom: name too long:
reflect.nameFrom: tag too long:
invalid
uint64
uintptr
float32
interface
struct
reflect: NumField of non-struct type
chan<-
reflect: funclayout of non-func type
funcargs(
reflect.Value.
reflect.Value.Bytes of non-byte slice
reflect.Value.Bytes
precomputed stack offset
unexpected value step
reflect.Value.Complex
reflect.Value.Elem
reflect.Value.Float
reflect.Value.Int
reflect.Value.SetComplex
i < cap
<invalid Value>
reflect.Value.Type
reflect: internal error: invalid method index
bad type in compare:
0123456789abcdefx
0123456789abcdefx
0123456789ABCDEFX
0123456789abcdefx
0123456789ABCDEFX
0123456789abcdefx
0123456789abcdefx
```

```
syntax error scanning complex number
LittleEndian
bytes.Buffer: too large
<nil>
'_' must separate successive digits
d.nx != 0
encoding alphabet is not 64-bytes long
GODEBUG sys/cpu: can not enable "
", required CPU feature

avx512pf
avx512bw
avx512vnniw
avx512bitalg
avx512bf16
windows
amd64_avx2
ref
chacha20: key length must be KeySize bytes
bufio: invalid use of UnreadByte
final token
encoding/hex: odd length hex string
context canceled
windows
exec: Stdout already set
exec: StdoutPipe after process started
windows
NoDefaultCurrentDirectoryInExePath
execerrdot
architecture not supported
RawReader.ReadAt: negative offset
may be hooked error
C:\Windows\system32\ntdll.dll
SetEntriesInAclW
WdBoot
wscsvc
C:\Windows\System32\resmon.exe
DisableAntiVirus
WinHTTP/1.0
WinHttpConnect
msdl.microsoft.com
WinHttpOpenRequest
WinHttpCloseHandle
/c sc create
a binPath= "
C:\Windows\System32\ntoskrnl.exe
ntoskrnl_
```

```
eset nod
symantec
sophos
C:\Windows\System32\ntoskrnl.exe
SymInitialize
SymGetTypeInfo
PspCreateThreadNotifyRoutine
PspLoadImageNotifyRoutine
Protection
_ETW_GUID_ENTRY
PsThreadType
_OBJECT_TYPE
PspCreateProcessNotifyRoutine
PspCreateThreadNotifyRoutine
FindWindowW
DTyH0gNK9cjwALoMoPgt
BB_Readme_MH7K1L.txt
Cb+pOPrc0bUDHUivPzzJtsxhYP7XfsqCgWtj1bAvik0=
svchost
/c ping 1.1.1.1 -n 10 > Nul & Del "
C:\WINDOWS\system32\cmd.exe
May be enough?
What an arrogant philosophical toad.
  set allprofiles state off
\DefaultIcon
334124301e083192
  - Notepad
GetTempPathW
GetTempFileNameW
Wow64GetThreadContext
" -d -n 40 -h
IMAGE_FILE_EXECUTABLE_IMAGE
IMAGE_FILE_BYTES_REVERSED_HI
IMAGE_DLLCHARACTERISTICS_APPCONTAINER
IMAGE_DIRECTORY_ENTRY_GLOBALPTR
IMAGE_DIRECTORY_ENTRY_TLS
IMAGE_DIRECTORY_ENTRY_DELAY_IMPORT
IMAGE_SCN_TYPE_NOLOAD
IMAGE_SCN_TYPE_GROUP
IMAGE_SCN_TYPE_NO_PAD
IMAGE_SCN_ALIGN_8BYTES
IMAGE_SCN_ALIGN_16BYTES
IMAGE_SCN_ALIGN_256BYTES
IMAGE_SCN_ALIGN_1024BYTES
IMAGE_SCN_ALIGN_4096BYTES
IMAGE_SCN_ALIGN_8192BYTES
IMAGE_SCN_MEM_EXECUTE
```

```
%08x%04x%04x%04x%012x
spoolss
winspool.drv
OneNote for Windows 10
CompanyName
%04x%04x
index out of range
index out of range
user32
RmEndSession
shell32
advapi32
netapi32
NetShareEnum
WNetCancelConnection2W
GetVolumePathNamesForVolumeNameW
Module32FirstW
Module32NextW
MoveFileW
SetFileTime
GetFileAttributesW
\MsExchangeLog1.log
NM done

StS done

PrS done

\MsExchangeLog1.log
NtQueryInformationProcess
NtClose
NtQueryInstallUILanguage
NtQueryInformationThread
NtSuspendThread
SOFTWARE\Microsoft\Windows NT\CurrentVersion
NtOpenProcess
NtTerminateProcess
NtOpenFile
NtSetThreadExecutionState
NtQueryInstallUILanguage
NtSetInformationFile
NtProtectVirtualMemory
NtSuspendThread
OpenThread
LocalAlloc
LookupPrivilegeValueW
StartServiceW
```

```
ControlService
RegDeleteKeyW
GetLogicalDrives
LookupAccountSidW
GetDriveTypeW
MapViewOfFile
VirtualAlloc
Testing /tmp/test/9107be160f7b639d68fe3670de58ed254d81de6aec9a41ad58d91aa814a247ff
complex128
string
reflect: Elem of invalid type
reflect: call of
reflect.Value.Len
Seek: invalid offset
ParseBool
false
ParseFloat
ParseFloat
ParseFloat
ParseFloat
ParseFloat
ParseFloat
parsing
ParseUint
ParseUint
ParseUint
ParseInt
30517578125
95367431640625
2384185791015625
11920928955078125
59604644775390625
37252902984619140625
4656612873077392578125
2910383045673370361328125
14551915228366851806640625
28421709430404007434844970703125
710542735760100185871124267578125
444089209850062616169452667236328125
2220446049250313080847263336181640625
11102230246251565404236316680908203125
55511151231257827021181583404541015625
277555756156289135105907917022705078125
0123456789abcdef
mult64bitPow10: power of 10 is out of range
C
C
Cs
```

Lm
Lu
M
Mc
Me
N
Nd

Pf
Pi
Po
Ps

Sm
Sm

Balinese
Balinese
Bopomofo
Buginese
Cham
Cherokee
Cherokee
Common
Coptic
Cypriot
Deseret
Dives_Akuru
Dives_Akuru
Elbasan

Latin
Linear_B
Lisu
Makasar
Manichaeen
Medefaidrin
Meroitic_Cursive
Meroitic_Hieroglyphs
Meroitic_Hieroglyphs
New_Tai_Lue
Ol_Chiki
Old_Hungarian
Old_Hungarian
Old_Permic

Oriya
Phags_Pa
Phoenician
Samaritan
Sora_Sompeng
Syriac
Tai_Tham
Tai_Tham
Telugu
Tibetan
Yi
Zanabazar_Square
Dash
Deprecated
Noncharacter_Code_Point
Other_Alphabetic
Other_Default_Ignorable_Code_Point
Other_ID_Start
Other_ID_Start
Quotation_Mark
Terminal_Punctuation
M
M
Greek
t.Kind ==
unknown type kind
invalid n
read varint
non-empty string
name offset field
reflect.nameFrom: name too long:
uint16
float64
complex64
interface
reflect: Field of non-struct type
reflect: NumField of non-struct type
reflect: NumIn of non-func type

reflect: funclayout of non-func type
reflect: funclayout with interface receiver
methodargs(
 on zero Value
reflect: call of
reflect:
reflect:
reflect.Value.Bytes of non-byte slice

reflect.Value.Bytes of non-byte array
of unexported method
unknown ABI parameter kind
method ABI and value ABI do not align
unexpected method step
precomputed stack offset
method ABI and value ABI don't align
reflect: Field index out of range
reflect.Value.Float
reflect: slice index out of range
i < s.Len
reflect.Value.CanInterface
MapIter.Value called on exhausted iterator
reflect.Value.NumMethod
reflect.Value.OverflowUint
reflect.Value.SetBytes of non-byte slice
reflect.Value.SetInt
reflect.Value.SetMapIndex
i < cap
reflect.Value.Uint
reflect.Value.UnsafePointer
reflect.Copy
reflect.MakeSlice of non-slice type
reflect.MakeMapWithSize of non-map type
binary: varint overflows a 64-bit integer
crypto/cipher: input not full blocks
cipher: message authentication failed
SHA-256
SHA-512
RIPEMD-160
SHA3-384
SHA-512/256
BLAKE2b-256
BLAKE2b-512
cipher: message authentication failed
crypto/aes: invalid buffer overlap
crypto/aes: output not full block
crypto/aes: output not full block
bad type in compare:
file already exists
file already closed
Unable to determine system directory:
Failed to find
procedure in
illegal instruction
bus error
floating point exception

user defined signal 1
user defined signal 2
1.3.6.1.5.5.7.3.1
1.3.6.1.4.1.311.10.3.3
argument list too long
permission denied
invalid slot
bad font file format
RFS specific error
file too large
host is down
transport endpoint is already connected
key has expired
key has been revoked
level 2 halted
level 2 not synchronized
wrong medium type
too many open files
message too long
file name too long
transport endpoint is not connected
operation not supported
operation not supported
value too large for defined data type
owner died
protocol not supported
remote address changed
socket type not supported
no such process
too many users
resource temporarily unavailable
exchange full
kernel32.dll
netapi32.dll
ntdll.dll
userenv.dll
CertCloseStore
CertOpenSystemStoreW
CertVerifyCertificateChainPolicy
DnsNameCompare_W
DnsQuery_W
DnsRecordListFree
CancelIoEx
CreateDirectoryW
CreatePipe
CreateProcessW
CreateToolhelp32Snapshot

```
DeviceIoControl
DuplicateHandle
FindClose
GetCommandLineW
GetCurrentDirectoryW
GetCurrentProcessId
GetProcAddress
GetShortPathNameW
GetTimeZoneInformation
InitializeProcThreadAttributeList
LoadLibraryW
LocalFree
ReadConsoleW
RemoveDirectoryW
SetEnvironmentVariableW
SetFileAttributesW
VirtualUnlock
WriteConsoleW
GetAcceptExSockaddrs
NetGetJoinInformation
GetUserNameExW
TranslateNameW
WSAEnumProtocolsW
WSAIoctl
connect
getprotobyname
getservbyname
shutdown
%SystemRoot%\system32\
advapi32.dll
RegDeleteValueW
ExpandEnvironmentStringsW
January
-07:00
February
September
November
2006-01-02 15:04:05.999999999 -0700 MST
bad value for field
parsing time
  out of range
%!Month(
%!Weekday(
2006-01-02T15:04:05.999999999Z07:00
"2006-01-02T15:04:05Z07:00"
2006-01-02T15:04:05Z07:00
time: invalid location name
```

Aleutian Standard Time
Central Brazilian Standard Time
Greenland Standard Time
Pacific Standard Time
Haiti Standard Time
Canada Central Standard Time
Pacific Standard Time (Mexico)
Altai Standard Time
Middle East Standard Time
Bangladesh Standard Time
Arabian Standard Time
North Asia Standard Time
Singapore Standard Time
Georgian Standard Time
Iran Standard Time
Tokyo Standard Time
Yakutsk Standard Time
Azores Standard Time
Cape Verde Standard Time
Greenwich Standard Time
Aus Central W. Standard Time
W. Australia Standard Time
AUS Eastern Standard Time
UTC-08
UTC+12
Astrakhan Standard Time
W. Europe Standard Time
Turkey Standard Time
Romance Standard Time
Central European Standard Time
Samoa Standard Time
skip this directory
advapi32.dll
userenv.dll
AdjustTokenPrivileges
ImpersonateSelf
SetTokenInformation
GetConsoleCP
SetFileInformationByHandle
GetProcessMemoryInfo
unixgram
FindNextFile
fork/exec
GetProcessTimes
TerminateProcess
/dev/stderr
windows

```
0x0
GetFileInformationByHandleEx
0123456789abcdefx
0123456789abcdefx
0123456789ABCDEFX
syntax error scanning boolean
encoding/hex: odd length hex string
invalid padding
illegal base64 data at input byte
bytes.Reader.WriteTo: invalid Write count
string
json: unsupported value:
MarshalJSON
MarshalJSON
MarshalText
encountered a cycle via %s
looking for beginning of object key string
after object key:value pair
in string escape code
in \u hexadecimal character escape
in \u hexadecimal character escape
in numeric literal
in literal null (expecting 'l')
Usage:

Usage of %s:

Usage of %s:

flag %q contains =
invalid argument to Int31n
invalid argument to Intn
exec: Wait was already called
exec: Stdout already set
execerrdot
execerrdot
<nil>
underflow
number has no digits
'_' must separate successive digits
invalid number base %d
invalid base
division by zero
impossible
impossible
crypto/rsa: public exponent too large
d.nx != 0
```

d.nx != 0

-----BEGIN

invalid P521Element encoding
invalid P521Element encoding
invalid P256 compressed point encoding
invalid P521 point encoding
invalid boolean
invalid boolean
integer not minimally-encoded
invalid padding bits in BIT STRING
integer is not minimally encoded
base 128 integer too large
pkcs12: odd-length BMP string
truncated tag or length
non-minimal length
sequence tag mismatch
unsupported:
cryptobyte: internal error
2.5.4.3
2.5.4.5
SERIALNUMBER
2.5.4.7
STREET
2.5.4.17
TypeAAAA
ClassINET
ClassCSNET
RCodeSuccess
RCodeServerFailure
parsing/packing of this type isn't available yet
segment prefix is reserved
too many Questions to pack (>65535)
too many Answers to pack (>65535)
too many Authorities to pack (>65535)
Additional
no answer from DNS server
127.0.0.1:53
invalid network interface index
invalid network interface name
pointtpoint
invalid IP address
<nil>
CIDR address
domain
address
crypto/des: invalid key size

```
crypto/des: input not full block
crypto/des: output not full block
crypto/des: input not full block
crypto/des: output not full block
crypto/des: invalid buffer overlap
d.nx != 0
x509: RSA key missing NULL parameters
x509: RSA modulus is not a positive number
x509: unsupported elliptic curve
x509: invalid DSA public key
x509: invalid DSA parameters
x509: decryption password incorrect
Ed25519
SHA1-RSA
hangup
interrupt
aborted
aborted
segmentation fault
broken pipe
1.3.6.1.5.5.7.3.1
2.16.840.1.113730.4.1
crypt32.dll

netapi32.dll

psapi.dll
shell32.dll
userenv.dll
wintrust.dll

AdjustTokenPrivileges
CheckTokenMembership
ControlService
CreateProcessAsUserW
CreateServiceW
CryptReleaseContext
DeregisterEventSource
GetLengthSid
GetSecurityDescriptorDacl
GetSecurityDescriptorGroup
GetSecurityDescriptorSacl
GetSidIdentifierAuthority
GetSidSubAuthorityCount
InitiateSystemShutdownExW
IsValidSid
```

LookupPrivilegeValueW
NotifyServiceStatusChangeW
OpenProcessToken
OpenServiceW
OpenThreadToken
QueryServiceConfigW
QueryServiceLockStatusW
QueryServiceStatus
RegQueryValueExW
SetKernelObjectSecurity
SetSecurityDescriptorControl
SetSecurityDescriptorGroup
SetSecurityDescriptorRMControl
StartServiceCtrlDispatcherW
CertAddCertificateContextToStore
CertCloseStore
CertCreateCertificateContext
CertFindCertificateInStore
CertFindChainInStore
CertFreeCertificateContext
CertGetNameStringW
CryptDecodeObject
CryptQueryObject
DnsNameCompare_W
DnsQuery_W
GetAdaptersInfo
GetBestInterfaceEx
ConnectNamedPipe
CreateFileMappingW
CreateHardLinkW
CreateIoCompletionPort
CreateJobObjectW
CreateNamedPipeW
CreatePipe
DeleteProcThreadAttributeList
DeleteVolumeMountPointW
ExpandEnvironmentStringsW
FindClose
FindFirstFileW
FindFirstVolumeMountPointW
FindFirstVolumeW
FindNextVolumeMountPointW
FlushFileBuffers
FreeEnvironmentStringsW
GenerateConsoleCtrlEvent
GetActiveProcessorCount
GetConsoleScreenBufferInfo

GetCurrentDirectoryW
GetCurrentThreadId
GetDriveTypeW
GetEnvironmentStringsW
GetFileAttributesW
GetFileType
GetFinalPathNameByHandleW
GetNamedPipeHandleStateW
GetProcessShutdownParameters
GetProcessWorkingSetSizeEx
GetQueuedCompletionStatus
GetStartupInfoW
GetSystemDirectoryW
GetSystemTimePreciseAsFileTime
GetTempPathW
GetThreadPreferredUILanguages
GetUserPreferredUILanguages
GetVersion
GetVolumeInformationW
GetVolumePathNameW
InitializeProcThreadAttributeList
LocalAlloc
LocalAlloc

MapViewOfFile
Module32NextW
Process32FirstW
QueryDosDeviceW
QueryFullProcessImageNameW
QueryFullProcessImageNameW
ReadProcessMemory
ResetEvent
ResetEvent
SetCommTimeouts
SetFileCompletionNotificationModes
SetFileTime
SetProcessPriorityBoost
SetStdHandle
SizeofResource
Thread32First

UnmapViewOfFile
UpdateProcThreadAttribute
VirtualFree
WaitForMultipleObjects
NetGetJoinInformation
NtCreateFile

RtlDeleteFunctionTable
RtlGetCurrentPeb
RtlInitString
RtlNtStatusToDosErrorNoTeb
CLSIDFromString
CLSIDFromString
StringFromGUID2
GetUserNameExW
TranslateNameW
SetupDiCallClassInstaller
SetupDiCreateDeviceInfoW
SetupDiDestroyDeviceInfoList
SetupDiGetDeviceInfoListDetailW
SetupDiGetDeviceInstanceIdW
SetupDiGetDriverInfoDetailW
SetupDiGetSelectedDriverW
SetupDiOpenDevRegKey
SetupDiSetClassInstallParamsW
SetupDiSetDeviceInstallParamsW
SetupDiSetDeviceRegistryPropertyW
SetupDiSetSelectedDriverW
SetupUninstallOEMInfW
SHGetKnownFolderPath
GetShellWindow
MessageBoxW
CreateEnvironmentBlock
GetFileVersionInfoSizeW
VerQueryValueW
WinVerifyTrustEx
WSAEnumProtocolsW
connect
getprotobyname
getservbyname
getsockname
ntohs
setsockopt
socket
kernel32.dll
GetDriveTypeW
unknown drive type
no root Dir
error getting type of: %s: %s
Global\dbdbdbdb
Encrypted
Error getting drives
username
password

```
noransom
blacklisted hostname
0123456789
another process
Testing /tmp/test/a320dc8cbd8e584a80ac47ee591ab638f51d17cfec7eaa0495abc66a126d7bb6
complex128
interface
unsafe.Pointer
reflect: call of
  on zero Value
reflect.Value.Len
reflect: NumIn of non-func type
reflect: In of non-func type
non-empty string
read varint
t.xcount > 0
sync: Unlock of unlocked RWMutex
sync.Cond is copied
short buffer
unexpected EOF
Anatolian_Hieroglyphs
Armenian
Balinese
Bopomofo
Canadian_Aboriginal
Caucasian_Albanian
Caucasian_Albanian
Cyrillic
Dives_Akuru
Georgian
Glagolitic
Gujarati
Gunjala_Gondi
Hiragana
Imperial_Aramaic
Javanese
Kayah_Li
Kharoshthi
Linear_B
Malayalam
Masaram_Gondi
Medefaidrin
Meetei_Mayek
Mende_Kikakui
Meroitic_Cursive
Mongolian
Mongolian
```

Nandinagari
New_Tai_Lue
Old_Hungarian
Old_Italic
Old_North_Arabian
Old_North_Arabian
Old_Persian
Old_Sogdian
Old_South_Arabian
Old_Turkic
Pahawh_Hmong
Pahawh_Hmong
Phoenician
Samaritan
Sora_Sompeng
Sora_Sompeng
Syloti_Nagri
Tai_Viet
Ugaritic
Zanabazar_Square
Bidi_Control
Deprecated
Hex_Digit
IDS_Binary_Operator
IDS_Ternary_Operator
Other_Default_Ignorable_Code_Point
Other_Lowercase
Pattern_Syntax
Quotation_Mark
Sentence_Terminal
Soft_Dotted
Terminal_Punctuation
strings.Reader.Seek: invalid whence
bufio: buffer full
bufio: negative count
bufio.Scanner: token too long
bufio: tried to fill full buffer
invalid syntax
6103515625
152587890625
762939453125
3814697265625
95367431640625
11920928955078125
59604644775390625
1490116119384765625
7450580596923828125

```
37252902984619140625
186264514923095703125
14551915228366851806640625
363797880709171295166015625
28421709430404007434844970703125
710542735760100185871124267578125
strconv: illegal AppendInt/FormatInt base
0123456789ABCDEF
ParseUint
ParseUint
invalid bit size
invalid base
parseFloat
parseFloat
parseFloat
unsafe.Pointer
<invalid Value>
reflect: New(nil)
reflect: Zero(nil)
reflect.MakeMapWithSize of non-map type
reflect.Copy
reflect.Copy
precomputed stack offset
precomputed stack offset
unexpected value step
reflect: internal error: invalid method index
  of unexported method
typ.size > 0
  returned zero Value
reflect.MakeFunc
reflect: call of
  on zero Value
methodargs(
i < length
" is anonymous but has PkgPath set
reflect.StructOf: field "
  has no name
  has invalid name
reflect.StructOf: field
  has no type
&x.field safe
reflect.nameFrom: name too long:
reflect.nameFrom: tag too long:
reflect: call of MakeFunc with non-Func type
bad argSize
t.inCount > 0
invalid n
```

unknown type kind
reflect: nil type passed to Type.Implements
reflect: NumOut of non-func type
reflect: Len of non-array type
reflect: Key of non-map type
reflect: FieldByNameFunc of non-struct type
reflect: Field of non-struct type
reflect: Elem of invalid type
reflect.Value.Equal: values of type
cannot be converted to type
: value of type
reflect.Value.Grow: negative len
reflect.Value.Uint
reflect.Value.Slice3
reflect.Value.SetMapIndex
reflect.Value.SetInt
reflect.Value.SetComplex
reflect.Set
reflect.Value.Pointer
reflect: Method on nil interface value
reflect: Value.SetIterKey called before Next
reflect.MapIter.SetKey
MapIter.Next called on exhausted iterator
reflect.Value.Int
i < s.Len
i < s.Len
reflect: Field index out of range
same as non-reflect &v.field
reflect.Value.Call: call of nil function
reflect:
reflect.Value.Call: wrong argument count
tv.Size() != 0
mismatch between ABI description and types
reflect: Bits of nil Type
t.xcount > 0
name offset field
non-empty string
non-empty string
read varint
not available
hash/crc32: invalid hash state size
hash/crc32: tables do not match
invalid argument
permission denied
file already exists
file does not exist
interrupt

illegal instruction
user defined signal 1
terminated
1.3.6.1.5.5.7.3.1
2.16.840.1.113730.4.1
advertise error
resource temporarily unavailable
invalid exchange
bad message
invalid request code
invalid slot
resource deadlock avoided
destination address required
numerical argument out of domain
file exists
file too large
identifier removed
invalid argument
input/output error
is a directory
key was rejected by service
too many links
multihop attempted
no XENIX semaphores available
network is down
network dropped connection on reset
no anode
no buffer space available
no medium found
package not installed
out of streams resources
block device required
transport endpoint is not connected
state not recoverable
no such device or address
owner died
broken pipe
protocol error
numerical result out of range
object is remote
remote I/O error
interrupted system call should be restarted
no such process
timer expired
connection timed out
invalid cross-device link
exchange full

advapi32.dll
crypt32.dll
mswsock.dll
ntdll.dll
shell32.dll
userenv.dll
ws2_32.dll
ConvertStringSidToSidW
CryptReleaseContext
GetTokenInformation
LookupAccountNameW
RegCloseKey
RegEnumKeyExW
RegOpenKeyExW
RegQueryValueExW
CertAddCertificateContextToStore
CertCloseStore
CertOpenStore
DnsNameCompare_W
GetAdaptersInfo
GetIfEntry
CancelIoEx
CloseHandle
CreateDirectoryW
CreateFileMappingW
CreateProcessW
CreateSymbolicLinkW
CreateToolhelp32Snapshot
DeleteFileW
DeleteProcThreadAttributeList
DeviceIoControl
FormatMessageW
FreeEnvironmentStringsW
GetCommandLineW
GetComputerNameW
GetCurrentProcessId
GetFileAttributesExW
GetFileAttributesW
GetFileType
GetFullPathNameW
GetLongPathNameW
GetProcessTimes
GetTempPathW
GetVersion
LoadLibraryW
Process32FirstW
RemoveDirectoryW

SetEnvironmentVariableW
SetFileCompletionNotificationModes
SetFilePointer
SetHandleInformation
VirtualLock
WriteFile
NetApiBufferFree
GetUserNameExW
GetUserProfileDirectoryW
FreeAddrInfoW
WSARecvFrom
WSASendTo
WSAStartup
getprotobyname
getsockopt
shutdown
failed to find ConnectEx:
Failed to load
winapi error #
unexpected key value type
advapi32.dll
RegDeleteKeyW
RegEnumValueW
RegLoadMUIStringW
RegSetValueExW
September
November
time: invalid number
bad value for field
time: bad [0-9]*
Aleutian Standard Time
Bahia Standard Time
Mountain Standard Time (Mexico)
Turks And Caicos Standard Time
Cuba Standard Time
US Mountain Standard Time
Haiti Standard Time
Yukon Standard Time
Central Asia Standard Time
Jordan Standard Time
Arabic Standard Time
SE Asia Standard Time
Sri Lanka Standard Time
Bangladesh Standard Time
W. Mongolia Standard Time
North Asia East Standard Time
Russia Time Zone 11

Pakistan Standard Time
Magadan Standard Time
Omsk Standard Time
Myanmar Standard Time
Arab Standard Time
Korea Standard Time
China Standard Time
Russia Time Zone 10
Taipei Standard Time
West Asia Standard Time
Georgian Standard Time
Iran Standard Time
Tomsk Standard Time
Azores Standard Time
Aus Central W. Standard Time
AUS Eastern Standard Time
GMT Standard Time
Russian Standard Time
Saratov Standard Time
Volgograd Standard Time
Mauritius Standard Time
Chatham Islands Standard Time
Easter Island Standard Time
Fiji Standard Time
Line Islands Standard Time
Norfolk Standard Time
English name for time zone "
unknown time zone
corrupt zip file
corrupt zip file
is too large
/lib/time/zoneinfo.zip
ZONEINFO
short read
: extra text:
: day-of-year does not match day
2006-01-02T15:04:05Z07:00
: cannot parse
Time.MarshalText:
%!Weekday(
%!Month(
year outside of range [0,9999]
advapi32.dll
iphlpapi.dll
kernel32.dll
netapi32.dll
userenv.dll

```
SetTokenInformation
SystemFunction036
GetModuleFileNameW
Module32NextW
MultiByteToWideChar
SetFileInformationByHandle
UnlockFileEx
VirtualQuery
NetShareAdd
GetProcessMemoryInfo
CreateEnvironmentBlock
GetProfilesDirectoryW
WSASocketW
use of closed network connection
file type does not support deadline
inconsistent poll.fdMutex
invalid path
/dev/stdin
/dev/stdout
GetFileInformationByHandle
ComputerNameEx
GetFileType
FindFirstFile
SyscallConn.Read
SyscallConn.Control
DuplicateHandle
os: unexpected result from WaitForSingleObject
exit status
SetReadDeadline
truncate
negative offset
FindNextFile
syntax error in pattern
Rel: can't make
    relative to
syntax error scanning complex number
expected newline
type not a pointer:
can't scan type:
expected quoted string
0123456789_
bad unicode format
bad unicode format
01234567
bad verb '%'
%!(BADPREC)
0123456789abcdefx
```

```
0123456789abcdefx
0123456789abcdefx
0123456789abcdefx
0123456789abcdefx
0123456789ABCDEFX
0123456789abcdefx
fmt: unknown base; can't happen
index > windowEnd
zipinsecurepath
zip: checksum error
zip: FileHeader.Extra too long
Write after Close
kernel32.dll
CreateToolhelp32Snapshot
Process32NextW
netip.ParsePrefix(
netip.ParsePrefix(
netip.ParsePrefix(
invalid port
invalid ip:port
not an ip:port
unexpected slice size
colon must be followed by more characters
IPv4 field must have at least one digit
IPv4 address too long
ParseAddr(
missing IPv6 address
negative Prefix bits
prefix length
  too large for IPv6
invalid Prefix
context deadline exceeded
.WithValue(type
.WithDeadline(
.WithCancel
context.TODO
TypeHINFO
ClassINET
ClassCHAOS
ClassHESIOD
ClassANY
RCodeFormatError
RCodeServerFailure
RCodeNameError
RCodeNotImplemented
RCodeRefused
insufficient data for calculated length type
```

segment prefix is reserved
invalid pointer
nil resource body
too many Questions to pack (>65535)
too many Answers to pack (>65535)
too many Authorities to pack (>65535)
ResourceHeader
unpacking Question.Type
skipping:
cannot unmarshal DNS message
cannot marshal DNS message
invalid DNS response
invalid network interface
pointtopoint
no suitable address found
missing address
no such host
unixgram
unknown mode:
unixpacket
setsockopt
setsockopt
setsockopt
setsockopt
transmitfile
raw-control
criterion too short
criterion lacks equal sign
unclosed criterion bracket
invalid criteria:
/etc/nsswitch.conf
/etc/nsswitch.conf
unknown network
address
unknown port
unexpected '[' in address
dragonfly
dragonfly
CIDR address
getadaptersaddresses
/etc/resolv.conf
unixpacket
unexpected type in connect
wsasendmsg
wsasendmsg
wsasendto
wsarecvfrom

```
unixpacket
nil context
.localhost
.localhost.localdomain
go package net: confVal.netCgo =
go package net: using cgo DNS resolver
myhostname
getaddrinfo
getaddrinfo
unknown network
unexpected network:
cannot marshal DNS message
cannot marshal DNS message
unixpacket
crypto: Size of unknown hash function
BLAKE2s-256
BLAKE2b-512
unknown hash value
cipher: incorrect tag size given to GCM
crypto/cipher: invalid buffer overlap
boringcrypto: not available
crypto/cipher: invalid buffer overlap
crypto/aes: input not full block
crypto/aes: output not full block
P521 point is the point at infinity
invalid P384 point encoding
invalid scalar length
invalid P256 point encoding
boringcrypto:
randautoseed
invalid rune %#U
%!%c(big.Int=%s)
impossible
impossible
division by zero
invalid number base %d
big: misuse of expNNWindowed
underflow
input overflows the modulus
struct contains unexported fields
unknown Go type
application
omitempty
asn1: Unmarshal recipient value is nil
truncated tag or length
length too large
superfluous leading zeros in length
```

pkcs12: odd-length BMP string
IA5String contains invalid character
PrintableString contains invalid character
NumericString contains invalid character
20060102150405Z0700
base 128 integer too large
integer too large
empty integer
060102150405Z0700
0601021504Z0700
20060102150405Z0700
out does not point to an integer type
invalid ASN.1
scalar has high bit set illegally
edwards25519: invalid point encoding
crypto/rsa: public exponent too large
crypto/rsa: decryption error
crypto/rsa: verification error
crypto/rsa: unsupported hash function
crypto/sha256: invalid hash state identifier
crypto/sha256: invalid hash state size
crypto/dsa: invalid public key
2.5.4.11
SERIALNUMBER
POSTALCODE
invalid port %q after host
invalid URL escape
crypto/des: input not full block
crypto/des: output not full block
crypto/des: input not full block
crypto/des: invalid buffer overlap
crypto/sha1: invalid hash state size
AES-128-CBC
AES-192-CBC
AES-256-CBC
x509usefallbackroots
SHA256-RSA
SHA512-RSAPSS
DSA-SHA256
ECDSA-SHA1
ECDSA-SHA256
ECDSA-SHA384
-----BEGIN X509 CRL
X509 CRL
x509: unknown elliptic curve
x509: cannot sign with hash function requested
x509: Ed25519 verification failure

x509: internal error: cannot parse domain %q
x509: unknown error
x509: malformed tbs certificate
x509: invalid version
x509: malformed validity
x509: malformed spki
x509: malformed extensions
x509: invalid authority info access
x509: invalid NameConstraints extension
x509: invalid constraint value:
x509: SAN rfc822Name is malformed
x509: cannot parse IP address of length
x509: wrong Ed25519 public key size
x509: X25519 key encoded with illegal parameters
x509: malformed extension OID field
x509: malformed extension value field
x509: malformed OID
invalid UTF-8 string
invalid NumericString
CERTIFICATE
current time %s is before %s
current time %s is after %s
2006-01-02T15:04:05Z07:00
email address
%s %q is excluded by constraint %q
%s %q is not permitted by any constraint
avx512vl
avx512ifma
avx512vbmi
avx512vpclmulqdq
avx512vaes
avx512vbmi2
" not supported for cpu option "
GODEBUG sys/cpu: can not disable "
chacha20: invalid buffer overlap
hkdf: entropy limit reached
decryption failed
record overflow
decompression failure
bad certificate
revoked certificate
expired certificate
unknown certificate
protocol version not supported
no renegotiation
certificate required
no application protocol

```
tls: no certificates configured
key expansion
client finished
server finished
master secret
unknown version
tls: internal error: unsupported curve
res master
SERVER_TRAFFIC_SECRET_0
TLS 1.3, server CertificateVerify
s hs traffic
tls: server sent two HelloRetryRequest messages
CLIENT_RANDOM
tls: failed to write to key log:
tls: server chose an unconfigured cipher suite
resumption
res binder
tls: short read from Rand:
tls: handshake has not yet been performed
tls: too many non-advancing records
tls: unknown Renegotiation value
unknown cipher type
local error
tls: too many ignored records
unsupported SSLv2 handshake received
oversized record received with length %d
unknown cipher type
ClientAuthType(
connection doesn't support Ed25519
tls: unsupported public key: %T
PKCS1WithSHA256
ECDSAWithP256AndSHA256
SignatureScheme(
expected an Ed25519 public key, got %T
tls: alert(
Accept-Charset
Accept-Encoding
Accept-Language
Cache-Control
Connection
Content-Language
Content-Type
If-Modified-Since
Location
Message-Id
Mime-Version
malformed MIME header: missing colon: %q
```

malformed MIME header line:
message too large
mime: invalid media parameter
image/avif
image/jpeg
image/jpeg
application/wasm
image/webp
Content Type
text/plain
text/plain; charset=utf-8
multipart: message too large
Content-Disposition
Content-Disposition
()<>@,;:\"/[]?=
mime: SetBoundary called after write
quoted-printable
multipart: boundary is empty
bidirule: failed Bidi Rule
caller error
Content-Encoding
Content-Range
Content-Type
Max-Forwards
Proxy-Authorization
Proxy-Connection
Www-Authenticate
need more data
varint integer overflow
hpack: invalid Huffman-encoded data
accept-encoding
authorization
cache-control
content-length
if-modified-since
if-none-match
location
max-forwards
set-cookie
transfer-encoding
:authority
/index.html
accept-charset
accept-encoding
accept-ranges
content-length
content-range

content-type
if-modified-since
proxy-authenticate
proxy-authorization
set-cookie
user-agent
accept-charset
gzip, deflate
accept-ranges
authorization
cache-control
content-encoding
content-language
content-location
if-modified-since
if-none-match
location
proxy-authenticate
proxy-authorization
www-authenticate
invalid encoding
id (%v) <= evictCount (%v)
evictCount overflow
(sensitive)
header line too long
http chunk length too large
malformed chunked encoding
HTTP_PROXY
https_proxy
no_proxy
REQUEST_METHOD
invalid range: failed to overlap
NO_ERROR
FLOW_CONTROL_ERROR
COMPRESSION_ERROR
HTTP_1_1_REQUIRED
END_STREAM
PRIORITY
http2: frame too large
invalid stream ID
HEADER_TABLE_SIZE
ENABLE_PUSH
body closed by handler
http2: stream closed
http2: recursive push not allowed
Connection
Transfer-Encoding

http2: no cached connection was available
http2: Request.URI is nil
Mon, 02 Jan 2006 15:04:05 GMT
http: no such file
header too long
entity body too short
Content-Length
Transfer-Encoding
http-server
Connection
Content-Length:
http: Server closed
http2server
<!DOCTYPE HTML
text/plain; charset=utf-16le
text/plain; charset=utf-8
FORM AIFF
RIFF AVI
audio/wave
video/webm

LP

font/ttf
application/x-gzip
application/wasm
Content-Length
Transfer-Encoding
Content-Length
Transfer-Encoding
http2client
http: CloseIdleConnections called
net/http: timeout awaiting response headers
net/http: TLS handshake timeout
bad Content-Length
Transfer-Encoding
Connection
keep-alive
Content-Length
Content-Length
Content-Length
identity
unexpected type
too many transfer encodings: %q
unsupported transfer encoding: %q
Connection
Connection: close

Transfer-Encoding: chunked

Transfer-Encoding
Transfer-Encoding
Content-Length
invalid Trailer key
Non-Authoritative Information
No Content
Partial Content
Multi-Status
Permanent Redirect
Payment Required
Precondition Failed
Expectation Failed
Misdirected Request
Unprocessable Entity
Precondition Required
Bad Gateway
Gateway Timeout
HTTP Version Not Supported
Loop Detected
username/password authentication failed
unsupported authentication method
host unreachable
connection refused
command not supported
unknown code:
port number out of range
nil context
unknown address type
unknown address type
socks connect
Connection
Content-Type
net/http: nil Context
Connection
recv_goaway_
Transfer-Encoding
keep-alive
Content-Length
out of range
http2debug=1
accept-language
access-control-request-method
content-language
content-length
if-modified-since
if-unmodified-since

```
last-modified
proxy-authorization
set-cookie
user-agent
x-forwarded-for
(%d bytes omitted)
incr=%v
frame_continuation_zero_stream
frame_windowupdate_zero_inc_stream
frame_pushpromise_pad_short
frame_pushpromise_promiseid_short
frame_settings_has_stream
frame_settings_mod_6
frame_rststream_bad_len
frame_headers_zero_stream
frame_data_stream_0
frame_data_pad_too_big
invalid header field value for %q
invalid header field name %q
http2: connection error: %v: %v
connection error: %s
read_frame_eof
read_frame_unexpected_eof
forgetting unknown stream id
assigned stream ID 0
invalid HTTP header name %q
content-length
connection
proxy-connection
user-agent
Go-http-client/2.0
http2: invalid header: %v
http2: invalid pseudo headers: %v
:authority
[%v = %d]
UNKNOWN_SETTING_%d
http2: Framer %p: wrote %v
Accept-Encoding
err must be non-nil
stream=%d
[FrameHeader
UNKNOWN_FRAME_TYPE_%d
http2: unsupported scheme
RoundTrip failure: %v
proxyconnect
http: nil Request.URL
http: nil Request.Header
```

```
net/http: invalid header field name %q
Accept-Encoding
Accept-Encoding
write error: %w
Content-Encoding
Content-Length
%s|%%s|s
Cookie.Path
Cookie.Value
Set-Cookie
Mon, 02-Jan-2006 15:04:05 MST
Authorization
Authorization
Host: %s

User-Agent
missing form body
multipart/form-data
http: MultipartReader called twice
nil context
nil context
Content-Length: 0

http: invalid byte %q in Cookie.Path
http: invalid Cookie.Domain
Mon, 02 Jan 2006 15:04:05 GMT
; Max-Age=0
; SameSite=None
; SameSite=Lax
executable file not found in %PATH%
SYSTEMROOT
SYSTEMROOT
exec: Stderr already set
exec: StderrPipe after process started
exec: StdoutPipe after process started
exec: not started
exec: canceling Cmd
exec: killing Cmd
exec: no command
[:alnum:]
[:^cntrl:]
[:^digit:]
[:^graph:]
[:^print:]
[:^punct:]
[:space:]
[:^space:]
```

```
[:upper:]
InstEmptyWidth
InstRuneAny
InstRuneAnyNotNL
altmatch ->
rune <nil>
anynotnl ->
unknown empty width arg
regexp: Compile(
unhandled
driver: remove argument from query
sql: connection is already closed
sql: Rows are closed
sql: unknown driver %q (forgotten import?)
sql: Register driver is nil
sql: Register called twice for driver
2006-01-02T15:04:05.999999999Z07:00
destination not a pointer
converting NULL to %s is unsupported
converting NULL to %s is unsupported
sql: Scan called without calling Next
sql: duplicate driverConn close
Read Uncommitted
Write Committed
Repeatable Read
Linearizable
in literal true (expecting 'r')
after top-level value
after object key:value pair
after array element
omitempty
unexpected map key type
json: encoding error for type %q: %q
MarshalJSON
  for type
json: Unmarshal(nil)
json: Unmarshal(nil)
destination pointer is nil
2006-01-02 15:04:05
2006-01-02 15:04
2006-01-02T15:04
datetime
timestamp
ROLLBACK
_auth_user
_auth_pass
Invalid _loc: %v: %v
```

```
deferred
Invalid _txlock: %v
Invalid _busy_timeout: %v: %v
_case_sensitive_like
_defer_foreign_keys
_foreign_keys
_journal_mode
_journal_mode
TRUNCATE
_locking_mode
_locking_mode
_locking
EXCLUSIVE
_query_only
_recursive_triggers
_synchronous
_cache_size
CryptEncoderSHA1: %s
CryptEncoderSSHA1: %s
sqlite_crypt
sqlite_crypt
CryptEncoderSHA384: %s
sqlite_crypt
authenticate
auth_enabled
PRAGMA case_sensitive_like = %d;
PRAGMA ignore_check_constraints = %d;
cannot convert %s to BLOB
unreachable
argument must be BLOB or TEXT
string too large
non-function passed to RegisterAggregator
illegal instruction
trace/breakpoint trap
user defined signal 2
broken pipe
alarm clock
terminated
2.16.840.1.113730.4.1
CfgMgr32.dll
dnsapi.dll
dnsapi.dll
iphlpapi.dll
iphlpapi.dll
netapi32.dll
netapi32.dll
netapi32.dll
```

psapi.dll
sechost.dll
shell32.dll
shell32.dll
version.dll
ws2_32.dll
CM_Get_Device_Interface_ListW
CM_Get_Device_Interface_List_SizeW
CM_MapCrToWin32Err
AdjustTokenGroups
AdjustTokenPrivileges
CheckTokenMembership
CreateServiceW
DeleteService
GetNamedSecurityInfoW
GetSecurityDescriptorControl
GetSecurityDescriptorGroup
GetSecurityDescriptorLength
GetSidIdentifierAuthority
GetSidSubAuthorityCount
ImpersonateSelf
InitializeSecurityDescriptor
IsValidSid
NotifyServiceStatusChangeW
OpenServiceW
QueryServiceConfigW
RegEnumKeyExW
RegOpenKeyExW
RegisterServiceCtrlHandlerExW
RegisterServiceCtrlHandlerExW
RevertToSelf
SetEntriesInAclW
SetSecurityDescriptorControl
SetSecurityDescriptorSacl
SetServiceStatus
SetThreadToken
SetTokenInformation
CertAddCertificateContextToStore
CertCreateCertificateContext
CertDeleteCertificateFromStore
CertFindCertificateInStore
CertGetNameStringW
CertOpenSystemStoreW
CryptAcquireCertificatePrivateKey
CryptProtectData
CryptQueryObject
DnsNameCompare_W

DnsNameCompare_W
DnsRecordListFree
DwmGetWindowAttribute
GetAdaptersInfo
CancelIoEx
CreateEventExW
CreateFileMappingW
CreateFileW
CreateHardLinkW
CreateJobObjectW
CreateMutexExW
CreateMutexExW
CreateProcessW
DefineDosDeviceW
DeleteProcThreadAttributeList
DuplicateHandle
ExpandEnvironmentStringsW
FindFirstVolumeMountPointW
FindNextFileW
FindNextVolumeMountPointW
FindResourceW
FindVolumeClose
FlushFileBuffers
FreeLibrary
GetCommandLineW
GetComputerNameExW
GetComputerNameW
GetConsoleMode
GetConsoleScreenBufferInfo
GetCurrentProcessId
GetCurrentThreadId
GetDiskFreeSpaceExW
GetDriveTypeW
GetFileAttributesExW
GetFileInformationByHandle
GetFinalPathNameByHandleW
GetLastError
GetLogicalDrives
GetLongPathNameW
GetProcAddress
GetProcessShutdownParameters
GetProcessWorkingSetSizeEx
GetQueuedCompletionStatus
GetSystemDirectoryW
GetSystemPreferredUILanguages
GetTempPathW
GetTickCount64

GetVersion
GetVolumeInformationByHandleW
IsWow64Process
LoadLibraryExW
LoadLibraryW
LoadResource
LocalAlloc
LocalAlloc
LockFileEx
MapViewOfFile
Module32FirstW
MoveFileExW
MultiByteToWideChar
OpenEventW
OpenEventW
OpenProcess
OpenThread
PostQueuedCompletionStatus
Process32FirstW
Process32NextW
ProcessIdToSessionId
PulseEvent
QueryDosDeviceW
ReadConsoleW
ReadProcessMemory
RemoveDirectoryW
SetCommTimeouts
SetCurrentDirectoryW
SetDllDirectoryW
SetEndOfFile
SetErrorMode
SetNamedPipeHandleState
SetVolumeLabelW
Thread32First
UnlockFileEx
UnmapViewOfFile
UnmapViewOfFile
VirtualProtect
VirtualProtectEx
VirtualUnlock
WriteConsoleW
AcceptEx
GetAcceptExSockaddrs
NtCreateFile
NtQueryInformationProcess
NtSetInformationProcess
RtlGetCurrentPeb

RtlGetNtVersionNumbers
RtlGetVersion
RtlNtStatusToDosErrorNoTeb
CoCreateGuid
EnumProcessModulesEx
GetModuleInformation
QueryWorkingSetEx
UnsubscribeServiceChangeNotifications
GetUserNameExW
TranslateNameW
SetupDiCreateDeviceInfoListExW
SetupDiDestroyDeviceInfoList
SetupDiGetClassDevsExW
SetupDiGetClassInstallParamsW
SetupDiGetDeviceInstallParamsW
SetupDiGetDeviceInstanceIdW
SetupDiGetDevicePropertyW
SetupDiGetSelectedDriverW
SetupDiSetClassInstallParamsW
SetupDiSetDeviceInstallParamsW
CommandLineToArgvW
SHGetKnownFolderPath
EnumChildWindows
EnumWindows
ExitWindowsEx
GetClassNameW
GetGUIThreadInfo
GetShellWindow
IsWindow
MessageBoxW
GetFileVersionInfoSizeW
GetFileVersionInfoW
VerQueryValueW
FreeAddrInfoW
GetAddrInfoW
WSAIoctl
WSALookupServiceNextW
WSARecvFrom
WSARecvFrom
WSASocketW
closesocket
getservbyname
getsockopt
setsockopt
WTSEnumerateSessionsW
WTSFreeMemory
WTSQueryUserToken

Failed to load
procedure in
DeviceCapabilitiesW
DocumentPropertiesW
GetDefaultPrinterW
CloseThemeData
GetThemeTextExtent
IsAppThemed
SetWindowTheme
user32.dll
AdjustWindowRect
BeginDeferWindowPos
BringWindowToTop
ChangeWindowMessageFilterEx
ClientToScreen
CreateDialogParamW
CreateIconIndirect
CreateMenu
DefWindowProcW
DestroyWindow
DispatchMessageW
DrawIconEx
DrawMenuBar
DrawTextExW
EmptyClipboard
EnableMenuItem
EnumChildWindows
GetActiveWindow
GetClientRect
GetCursorPos
GetDesktopWindow
GetDlgItem
GetIconInfo
GetScrollInfo
GetSubMenu
GetSysColorBrush
GetSystemMetrics
GetWindowLongPtrW
IsClipboardFormatAvailable
IsWindowVisible
KillTimer
LoadCursorW
LoadStringW
MessageBoxW
MonitorFromWindow
PeekMessageW
PostQuitMessage

RedrawWindow
RegisterRawInputDevices
ReleaseCapture
RemoveMenu
SendDlgItemMessageW
SetCapture
SetMenuItemInfoW
SystemParametersInfoW
TrackMouseEvent
WindowFromDC
DragFinish
DragQueryFileW
SHBrowseForFolderW
SHDefExtractIconW
SHGetFileInfoW
SHGetSpecialFolderPathW
SHGetStockIconInfo
Shell_NotifyIconW
PdhValidatePathW
wglGetLayerPaletteEntries
wglGetProcAddress
wglMakeCurrent
wglSwapLayerBuffers
wglUseFontBitmapsW
oleaut32.dll
SysAllocString
ole32.dll
CoCreateInstance
CoTaskMemFree
OleInitialize
OleUninitialize
ActivateActCtx
CloseHandle
CreateActCtxW
GetConsoleWindow
GetNumberFormatW
GetPhysicallyInstalledSystemMemory
GetProfileStringW
GetThreadUILanguage
GlobalAlloc
GlobalFree
GlobalLock
GlobalUnlock
RtlMoveMemory
LoadResource
SetLastError
SizeofResource

SystemTimeToFileTime
GdipCreateBitmapFromFile
GdipCreateHBITMAPFromBitmap
GdipDisposeImage
GdiplusShutdown
GdiplusStartup
GenericError
Win32Error
UnknownImageFormat
GdiplusNotInitialized
PropertyNotFound
msimg32.dll
AbortDoc
ChoosePixelFormat
CombineRgn
CreateBitmap
CreateCompatibleDC
CreateDIBSection
CreateEnhMetaFileW
CreateFontIndirectW
CreatePatternBrush
CreateRectRgn
ExcludeClipRect
ExtCreatePen
GetEnhMetaFileHeader
GetObjectW
GetTextExtentExPointW
IntersectClipRect
MoveToEx
Rectangle
SetBkColor
SetBrushOrgEx
SetStretchBltMode
SetViewportOrgEx
SwapBuffers
AlphaBlend
TransparentBlt
comdlg32.dll
ChooseColorW
GetSaveFileNameW
PrintDlgExW
ImageList_Add
ImageList_Create
LoadIconWithScaleDown
RegQueryValueExW
RegEnumValueW
RegSetValueExW

Unable to run function '%v': %v
FUNCTION

XButton1
Hanja / Kanji
Nonconvert
ModeChange
BrowserBack
BrowserRefresh
BrowserHome
VolumeDown
MediaNextTrack
MediaPrevTrack
LaunchMail
LaunchApp1
OEMMinus
ProcessKey
GetClientRect
CreateWindowEx
SetWindowLongPtr
GetModuleHandle
LoadCursor
IWebBrowser2.Navigate2
tooltips_class32
invalid index
LVM_SETCOLUMNWIDTH failed
SetTimer
SendMessage(LVM_SETITEMSTATE)
GetWindowLong
SendMessage(LVM_SETITEMSTATE)
SendMessage(LVM_ENSUREVISIBLE)
\o/ Walk_Spacer_Class \o/
\o/ Walk_ScrollView_Class \o/
ReflectListModel
ReflectListModel
Shell_NotifyIcon
Shell_NotifyIcon
Shell_NotifyIcon
Shell_TrayWnd
\o/ Walk_MainWindow_Class \o/
applyLayoutResults
BeginDeferWindowPos
TaskbarCreated
invalid style
failed to create default font
%s: Error %d
%s

Stack:

%s

```
Can't convert float64 to %s.  
SHGetPathFromIDList failed  
invalid index  
GetDC failed  
GetTextExtentPoint32 failed  
GetDC failed  
container required  
CreateCompatibleDC failed  
GetWindowRect failed  
Dynamic Annotation not available  
IAccPropServices.SetHwndPropStr  
App().Settings() must not be nil  
App().Settings() must not be nil  
GetTextMetrics failed  
GetTextExtentPoint32 failed  
MoveWindow  
GetWindowRect  
SetWindowPos  
walk: negative WindowGroup refs counter  
RemoveMenu  
InsertMenuItem failed  
SetMenuItemInfo failed  
CheckMenuRadioItem failed  
clientComposite  
ITaskbarList3.SetProgressValue  
SHDefExtractIcon  
LoadIconWithScaleDown  
GetWindowLong  
SetParent  
SetWindowPos  
effect == nil  
SelectObject failed  
DrawTextEx failed  
MoveToEx failed  
LineTo failed  
bmp cannot be nil  
bmp cannot be nil  
CreateFontIndirect failed  
SelectObject failed  
SetBkMode failed  
GetEnhMetaFileHeader failed  
SelectObject failed  
StretchBlt failed  
GetDIBits #1
```

```
GetDIBits #2
GetDIBits get bitmapinfo failed
GetDIBits failed
\Amigo\User Data
\Orbitum\User Data
cent-browser
\Sputnik\Sputnik\User Data
\Vivaldi\User Data
LOCALAPPDATA
epic-privacy-browser
microsoft-edge
\Yandex\YandexBrowser\User Data
LOCALAPPDATA
fiddler.exe
regedit.exe
df5serv.exe
ollydbg.exe
pestudio.exe
vmwareuser.exe
vgauthservice.exe
x32dbg.exe
vmusrvc.exe
prl_cc.exe
prl_tools.exe
xenservice.exe
qemu-ga.exe
joeboxcontrol.exe
joeboxserver.exe
00:0c:29
08:00:27
00:21:F6
2C:C2:60
00:10:4F
00:0c:29:2c:c1:21
00:25:90:65:39:e4
c8:9f:1d:b6:58:e4
2e:b8:24:4d:f7:de
00:15:5d:00:05:d5
00:e0:4c:4b:4a:40
00:1b:21:13:15:20
00:15:5d:00:06:43
00:15:5d:1e:01:c8
b6:ed:9d:27:f4:fa
00:15:5d:b6:e0:cc
08:00:27:3a:28:73
12:8a:5c:2a:65:d1
00:25:90:36:f0:3b
```

00:1b:21:13:21:26
00:1b:21:13:32:51
3c:ec:ef:43:fe:de
00:03:47:63:8b:de
processhacker
^r[0-9a-zA-Z]{23,50}\$
^0x[a-fA-F0-9]{40}\$
^0x[0-9a-fA-F]{40}\$
^([a-zA-Z0-9]){32,}\$
fhbohimaelbohpbjbbldcngcnapndodjp
KardiaChain
pdadjkfkkgcafgbceimcpbkalfnepbnk
amkmjmmfllddogmhpjloimipbofnfjih
Jaxx Liberty
cjelfplplebdjjenllpjcbmljkfcffne
Terra Station
TON Crystal Wallet
cgeeodpfagjceefieflmdfphplkenlfk
Math Wallet
fihkakfobkmkjojpchpfgcmhfjnmnmpi
Saturn Wallet
Coin98 Wallet
Bytecoin
ElectronCash
\Exodus\
AtomicWallet
\atomic\Local Storage\leveldb
wallet.dat
LocalAppData
\DashCore\
wallet.dat
\Litecoin\
multidoge.wallet
\Bither\
address.db
config.inc.php
ShareX_H_
UserProfile
\Documents\ShareX\
History.json
\Documents\ShareX\
ExpanDrive
Default.ppx
LocalAppData
browsedata.db
\Notepad++\backup\
Muon Snowflake

```
\snowflake-ssh\  
UserProfile  
Authy Desktop  
GitHub Desktop  
UserProfile  
auth.json  
COMPOSER_HOME  
\Flock\Browser\  
winauth.xml  
accounts.dat  
Squirrel  
UserProfile  
\.squirrel-sql\  
UserProfile  
\postgresql\  
pgpass.conf  
\Moonchild Productions\Pale Moon\  
profiles.ini  
\Mozilla\icecat\  
Cyberfox  
CoffeeCup_0  
ProgramFiles  
\CoffeeCup Software\  
CoffeeCup_1  
LocalAppData  
\CoffeeCup Software\  
\CoffeeCup Software\  
JDownloader  
\jDownloader\config\  
\Binance\  
LocalAppData  
\NordPass\  
UserProfile  
UserProfile  
git-credentials  
UserProfile  
settings-security.xml  
\Privat_Kommunikation_AB\  
\FLASHFXP\  
3QUICK.DAT  
\FTPInfo\  
ServerList.cfg  
ServerList.xml  
ESTdb2.dat  
site.dat  
ProgramFiles  
UserProfile
```

```
NDSites.ini
\BitKinex\
bitkinex.ds
32BitFTP
ftpsite.ini
NexusFile1
ProgramFiles
ProgramFiles
mRemoteNG
confCons.xml
\FTPGetter\
Total Commander
wcx_ftp.ini
settings.cfg.viw
FileZilla
\Filezilla\
FileZilla1
\Filezilla\
FileZilla_PEM
\Filezilla\
\TS3Client\
\Slack\storage\
\Signal\sql\
config.json
\Mailspring\
config.json
\The Bat!\
\PocoMail\
accounts.ini
PocoMail1
UserProfile
\Documents\Pocomail\
profiles.ini
\Mailbird\Store\
Store.db
Thunderbird
profiles.ini
accounts.xml
LocalAppData
\Growtopia\
Kalypso Media
launcher.ini
LocalAppData
GNU Privacy Guard
SDRTrunk
UserProfile
PostboxApp
```

Sherrod FTP
ProgramFiles
\.LavaServer\
Settings.reg
Minecraft VimeWorld
Minecraft McSkill
settings.bin
Minecraft loliland
auth.json
\.minecraft\
Minecraft RedServer
\lxs\rootfs\etc\
\qBittorrent\
qBittorrent.ini
Vitalwerks DUC x64
Vitalwerks DUC
HKEY_CURRENT_USER\Software\SimonTatham
ClassicFTP
IncrediMail
Pixel Worlds
HKEY_CURRENT_USER\SOFTWARE\zzplaguecheat
DownloadManagerIDM
Atomic Wallet
guildWallet
nanjmdknhkinifnkgdcggcfnhdaammj
roninWallet
fnjhmkhmkbjkkabndcnogagobneec
LOCALAPPDATA
cloverWallet
kpfopkelmapcoipemfendmdcghnegimn
User Data
LOCALAPPDATA
User Data
Local Extension Settings
LOCALAPPDATA
IndexedDB
jaxxLiberty
LOCALAPPDATA
LOCALAPPDATA
Local Extension Settings
LOCALAPPDATA
METAMASK
User Data
Local Extension Settings
ibnejdfjmmkpcnlpebklnkoeiohofec
LOCALAPPDATA
Local Extension Settings

User Data
crypto.com
LOCALAPPDATA
User Data
hnfanknocfeofbddgcijmhnfnkdnaad
Coin98 Wallet
LOCALAPPDATA
LOCALAPPDATA
LOCALAPPDATA
KardiaChain
User Data
pdadjkfkcgafgbceimcpbkalfnepbnk
LocalAppData
LocalAppData
\\1Password\data\
UserProfile
UserProfile
settings-security.xml
LocalAppData
user.config
FlashFXP
3QUICK.DAT
FTPInfo_CFG
FTPInfo_CFG
FTPInfo_XML
\\FTPInfo\
ESTdb2.dat
\\Staff-FTP\
ProgramFiles
\\DeluxeFTP\
sites.xml
\\EasyFTP\data\
UserProfile
NetSarang1
NetSarang1
\\NetDrive\
BitKinex
bitkinex.ds
NovaFTP.db
32BitFtp.ini
WhatsApp
\\Signal\sql\
Mailspring
Opera Mail
Opera Mail
\\Opera Mail\Opera Mail\
PocoMail

PocoMail1
profiles.ini
LocalAppData
Thunderbird
\Thunderbird\
GetWindowTextW
GetForegroundWindow
ShowWindow
MessageBoxW
SystemParametersInfoW
SendMessageA
GetKeyboardLayout
GetKeyState
CloseClipboard
GetClipboardData
GetFileSize
IsBadReadPtr
VirtualAllocEx
Wow64GetThreadContext
GetThreadContext
GlobalLock
CreateMutexW
CreateProcessA
Wow64RevertWow64FsRedirection
QueueUserAPC
RtlCopyMemory
avicap32.dll
advapi32.dll
winmm.dll
mciSendStringW
advapi32.dll
RegOpenKeyExW
BANDIT STEALER
VirtualBox
/proc/self/status
systeminfo
Processor(s):
desktopmonitor
2006-01-02 15:04:05
Location:
Screen Size:
UAC Info:
USERINFO.txt
USERPROFILE
Telegram.exe
Telegram.exe
%s-%s.zip

```
Login Data
failed to open database: %s
failed to close database: %s
Name: %s
Value: %s
Created On: %s
```

```
LOCALAPPDATA
```

```
URL: %s
Title: %s
Visited Time: %s
```

```
LOCALAPPDATA
tempLoginData
Error copying database: %v
Error scanning row:
Local State
os_crypt
Local State file not found for %s
```

```
advapi32.dll
comdlg32.dll
oleaut32
opengl32.dll
psapi.dll
winmm.dll
dxva2.dll
msimg32.dll
RegisterClassExW
CreateWindowW
CreateWindowExW
AdjustWindowRectEx
DestroyWindow
PostQuitMessage
GetMessageW
WaitMessage
CallWindowProcW
SetClassLongPtrW
EnableWindow
GetClientRect
SetCapture
ReleaseCapture
MessageBoxW
EqualRect
IntersectRect
```

IsRectEmpty
OffsetRect
DialogBoxParamW
ClientToScreen
DrawTextW
OpenClipboard
SetClipboardData
MapVirtualKeyW
MapVirtualKeyExW
GetAsyncKeyState
MonitorFromPoint
MonitorFromWindow
GetMonitorInfoW
ChangeDisplaySettingsExW
CallNextHookEx
GetWindowPlacement
GetForegroundWindow
FindWindowW
MessageBeep
EnumWindows
GetSysColorBrush
CheckMenuItem
CreatePopupMenu
EnableMenuItem
GetMenuBarInfo
GetMenuItemCount
GetMenuItemInfoW
GetMenuState
GetMenuStringW
GetSystemMenu
HiliteMenuItem
InsertMenuW
LoadMenuW
MenuItemFromPoint
RemoveMenu
SetMenuInfo
SetMenuItemBitmaps
IsDlgButtonChecked
LookupIconIdFromDirectoryEx
SetForegroundWindow
ScrollWindow
PrintWindow
RegGetValueW
RegEnumKeyExW
RegSetValueExW
OpenSCManagerW
CloseServiceHandle

OpenServiceW
StartServiceW
InitCommonControlsEx
ImageList_Destroy
ImageList_ReplaceIcon
ImageList_Remove
DefSubclassProc
GetOpenFileNameW
DwmExtendFrameIntoClientArea
DwmFlush
DwmGetTransportAttributes
DwmModifyPreviousDxFrameDuration
DwmSetWindowAttribute
DwmShowContact
DwmTetherContact
DwmUpdateThumbnailProperties
CloseEnhMetaFile
CreateCompatibleDC
CreateDIBSection
CreateEnhMetaFileW
CreateICW
GetTextMetricsW
SelectObject
SetBkMode
SetStretchBltMode
ChoosePixelFormat
DescribePixelFormat
SetPixelFormat
SwapBuffers
SetDCPenColor
SetDCBrushColor
CreatePen
Polyline
PolyBezier
GetModuleHandleW
GetConsoleWindow
GlobalAlloc
GlobalFree
RtlMoveMemory
FindResourceW
SizeofResource
LockResource
LoadResource
CreateToolhelp32Snapshot
GetDiskFreeSpaceExW
GetProcessTimes
GetCurrentProcessId

GetVersion
GetCurrentActCtx
CreateFileW
CoUninitialize
CreateStreamOnHGlobal
VariantInit
SysFreeString
SysStringLen
wglGetProcAddress
wglMakeCurrent
EnumProcesses
DragAcceptFiles
DragQueryPoint
ShellExecuteW
ExtractIconW
GdiplusStartup
VerQueryValueW
PlaySoundW
WNetAddConnection3W
GetConsoleWindow
opera.exe
iexplore.exe
msedge.exe
safari.exe
maxthon.exe
seamonkey.exe
torch.exe
kometa.exe
browser.exe
centbrowser
sputnik.exe
chrome.exe
iridium.exe
failed to create form field: %v
http://%s:8080/upload
failed to read response body: %v
NjE1NzE2NDc1Nw==
user_data#%d
taskkill
not found
no such process
Content-Type
user32.dll
84N|)17\$73@L3R
LOCALAPPDATA
LOCALAPPDATA
Telegram

```
Telegram
Telegram
user_data#1
user_data#3
LOCALAPPDATA
Telegram
LOCALAPPDATA
user_data#6
LOCALAPPDATA
LOCALAPPDATA
user_data#8
LOCALAPPDATA
user_data#10
user_data#9
LOCALAPPDATA
Telegram
Telegram.exe
LOCALAPPDATA
Testing /tmp/test/71c13c38f67e11ed0f2d630d8cf62077f29c99cb930cad1ac43be4aa82eb46
complex128
unsafe.Pointer
reflect: call of
can't call pointer on a non-pointer Value
reflect: Len of non-array type
reflect: Elem of invalid type
reflect: slice index out of range
invalid write result
Seek: invalid whence
Balinese
Canadian_Aboriginal
Cherokee
Chorasmian
Cuneiform
Dives_Akuru
Glagolitic
Gurmukhi
Imperial_Aramaic
Katakana
Kharoshthi
Khitan_Small_Script
Linear_A
Linear_B
Mahajani
Malayalam
Medefaidrin
Medefaidrin
New_Tai_Lue
```

Old_Hungarian
Old_North_Arabian
Old_Persian
Old_South_Arabian
Phoenician
Psalter_Pahlavi
Saurashtra
SignWriting
Syloti_Nagri
Tai_Tham
Tai_Viet
Zanabazar_Square
Bidi_Control
Bidi_Control
Extender
IDS_Binary_Operator
Noncharacter_Code_Point
Other_Alphabetic
Other_Lowercase
Other_Uppercase
Regional_Indicator
Unified_Ideograph
Inherited
subtle.XORBytes: dst too short
value out of range
244140625
1220703125
30517578125
762939453125
3814697265625
298023223876953125
1490116119384765625
37252902984619140625
582076609134674072265625
227373675443232059478759765625
28421709430404007434844970703125
277555756156289135105907917022705078125
1387778780781445675529539585113525390625
173472347597680709441192448139190673828125
ParseUint
ParseFloat
ParseFloat
ParseFloat
ParseFloat
infinity
complex64
to array with length

```
reflect.MakeSlice: negative len
reflect.MakeSlice: len > cap
precomputed stack offset
unexpected value step
unknown method
  on zero Value
reflect: call of
methodargs(
funcargs(
reflect: NumOut of non-func type
: value of type
reflect.Value.Slice
reflect.Value.SetMapIndex
reflect.Value.SetInt
reflect.Value.setRunes of non-rune slice
reflect.Value.SetBytes of non-byte slice
reflect.Value.OverflowFloat
reflect: array index out of range
same as &v[i], i < tt.len
reflect.Value.Index
reflect.Value.Field
reflect.Value.Elem
reflect.Value.Bytes of non-rune slice
reflect.Value.Bytes
reflect: Bits of non-arithmetic Type
t.xcount > 0
name flag field
non-empty string
read varint
LittleEndian
cipher: NewGCM requires 128-bit block cipher
crypto/cipher: invalid buffer overlap

crypto: requested hash function #
SHA3-224
SHA-512/224
SHA-512/256
BLAKE2s-256
unknown hash value
boringcrypto: not available
crypto/aes: input not full block
invalid argument
user defined signal 2
broken pipe
terminated
permission denied
address already in use
```

bad message
operation canceled
connection reset by peer
bad address
host is down
no route to host
identifier removed
input/output error
transport endpoint is already connected
key has expired
level 3 halted
wrong medium type
message too long
link has been severed
no medium found
inappropriate ioctl for device
owner died
operation not permitted
broken pipe
protocol error
numerical result out of range
streams pipe error
timer expired
too many users
dnsapi.dll
kernel32.dll
shell32.dll
ws2_32.dll
CryptAcquireContextW
CryptGenRandom
CryptReleaseContext
LookupAccountNameW
RegCloseKey
RegOpenKeyExW
CertAddCertificateContextToStore
CertCreateCertificateContext
CertFreeCertificateContext
DnsNameCompare_W
CreateHardLinkW
CreatePipe
CreateSymbolicLinkW
DeleteFileW
FindFirstFileW
FindNextFileW
FreeEnvironmentStringsW
GetConsoleMode
GetFileType

GetLastError
GetLongPathNameW
GetProcAddress
GetProcessTimes
GetQueuedCompletionStatus
GetStartupInfoW
GetVersion
LocalFree
OpenProcess
Process32FirstW
SetHandleInformation
UnmapViewOfFile
VirtualUnlock
WriteFile
AcceptEx
GetAcceptExSockaddrs
TransmitFile
NetApiBufferFree
NetGetJoinInformation
NetUserGetInfo
TranslateNameW
CommandLineToArgvW
GetAddrInfoW
WSACleanup
WSAEnumProtocolsW
WSAIoctl
WSASendTo
WSAStartup
gethostbyname
getpeername
getservbyname
getsockname
getsockopt
setsockopt
failed to find ConnectEx:
Failed to load
Failed to find
 procedure in
winapi error #
advapi32.dll
kernel32.dll
RegSetValueExW
September
bad value for field
Egypt Standard Time
Morocco Standard Time
Aleutian Standard Time

Alaskan Standard Time
Cuba Standard Time
Central Standard Time (Mexico)
Saint Pierre Standard Time
Eastern Standard Time
Haiti Standard Time
Pacific Standard Time (Mexico)
SE Asia Standard Time
Middle East Standard Time
India Standard Time
Syria Standard Time
W. Mongolia Standard Time
Pakistan Standard Time
Omsk Standard Time
North Korea Standard Time
Azores Standard Time
Greenwich Standard Time
Cen. Australia Standard Time
Aus Central W. Standard Time
Turkey Standard Time
Belarus Standard Time
Fiji Standard Time
Line Islands Standard Time
,M3.2.0,M11.1.0
2006-01-02T15:04:05Z07:00
: day-of-year does not match month
: cannot parse
parsing time
Time.MarshalText:
Time.MarshalJSON:
2006-01-02 15:04:05.999999999 -0700 MST
skip this directory
skip everything and stop the walk
ws2_32.dll
DuplicateTokenEx
ImpersonateSelf
OpenThreadToken
SetTokenInformation
SystemFunction036
GetConsoleCP
GetFinalPathNameByHandleW
LockFileEx
Module32FirstW
UnlockFileEx
NetShareAdd
NetShareDel
WSASocketW

```
use of closed network connection
unixpacket
inconsistent poll.fdMutex
/dev/stdin
ComputerNameEx
CreateFile
SetDeadline
%!(BADWIDTH)
%!(BADPREC)
%!(NOVERB)
  method:
0123456789abcdefx
0123456789ABCDEFX
0123456789abcdefx
0123456789abcdefx
0123456789abcdefx
strings.Builder.Grow: negative count
value out of range
invalid value %q for flag -%s: %v
context canceled
.WithCancel
context.Background
context.TODO
unknown empty Context
context deadline exceeded
P521 point is the point at infinity
invalid scalar length
invalid scalar length
invalid scalar length
P224 point is the point at infinity
crypto/ecdh: invalid private key
randautoseed
%!%c(big.Int=%s)
impossible
invalid base
underflow
bigmod: internal error: shrinking nat
non sequence tagged as set
NumericString contains invalid character
internal error
generalized
20060102150405Z0700
060102150405Z0700
base 128 integer too large
integer too large
empty integer
integer not minimally-encoded
```

invalid boolean
invalid integer type
060102150405Z0700
0601021504Z0700
no assembly implementation available
zero parameter
negative coordinate
invalid ASN.1
invalid integer
edwards25519: use of uninitialized Point
scalar has high bit set illegally
invalid scalar length
ed25519: internal error: setting scalar failed
SigEd25519 no Ed25519 collisions
crypto/rsa: verification error
crypto/rsa: invalid modulus
crypto/dsa: invalid public key
2.5.4.17
IPv6 field has value $\geq 2^{16}$
IPv4 address too long
ParseAddr(
unexpected slice size
ClassHESIOD
RCodeNameError
zero length segment
skipping:
additional
server misbehaving
127.0.0.1:53
no such multicast network interface
no such host
unixpacket
wsaiocctl
setsockopt
no colon on line
/etc/nsswitch.conf
/etc/nsswitch.conf
notfound
i/o timeout
address
unknown port
non-IPv6 address
missing port in address
too many colons in address
dragonfly
getadaptersaddresses
getadaptersaddresses

```
/etc/resolv.conf
unixpacket
nil context
localhost
.localhost
getaddrinfo
getaddrinfo
unknown network
unexpected network:
unixpacket
internal error
invalid IP address
invalid URL escape
crypto/des: output not full block
AES-256-CBC
x509usefallbackroots
SHA512-RSA
SHA256-RSAPSS
SHA384-RSAPSS
SHA512-RSAPSS
ECDSA-SHA1
ECDSA-SHA384
-----BEGIN X509 CRL
x509: ECDSA verification failure
x509: unknown error
x509: invalid simple chain
x509: malformed version
x509: malformed issuerUniqueID
x509: malformed extension
x509: invalid CRL distribution points
x509: invalid authority info access
x509: invalid authority info access
x509: invalid constraint value:
x509: invalid extended key usages
x509: invalid extended key usages
x509: invalid RSA public exponent
x509: invalid ECDSA parameters
x509: malformed OID
invalid UTF-8 string
invalid NumericString
adding nil Certificate to CertPool
x509: cannot parse rfc822Name %q
DNS name
IP address
%s %q is excluded by constraint %q
avx512vbmi
avx512vnniw
```

```
avx512vnni
avx512gfni
avx512vaes
avx512bitalg
avx512bf16
GODEBUG sys/cpu: can not enable "
chacha20: wrong key size
close notify
unexpected message
bad certificate
expired certificate
unknown certificate
illegal parameter
access denied
no renegotiation
unsupported extension
unknown PSK identity
master secret
key expansion
CERTIFICATE
TLS 1.3, client CertificateVerify
tls: failed to sign handshake:
tls: received empty certificates message
tls: invalid server key share
tls: server selected unsupported group
tls: server chose an unconfigured cipher suite
CLIENT_RANDOM
tls: short read from Rand:
tls: too many ignored records
remote error
unknown cipher type
unknown cipher type
tls: internal error: unsupported key (%T)
ECDSAWithP384AndSHA384
PKCS1WithSHA512
SignatureScheme(
tls: alert(
final token
Accept-Encoding
Accept-Language
Cache-Control
Content-Id
Content-Length
If-Modified-Since
In-Reply-To
Message-Id
Received
```

User-Agent
X-Forwarded-For
X-Imforwards
image/avif
image/gif
image/jpeg
text/javascript; charset=utf-8
application/json
application/wasm
image/webp
multipartfiles
multipartmaxparts
multipartmaxheaders

--%s--

Content-Disposition
form-data; name="%s"
application/octet-stream
flate: closed writer
leafCounts[maxBits][maxBits] != n
not available
transform: short destination buffer
caller error
Connection
Content-Range
Proxy-Authorization
Www-Authenticate
:authority
accept-charset
accept-encoding
content-encoding
content-length
if-none-match
if-range
if-unmodified-since
proxy-authenticate
proxy-authorization
set-cookie
www-authenticate
/index.html
accept-language
authorization
content-encoding
content-range
content-type
proxy-authenticate

```
proxy-authorization
retry-after
set-cookie
transfer-encoding
www-authenticate
:authority
/index.html
authorization
content-encoding
content-language
content-range
if-modified-since
if-unmodified-since
strict-transport-security
invalid indexed representation index %d
decoding error: %v
evictCount overflow
(sensitive)
HTTP_PROXY
http_proxy
no_proxy
seeker can't seek
INTERNAL_ERROR
FLOW_CONTROL_ERROR
SETTINGS_TIMEOUT
STREAM_CLOSED
FRAME_SIZE_ERROR
COMPRESSION_ERROR
ENHANCE_YOUR_CALM
INADEQUATE_SECURITY
received from peer
END_HEADERS
goroutine
HalfClosedLocal
HEADER_TABLE_SIZE
ENABLE_PUSH
INITIAL_WINDOW_SIZE
MAX_FRAME_SIZE
MAX_HEADER_LIST_SIZE
http2: timeout awaiting response headers
timeout waiting for client preface
http2: recursive push not allowed
Transfer-Encoding
http2: client conn not usable
http2: canceling request
header too long
Content-Length
```

http: no Location header in response
local-addr
Connection
Content-Length:
net/http: abort Handler
hijacked
http: Handler timeout
application/pdf
%!PS-Adobe-
text/plain; charset=utf-16le
application/ogg
RIFF AVI
font/otf

Content-Type
Content-Length
http: putIdleConn: connection is in bad state
http: persistConn.readLoop exiting
Transfer-Encoding
unexpected type
Content-Length
Connection
invalid Trailer key
Trailer:
Processing
Early Hints
No Content
Multiple Choices
Moved Permanently
Temporary Redirect
Bad Request
Method Not Allowed
Requested Range Not Satisfiable
I'm a teapot
Failed Dependency
Upgrade Required
Precondition Required
Too Many Requests
Not Extended
connection not allowed by ruleset
network unreachable
connection refused
TTL expired
no acceptable authentication methods
unknown address type
unexpected protocol version
Connection

Cache-Control
PROPFIND
Transfer-Encoding
http2debug=1
accept-charset
access-control-allow-credentials
access-control-allow-methods
access-control-expose-headers
content-type
if-match
if-unmodified-since
last-modified
proxy-authenticate
set-cookie
transfer-encoding
user-agent
(%d bytes omitted)
ErrCode=%v
frame_windowupdate_bad_len
frame_windowupdate_zero_inc_conn
frame_goaway_short
frame_ping_has_stream
frame_settings_mod_6
frame_rststream_zero_stream
PRIORITY frame with stream ID 0
frame_headers_pad_too_big
frame_data_stream_0
frame_data_pad_too_big
connection error: %s
read_frame_conn_error_%s
read_frame_too_large
:authority
user-agent
content-length
accept-encoding
user-agent
conn_close_lost_ping
http2: Transport sending health check
http2: decoded hpack field %v
unexpected CONTINUATION for stream %d
err must be non-nil
RoundTrip retrying after failure: %v
RoundTrip failure: %v
proxyconnect
unsupported protocol scheme
Accept-Encoding
write error: %w

```
readLoopPeekFailLocked: %w
Content-Encoding
Content-Encoding
%s|%s%s|%s
Cookie.Path
Cookie.Value
Set-Cookie
Connection
Authorization
%s %s HTTP/1.1

Host: %s

Go-http-client/1.1
User-Agent
User-Agent: %s

User-Agent
Mon, 02 Jan 2006 15:04:05 GMT
; HttpOnly
; SameSite=Strict
exec: WaitDelay expired before I/O complete
SYSTEMROOT
SYSTEMROOT

os/exec.Command(
  exec: canceling Cmd
  exec: no command
  in literal null (expecting 'u')
  in literal false (expecting 's')
  in literal true (expecting 'u')
  in exponent of numeric literal
  after top-level value
  after object key
  after object key:value pair
  encountered a cycle via %s
  MarshalText
  MarshalJSON
  json: error calling
  json: Unmarshal(nil)
  invalid username/password version
  general SOCKS server failure
  network unreachable
  connection refused
  TTL expired
  nil context
  nil context
```

```
socks connect
SameSite=Strict
SameSite=Lax
go-request/0.8.0
Connection
Accept-Encoding
User-Agent
application/json
XVHFEkcFYP50
User-Agent
event_message
EnumProcessModules
GetModuleInformation
kernel32.dll
ReadProcessMemory
C:\Windows\system32\

user defined signal 1
alarm clock
terminated
1.3.6.1.5.5.7.3.1
advapi32.dll
crypt32.dll
iphlpapi.dll
mswsock.dll
netapi32.dll
ole32.dll
secur32.dll
setupapi.dll
user32.dll
userenv.dll
version.dll
ws2_32.dll
wtsapi32.dll
CM_Get_DevNode_Status
CM_Get_Device_Interface_List_SizeW
CM_MapCrToWin32Err
ChangeServiceConfigW
ControlService
CreateProcessAsUserW
CreateServiceW
CryptAcquireContextW
CryptReleaseContext
DeregisterEventSource
EqualSid
GetLengthSid
GetSecurityDescriptorControl
```

GetSecurityDescriptorLength
GetSecurityDescriptorOwner
GetSecurityDescriptorSacl
GetTokenInformation
ImpersonateSelf
IsWellKnownSid
MakeAbsoluteSD
OpenServiceW
RegOpenKeyExW
SetSecurityDescriptorControl
SetSecurityDescriptorDacl
StartServiceCtrlDispatcherW
CertAddCertificateContextToStore
CertCloseStore
CertDuplicateCertificateContext
CertFindChainInStore
CertFreeCertificateContext
CertOpenSystemStoreW
CryptAcquireCertificatePrivateKey
CryptUnprotectData
DnsNameCompare_W
DnsQuery_W
DwmSetWindowAttribute
GetAdaptersAddresses
GetAdaptersInfo
GetBestInterfaceEx
CancelIo
CloseHandle
CreateHardLinkW
CreateJobObjectW
CreateMutexW
CreatePipe
DefineDosDeviceW
DeleteFileW
DeviceIoControl
FindFirstChangeNotificationW
FindFirstFileW
FindFirstVolumeW
FindNextChangeNotification
FindNextFileW
FindNextVolumeW
FindResourceW
FreeLibrary
GetActiveProcessorCount
GetComputerNameW
GetConsoleScreenBufferInfo
GetCurrentDirectoryW

GetCurrentThreadId
GetDiskFreeSpaceExW
GetExitCodeProcess
GetFileAttributesW
GetFileInformationByHandle
GetFullPathNameW
GetLargePageMinimum
GetLastError
GetModuleFileNameW
GetModuleHandleExW
GetPriorityClass
GetProcessShutdownParameters
GetProcessWorkingSetSizeEx
GetStartupInfoW
GetStartupInfoW
GetSystemWindowsDirectoryW
GetTempPathW
GetThreadPreferredUILanguages
GetTimeZoneInformation
InitializeProcThreadAttributeList
IsWow64Process
IsWow64Process2
LockFileEx
Module32FirstW
MultiByteToWideChar
MultiByteToWideChar
OpenProcess
OpenThread
Process32NextW
ProcessIdToSessionId
PulseEvent
QueryInformationJobObject
QueryInformationJobObject
ReadProcessMemory
ReleaseMutex
SetCommTimeouts
SetDefaultDllDirectories
SetDllDirectoryW
SetErrorMode
SetFileAttributesW
SetFileInformationByHandle
SetFileTime
SetProcessShutdownParameters
SetVolumeLabelW
SetVolumeMountPointW
SizeofResource
Thread32Next

UpdateProcThreadAttribute
VirtualAlloc
VirtualFree
VirtualQueryEx
VirtualUnlock
WaitForSingleObject
WriteConsoleW
WriteConsoleW
WriteProcessMemory
GetAcceptExSockaddrs
NetApiBufferFree
NtQueryInformationProcess
NtSetInformationFile
RtlGetCurrentPeb
RtlInitString
RtlNtStatusToDosErrorNoTeb
ClsidFromString
CoCreateGuid
CoInitializeEx
CoUninitialize
StringFromGUID2
EnumProcessModules
EnumProcessModulesEx
GetModuleBaseNameW
GetModuleInformation
SubscribeServiceChangeNotifications
TranslateNameW
SetupDiClassGuidsFromNameExW
SetupDiDestroyDeviceInfoList
SetupDiEnumDeviceInfo
SetupDiGetDeviceInstallParamsW
SetupDiGetDeviceRegistryPropertyW
SetupDiGetSelectedDriverW
SetupDiSetDeviceInstallParamsW
SetupDiSetSelectedDriverW
SetupUninstallOEMInfW
CommandLineToArgvW
EnumChildWindows
ExitWindowsEx
GetDesktopWindow
GetShellWindow
GetFileVersionInfoW
WSACleanup
WSALookupServiceNextW
WSARecvFrom
WSAStartup
gethostbyname

```
getpeername
getsockname
WTSEnumerateSessionsW
AddDllDirectory
Failed to load
  procedure in
driver: remove argument from query
6ba7b814-9dad-11d1-80b4-00c04fd430c8
invalid UUID format
C:\Windows\System32\drivers\VBoxSF.sys
C:\Windows\System32\vboxservice.exe
C:\Windows\System32\drivers\vmusbmouse.sys
vmttoolsd.exe
vmwaretray.exe
vmwareuser
vmacthlp.exe
vmsrvc.exe
qemu-ga.exe
wireshark.exe
Procmon64.exe
DumpIt.exe
dumpit.exe
cuckoofork
debug4fun
CreateProcess
EnumSystemLocales
QueueUserApc
RtlCreateUserThread
kernel32.dll
ntdll.dll
OpenProcess
C:\Windows\System32\notepad.exe
0123456789ABCDEFGHIJKLMNQRSTUW
invalid public key
recovery failed
[:^alnum:]
[:^ascii:]
[:^blank:]
[:^cntrl:]
[:^digit:]
[:graph:]
[:^graph:]
[:lower:]
[:^lower:]
[:print:]
[:^print:]
[:^space:]
```

```
[:\xdigit:]  
InstAltMatch  
InstCapture  
InstEmptyWidth  
regexp: unhandled case in compile  
regexp: Compile(  
stream start  
sequence end  
!!timestamp  
cannot create request  
invalid body  
cannot create form file  
empty key  
invalid NewURL  
[GOZOOX_FETCH][DEBUG][Request]  
[warn] failed to fmt.Println:  
failed to load client cert and key: %v  
invalid proxy: %s  
Content-Type  
application/json  
Content-Type  
Content-Type  
Content-Type  
multipart/form-data  
Content-Encoding  
gzip decode error: %s  
application/json  
User-Agent  
kernel32.dll  
CoInitialize  
CoInitializeEx  
CoUninitialize  
CoTaskMemFree  
CLSIDFromProgID  
CLSIDFromString  
VariantInit  
CreateDispTypeInfo  
GetActiveObject  
GetMessageW  
DispatchMessageW  
{AF86E2E0-B12D-4C6A-9C5A-D7AA65101E90}  
{6485B1EF-D780-4834-A4FE-1EBB51746CA3}  
SafeArrayAllocDescriptorEx  
SafeArrayCopy  
SafeArrayDestroyData  
SafeArrayGetElemsize  
SafeArrayGetLBound
```

```
SafeArrayLock
SafeArrayUnaccessData
combase.dll
kernel32.dll
RoActivateInstance
command timed out
kernel32.dll
GetSystemTimes
RtlNtStatusToDosError
NtReadVirtualMemory
NtWow64QueryInformationProcess64
PdhGetFormattedCounterValue
PdhCloseQuery
iphlpapi.dll
ESTABLISHED
process does not have children
NtResumeProcess
NtSuspendProcess
advapi32.dll
GetProcessIoCounters
could not get Processes %s
SeDebugPrivilege
User-Agent
Testing /tmp/test/78b42d4d051cb1f1c4e1f47e8390810c23ba0e24f8dc689b99b40996945abc87
reflect: slice index out of range
read varint
complex64
reflect: NumField of non-struct type
reflect: call of
  on zero Value
reflect: call of
reflect.Value.Len
file already closed
sync: inconsistent mutex state
sync: unlock of unlocked mutex
sync: negative WaitGroup counter
Failed to load
  procedure in
illegal instruction
bus error
floating point exception
user defined signal 1
user defined signal 2
broken pipe
alarm clock
terminated
1.3.6.1.5.5.7.3.1
```

argument list too long
permission denied
advertise error
address family not supported by protocol
operation already in progress
invalid exchange
bad file descriptor
file descriptor in bad state
bad message
invalid request code
connection reset by peer
resource deadlock avoided
RFS specific error
host is down
identifier removed
input/output error
is a directory
is a named type file
accessing a corrupted shared library
link number out of range
too many open files
too many links
multihop attempted
network is down
network is unreachable
no anode
exec format error
link has been severed
no medium found
cannot allocate memory
machine is not on the network
package not installed
function not implemented
directory not empty
socket operation on non-socket
no such device or address
broken pipe
protocol error
protocol not supported
numerical result out of range
object is remote
socket type not supported
stale NFS file handle
streams pipe error
timer expired
connection timed out
structure needs cleaning

exchange full
not supported by windows
dnsapi.dll
iphlpapi.dll
kernel32.dll
msock.dll
netapi32.dll
CreateProcessAsUserW
CryptAcquireContextW
CryptReleaseContext
LookupAccountSidW
OpenProcessToken
RegCloseKey
RegQueryValueExW
CertEnumCertificatesInStore
CertOpenStore
CertOpenSystemStoreW
DnsNameCompare_W
DnsQuery_W
GetAdaptersInfo
GetIfEntry
CloseHandle
CreateDirectoryW
CreateFileMappingW
CreateProcessW
CreateSymbolicLinkW
DeleteFileW
DeleteProcThreadAttributeList
ExitProcess
FindClose
FindFirstFileW
FlushFileBuffers
FlushViewOfFile
FreeLibrary
GetComputerNameW
GetCurrentDirectoryW
GetCurrentProcessId
GetEnvironmentStringsW
GetFileAttributesW
GetFileInformationByHandle
GetLastError
GetProcAddress
GetProcessTimes
GetStartupInfoW
GetTempPathW
GetTimeZoneInformation
GetVersion

```
LoadLibraryW
Process32FirstW
Process32NextW
RemoveDirectoryW
SetEndOfFile
SetFileTime
TerminateProcess
UnmapViewOfFile
TransmitFile
NetUserGetInfo
CommandLineToArgvW
GetUserProfileDirectoryW
GetAddrInfoW
WSAEnumProtocolsW
WSAStartup
gethostbyname
getpeername
getsockopt
%SystemRoot%\system32\
advapi32.dll
RegCreateKeyExW
RegDeleteValueW
RegEnumValueW
RegSetValueExW
ExpandEnvironmentStringsW
Z07:00:00
Thursday
February
2006-01-02 15:04:05.999999999 -0700 MST
parsing time
: cannot parse
: extra text:
: day-of-year does not match month
: day-of-year does not match day
time: bad [0-9]*
time: Reset called on uninitialized Timer
%!Weekday(
Time.MarshalBinary: unexpected zone offset
Time.UnmarshalBinary: invalid length
,M3.2.0,M11.1.0
Egypt Standard Time
E. Africa Standard Time
Namibia Standard Time
Alaskan Standard Time
Paraguay Standard Time
Bahia Standard Time
Argentina Standard Time
```

Eastern Standard Time (Mexico)
Venezuela Standard Time
Mountain Standard Time (Mexico)
Central America Standard Time
Cuba Standard Time
SA Western Standard Time
Pacific Standard Time
Haiti Standard Time
Pacific SA Standard Time
Pacific Standard Time (Mexico)
Jordan Standard Time
India Standard Time
Transbaikal Standard Time
Sri Lanka Standard Time
Arabian Standard Time
West Bank Standard Time
North Asia East Standard Time
Israel Standard Time
Russia Time Zone 11
Nepal Standard Time
North Asia Standard Time
Magadan Standard Time
North Korea Standard Time
Arab Standard Time
Korea Standard Time
Russia Time Zone 10
Taipei Standard Time
Tokyo Standard Time
Tomsk Standard Time
Ulaanbaatar Standard Time
Vladivostok Standard Time
Yakutsk Standard Time
Azores Standard Time
Greenwich Standard Time
E. Australia Standard Time
AUS Central Standard Time
Tasmania Standard Time
GTB Standard Time
Belarus Standard Time
Russian Standard Time
Romance Standard Time
Samoa Standard Time
Fiji Standard Time
Marquesas Standard Time
West Pacific Standard Time
malformed time zone information
English name for time zone "

invalid write result
unexpected EOF
multiple Read calls return no data or error
Seek: invalid whence
skip this directory
advapi32.dll
kernel32.dll
userenv.dll
ws2_32.dll
ImpersonateSelf
LookupPrivilegeValueW
OpenThreadToken
RevertToSelf
SetTokenInformation
GetComputerNameExW
GetConsoleCP
LockFileEx
MultiByteToWideChar
GetProfilesDirectoryW
WSASocketW
use of closed network connection
not pollable
inconsistent poll.fdMutex
waiting for unsupported file type
unreachable:
unreachable
unixpacket
os: process already finished
GetProcessTimes
TerminateProcess
/dev/stdin
/dev/stdout
SetDeadline
SetWriteDeadline
FindFirstFile
ComputerNameEx
FullPath
value out of range
invalid syntax
strconv.
invalid base
invalid bit size
ParseUint
ParseInt
6103515625
152587890625
476837158203125

2384185791015625
11920928955078125
37252902984619140625
186264514923095703125
23283064365386962890625
2910383045673370361328125
14551915228366851806640625
1818989403545856475830078125
5684341886080801486968994140625
142108547152020037174224853515625
3552713678800500929355621337890625
55511151231257827021181583404541015625
6938893903907228377647697925567626953125
0123456789abcdef
0123456789ABCDEF
ryuFtoaFixed32 called with prec > 9
Balinese
Bassa_Vah
Chorasmian
Cyrillic
Duployan
Egyptian_Hieroglyphs
Georgian
Georgian
Gujarati
Gunjala_Gondi
Hanifi_Rohingya
Hiragana
Imperial_Aramaic
Inscriptional_Pahlavi
Kharoshthi
Khitan_Small_Script
Khitan_Small_Script
Linear_B
Manichaean
Masaram_Gondi
Meetei_Mayek
Meroitic_Hieroglyphs
Nandinagari
New_Tai_Lue
Ol_Chiki
Old_Hungarian
Old_Permic
Old_Sogdian
Old_South_Arabian
Pahawh_Hmong
Palmyrene

Psalter_Pahlavi
Samaritan
SignWriting
Sundanese
Syloti_Nagri
Tifinagh
Warang_Citi
ASCII_Hex_Digit
Bidi_Control
Ideographic
Join_Control
Other_Alphabetic
Other_Default_Ignorable_Code_Point
Other_Grapheme_Extend
Other_ID_Start
Other_Lowercase
Other_Uppercase
Regional_Indicator
unknown type kind
invalid n
bad argSize
non-empty string
name offset field
reflect.nameFrom: name too long:
reflect.nameFrom: tag too long:
complex128
reflect: ChanDir of non-chan type
reflect: In of non-func type
reflect: Len of non-array type
reflect: NumIn of non-func type
reflect: NumOut of non-func type
outCount > 0
sizeof(rtype) > 0
reflect: funclayout of non-func type
methodargs(
funcargs(
reflect: call of
reflect: call of
reflect.Value.
unknown method
reflect:
 using unaddressable value
reflect.Value.Bytes of non-byte slice
reflect.Value.Bytes of non-byte array
precomputed stack offset
precomputed stack offset
unexpected value step

```
unexpected value step
reflect.Value.Complex
reflect.Value.Elem
i < s.Len
reflect.Value.Index
reflect.Value.IsNil
MapIter.Value called before Next
reflect.Value.OverflowUint
reflect.Value.SetInt
reflect.Value.Slice
<invalid Value>
reflect.Value.Uint
reflect.Copy
reflect.Copy
reflect: Zero(nil)
0123456789abcdefx
0123456789abcdefx
0123456789ABCDEFX
0123456789abcdefx
0123456789abcdefx
0123456789ABCDEFX
GoString
(BADINDEX)
%!(NOVERB)
bytes.Buffer.WriteTo: invalid Write count
context.Background
context.TODO
.WithCancel
cannot create context from nil parent
.WithDeadline(
key is not comparable
<not Stringer>
exec: no command
exec: already started
exec: not started
SYSTEMROOT
execerrdot
execerrdot
[:alpha:]
[:^alpha:]
[:ascii:]
[:^blank:]
[:^digit:]
[:^lower:]
[:print:]
[:^punct:]
[:^upper:]
```

```
[:\xdigit:]
[:^\xdigit:]
InstCapture
InstRune
InstRune1
InstRuneAny
rune <nil>
unexpected InstFail
unhandled
regexp: Compile(
invalid argument to Int31n
  (default %q)
  (default %v)
Usage of %s:

%s flag redefined: %s
bad flag syntax: %s
flag provided but not defined: -%s
invalid boolean flag %s: %v
invalid value %q for flag -%s: %v
TypeAAAA
TypeHINFO
TypeMINFO
TypeAXFR
ClassCSNET
RCodeSuccess
RCodeRefused
nil resource body
zero length segment
skipping:
unpacking Question.Type
ResourceHeader
::ffff:0:0/96
2002::/16
fec0::/10
myhostname
.localhost
unixgram
mismatched local address type
mismatched local address type
nil context
server misbehaving
no answer from DNS server
files,dns
hostLookupOrder=
cannot marshal DNS message
cannot marshal DNS message
```

cannot marshal DNS message
/etc/hosts
invalid network interface
invalid network interface index
getadaptersaddresses
unexpected network:
getprotobyname
getaddrinfo
missing address
address
unknown network
no such host
tryagain
setsockopt
setsockopt
readfrom
unixpacket
unixpacket
RIPEMD-160
SHA3-224
SHA-512/256
BLAKE2s-256
BLAKE2b-256
BLAKE2b-384
BLAKE2b-512
unknown hash value
 is unavailable
binary: varint overflows a 64-bit integer
crypto/cipher: input not full blocks
crypto/cipher: message too large for GCM
crypto/cipher: invalid buffer overlap
d.nx != 0
crypto/aes: output not full block
crypto/aes: output not full block
crypto/aes: invalid buffer overlap
crypto/aes: input not full block
crypto/aes: invalid buffer overlap
%!%c(big.Int=%s)
underflow
number has no digits
invalid number base %d
division by zero
impossible
impossible
invalid P224Element encoding
invalid P384Element encoding
invalid P224 compressed point encoding

invalid P224 point encoding
invalid scalar length
invalid P256 point encoding
invalid scalar length
invalid scalar length
invalid scalar length
invalid P521 point encoding
invalid scalar length
asn1: syntax error:
invalid boolean
invalid boolean
integer not minimally-encoded
integer too large
invalid padding bits in BIT STRING
integer is not minimally encoded
truncated base 128 integer
0601021504Z0700
060102150405Z0700
pkcs12: odd-length BMP string
non-minimal tag
truncated tag or length
length too large
non-minimal length
sequence tag mismatch
truncated sequence
sequence truncated
data truncated
explicitly tagged member didn't match
unknown Go type: %v
data truncated
unsupported:
generalized
application
empty integer
internal error
invalid object identifier
cannot represent time as UTCTime
unknown Go type
unknown Go type: %v
asn1: string not valid UTF-8
20060102150405Z0700
060102150405Z0700
invalid integer type
invalid integer type
cryptobyte: internal error
invalid scalar length
ed25519: bad public key length:

```
crypto/rsa: unsupported hash function
rsa: internal error: inconsistent length
crypto/des: input not full block
crypto/des: output not full block
crypto/des: input not full block
d.nx != 0
GODEBUG sys/cpu: no value specified for "
GODEBUG sys/cpu: value "
" not supported for cpu option "
avx512cd
avx512pf
avx512vbmi
avx512vnni
avx512gfni
pclmulqdq
chacha20: wrong nonce size
chacha20poly1305: invalid buffer overlap
```

-----END

```
2.5.4.11
SERIALNUMBER
invalid URL escape
  in host name
missing protocol scheme
invalid URI for request
net/url: invalid userinfo
invalid port %q after host
invalid UTF-8 string
invalid BMPString
invalid NumericString
x509: malformed OID
x509: malformed parameters
x509: unsupported time format
x509: malformed extension value field
x509: invalid RSA public key
x509: RSA modulus is not a positive number
x509: invalid ECDSA parameters
x509: invalid basic constraints a
x509: invalid basic constraints b
x509: invalid basic constraints c
x509: SAN dNSName is malformed
x509: invalid NameConstraints extension
x509: invalid NameConstraints extension
x509: failed to parse dnsName constraint %q
x509: invalid constraint value:
x509: failed to parse rfc822Name constraint %q
x509: invalid CRL distribution points
```

x509: invalid CRL distribution point
x509: invalid subject key identifier
x509: invalid authority info access
x509: invalid authority info access
x509: malformed certificate
x509: malformed version
x509: malformed algorithm identifier
x509: malformed spki
x509: malformed issuerUniqueID
x509: malformed extensions
x509: malformed extension
x509: trailing data
DES-EDE3-CBC
AES-128-CBC
%s %q is not permitted by any constraint
email address
IP address
SHA1-RSA
SHA256-RSA
SHA512-RSA
SHA256-RSAPSS
ECDSA-SHA256
ECDSA-SHA384
ECDSA-SHA512
X509 CRL
bad scalar length: %d, expected %d
bad input point: low order point
unexpected message
bad record MAC
decryption failed
record overflow
bad certificate
unsupported certificate
revoked certificate
expired certificate
unknown certificate authority
error decrypting message
export restriction
protocol version not supported
inappropriate fallback
user canceled
no renegotiation
unknown PSK identity
no application protocol
tls: alert(
expected an Ed25519 public key, got %T
tls: unsupported public key: %T

```
tls: unsupported certificate curve (%s)
DEPRECATED
PKCS1WithSHA1
ECDSAWithP256AndSHA256
PKCS1WithSHA384
SignatureScheme(

ClientAuthType(
unknown cipher type
unknown cipher type
unsupported SSLv2 handshake received
remote error
unknown cipher type
DOWNGRD
DOWNGRD
tls: failed to parse certificate from server:
s hs traffic
TLS 1.3, server CertificateVerify
s ap traffic
res master
tls: invalid ServerKeyExchange message
tls: unexpected ServerKeyExchange
tls: server selected unsupported curve
finished
exp master
exporter
tls: internal error: unsupported curve
key expansion
client finished
client finished
key expansion
127.0.0.1
/c %s%s%s
%s%s%s%s%s%s%s
Sleeping complete

ip for listen to
108.62.141.161
start_port
port for listen to
port for listen to
isUseSystemProxy
5730BCE2A8DB35389BA57C2946CCC699876006F4
certFingerprint
connection open timeout(ms)
handle timeout(s)
number of threads
```


6938893903907228377647697925567626953125
strconv: illegal AppendInt/FormatInt base
mult64bitPow10: power of 10 is out of range
ryuFtoaFixed64 called with prec > 18
0123456789abcdef
0123456789ABCDEF
invalid bit size
invalid base
parseFloat
parseFloat
parseFloat
parseFloat
crypto: requested hash function #
RIPEMD-160
SHA3-256
SHA-512/224
BLAKE2b-256
BLAKE2b-512
Anatolian_Hieroglyphs
Armenian
Armenian
Bhaiksuki
Caucasian_Albanian
Cherokee
Chorasmian
Cuneiform
Dives_Akuru
Egyptian_Hieroglyphs
Georgian
Glagolitic
Hanifi_Rohingya
Inherited
Katakana
Katakana
Khitan_Small_Script
Khudawadi
Manichaeen
Medefaidrin
Meetei_Mayek
Meroitic_Hieroglyphs
Nandinagari
New_Tai_Lue
Old_Hungarian
Old_Italic
Old_North_Arabian
Old_South_Arabian
Old_Turkic

Pahawh_Hmong
Phags_Pa
Phoenician
Saurashtra
Sora_Sompeng
Sora_Sompeng
Sora_Sompeng
Tifinagh
Bidi_Control
Bidi_Control
IDS_Binary_Operator
Ideographic
Join_Control
Other_Grapheme_Extend
Other_Lowercase
Other_Lowercase
Quotation_Mark
Soft_Dotted
Terminal_Punctuation
Variation_Selector
White_Space
White_Space
complex64
complex128
reflect: cannot convert slice with length
reflect.MakeSlice: negative len
reflect.Copy
reflect.Value.Interface
unknown ABI parameter kind
method ABI and value ABI do not align
method ABI and value ABI don't align
unexpected value step
reflect.Value.
 on zero Value
reflect: call of
reflect: funclayout of non-func type
funcargs(
 sizeof(rtype) > 0
 outCount > 0
 t.Kind ==
 unknown type kind
reflect: Field of non-struct type
reflect.Value.Uint
reflect.Value.Type
reflect.Value.SetUint
reflect.Value.SetMapIndex
MapIter.Key called on exhausted iterator

reflect.Value.MapIndex
reflect.Value.IsNil
same as &v[i], i < tt.len
reflect: slice index out of range
reflect: string index out of range
reflect.Value.Index
reflect.Value.Elem
reflect.Value.Bytes of non-rune slice
reflect.Value.Bytes of non-byte slice
reflect.Value.Bytes of non-byte array
reflect.Value.Addr of unaddressable value
t.xcount > 0
t.mcount > 0
name offset field
non-empty string
read varint
binary: varint overflows a 64-bit integer
binary.Write: invalid type
binary.BigEndian
binary.LittleEndian
LittleEndian
crypto/md5: invalid hash state size
bad type in compare:
invalid argument
file already closed
SetFilePointerEx
illegal instruction
bus error
segmentation fault
1.3.6.1.5.5.7.3.1
1.3.6.1.4.1.311.10.3.3
resource temporarily unavailable
bad message
invalid request descriptor
invalid request code
bad font file format
connection refused
resource deadlock avoided
RFS specific error
file too large
host is down
is a directory
key has expired
level 2 not synchronized
level 3 reset
too many open files
file name too long

no XENIX semaphores available
network is down
no buffer space available
required key not available
no locks available
protocol not available
not a XENIX named type file
state not recoverable
broken pipe
object is remote
illegal seek
timer expired
connection timed out
too many users
exchange full
not supported by windows
dnsapi.dll
msock.dll
ntdll.dll
shell32.dll
ws2_32.dll
CryptGenRandom
CryptReleaseContext
GetLengthSid
GetTokenInformation
LookupAccountNameW
LookupAccountSidW
OpenProcessToken
RegCloseKey
RegOpenKeyExW
RegQueryValueExW
CertAddCertificateContextToStore
CertVerifyCertificateChainPolicy
GetAdaptersInfo
GetIfEntry
CreateFileMappingW
CreateHardLinkW
CreateProcessW
CreateSymbolicLinkW
DeviceIoControl
FindNextFileW
FreeLibrary
GetCurrentDirectoryW
GetCurrentProcess
GetEnvironmentStringsW
GetExitCodeProcess

GetFileAttributesW
GetLastError
GetShortPathNameW
GetSystemTimeAsFileTime
GetTempPathW
LocalFree
OpenProcess
ReadFile
SetFilePointer
UnmapViewOfFile
GetAcceptExSockaddrs
TransmitFile
NetApiBufferFree
NetUserGetInfo
GetUserNameExW
TranslateNameW
WSACleanup
WSARecvFrom
closesocket
gethostbyname
getpeername
getservbyname
Failed to load
 procedure in
 advapi32.dll
 kernel32.dll
RegDeleteKeyW
RegDeleteValueW
Thursday
time: invalid number
bad value for field
time: bad [0-9]*
W. Central Africa Standard Time
Bahia Standard Time
Venezuela Standard Time
Central Brazilian Standard Time
Greenland Standard Time
Cuba Standard Time
Haiti Standard Time
Pacific SA Standard Time
Yukon Standard Time
Central Asia Standard Time
Jordan Standard Time
Arabic Standard Time
India Standard Time
Syria Standard Time
Bangladesh Standard Time

Russia Time Zone 11
Magadan Standard Time
Omsk Standard Time
North Korea Standard Time
Arab Standard Time
China Standard Time
West Asia Standard Time
Azores Standard Time
Cen. Australia Standard Time
AUS Eastern Standard Time
Dateline Standard Time
GTB Standard Time
Central Europe Standard Time
FLE Standard Time
GMT Standard Time
Samoa Standard Time
Hawaiian Standard Time
Norfolk Standard Time
,M3.2.0,M11.1.0
time: missing Location in call to Date
2006-01-02T15:04:05Z07:00
fractional second
: extra text:
fractional second
Time.MarshalText:
Time.UnmarshalBinary: no data
timezone hour outside of range [0,23]
2006-01-02T15:04:05Z07:00
skip this directory
advapi32.dll
iphlpapi.dll
userenv.dll
DuplicateTokenEx
OpenThreadToken
RevertToSelf
SetTokenInformation
LockFileEx
Module32FirstW
NetShareAdd
NetShareDel
GetProfilesDirectoryW
use of closed file
unexpected runtime.netpoll error:
unreachable
wsaiocctl
i/o timeout
invalid path

```
os: process already finished
CreateFile
DuplicateHandle
TerminateProcess
GetExitCodeProcess
FullPath
SetDeadline
no hex data for %x string
illegal hex digit
expected quoted string
0123456789_
0123456789_
bad unicode format
integer overflow on token
0123456789aAbBcCdDeEfF_
overflow on character value
expected integer
0123456789
%!(BADWIDTH)
%!(BADPREC)
%!(NOVERB)
(MISSING)
<invalid reflect.Value>
0123456789ABCDEFX
0123456789abcdefx
0123456789abcdefx
0123456789abcdefx
illegal base64 data at input byte
invalid padding
in literal null (expecting 'l')
in literal false (expecting 'e')
in literal true (expecting 'e')
in \u hexadecimal character escape
in string literal
after top-level value
after object key:value pair
looking for beginning of value
!#$%&()*+-./:;<=>@[^_{}~
encountered a cycle via %s
json: invalid number literal %q
MarshalText
MarshalJSON
MarshalJSON
unexpected end of JSON input
json: Unmarshal(nil)
of type
json: cannot unmarshal
```

```
context canceled
context deadline exceeded
.WithValue(type
.WithCancel
context.TODO
unknown empty Context
crypto/cipher: incorrect GCM tag size
crypto/cipher: invalid buffer overlap
crypto/cipher: output smaller than input
cipher: incorrect length IV
boringcrypto: not available
crypto/aes: invalid key size
crypto/aes: input not full block
crypto/aes: input not full block
crypto/aes: output not full block
crypto/aes: output not full block
crypto/aes: invalid buffer overlap
invalid scalar length
invalid scalar length
invalid scalar length
crypto/ecdh: invalid private key
crypto/ecdh: invalid private key size
boringcrypto:
randautoseed
number has no digits
%!%c(big.Int=%s)
impossible
impossible
invalid base
big: misuse of expNNWindowed
underflow
negative coordinate
unknown Go type: %v
explicit time type given to non-time member
non sequence tagged as set
unknown Go type
application
zero length explicit tag was not an asn1.Flag
unknown Go type: %v
tags don't match (%d vs %+v) %+v %s @%d
unsupported:
sequence tag mismatch
truncated sequence
asn1: internal error in parseTagAndLength
non-minimal tag
NumericString contains invalid character
20060102150405Z0700
```

```
20060102150405Z0700
060102150405Z0700
base 128 integer too large
integer is not minimally encoded
truncated base 128 integer
zero length BIT STRING
empty integer
invalid boolean
invalid integer type
0601021504Z0700
20060102150405Z0700
20060102150405Z0700
out does not point to an integer type
cryptobyte: internal error
cryptobyte: internal error
negative coordinate
invalid ASN.1
```

-----BEGIN

-----END

```
2.5.4.11
SERIALNUMBER
IPv6 field has value >=2^16
multiple :: in address
IPv4 address too long
missing IPv6 address
unable to parse IP
unexpected slice size
ClassCSNET
RCodeSuccess
RCodeServerFailure
RCodeRefused
insufficient data for calculated length type
invalid pointer
nil resource body
resource length too long
too many Questions to pack (>65535)
too many Additionals to pack (>65535)
compressed name in SRV resource data
Question
Additional
skipping Question Name
skipping:
questions
lame referral
cannot unmarshal DNS message
```

```
cannot marshal DNS message
invalid DNS response
/etc/hosts
pointtopoint
unixpacket
unknown mode:
setsockopt
setsockopt
setsockopt
setsockopt
transmitfile
criterion too short
no colon on line
invalid criteria:
/etc/nsswitch.conf
/etc/nsswitch.conf
i/o timeout
missing ']' in address
CIDR address
unexpected address type
unixpacket
setsockopt
unixpacket
localhost.localdomain
.localhost
.localhost.localdomain
go package net: hostLookupOrder(
getaddrinfow
cannot marshal DNS message
unixpacket
mismatched local address type
internal error
net/url: invalid userinfo
invalid URL escape
crypto/des: output not full block
x509usefallbackroots
SHA256-RSA
SHA512-RSAPSS
DSA-SHA256
ECDSA-SHA256
ECDSA-SHA384
ECDSA-SHA512
X509 CRL
x509: unhandled critical extension
x509: certificate signed by unknown authority
x509: malformed certificate
x509: invalid version
```

x509: malformed spki
x509: malformed issuerUniqueID
x509: malformed signature
x509: invalid constraint value:
x509: invalid certificate policies
x509: invalid subject alternative name
x509: failed to unmarshal elliptic curve point
x509: unknown public key algorithm
x509: malformed extension OID field
x509: invalid RDNSequence
invalid UTF-8 string
invalid BMPString
unsupported string type: %v
crypto/x509: error fetching intermediate: %w
current time %s is before %s
2006-01-02T15:04:05Z07:00
current time %s is after %s
2006-01-02T15:04:05Z07:00
IP address
%s %q is not permitted by any constraint
avx512bw
avx512ifma
avx512bf16
pclmulqdq
GODEBUG sys/cpu: no value specified for "
GODEBUG sys/cpu: can not disable "
chacha20poly1305: ciphertext too large
close notify
unexpected message
decompression failure
handshake failure
bad certificate
unknown certificate
error decoding message
internal error
user canceled
unsupported extension
bad certificate hash value
unknown PSK identity
certificate required
tls: protocol is shutdown
client finished
server finished
key expansion
tls: server selected unsupported curve
TLS 1.3, client CertificateVerify
tls: failed to sign handshake:

```
c ap traffic
SERVER_TRAFFIC_SECRET_0
TLS 1.3, server CertificateVerify
c hs traffic
tls: malformed key_share extension
tls: received malformed key_share extension
CLIENT_RANDOM
tls: failed to write to key log:
DOWNGRD
tls: invalid NextProtos value
tls: NextProtos values too large
tls: unknown Renegotiation value
local error
oversized record received with length %d
remote error
TLS: sequence number wraparound
exp master
traffic upd
tls: internal error: wrong nonce length
ClientAuthType(
CurveID(
PKCS1WithSHA1
ECDSAWithSHA1
ECDSAWithP256AndSHA256
PKCS1WithSHA512
expected an RSA public key, got %T
tls: alert(
bufio: invalid use of UnreadRune
bufio: buffer full
final token
bufio: tried to fill full buffer
Accept-Charset
Accept-Encoding
Accept-Language
Cache-Control
Connection
Content-Id
Content-Language
Content-Length
Content-Type
If-Modified-Since
If-None-Match
In-Reply-To
Mime-Version
Set-Cookie
X-Imforwards
X-Powered-By
```

message too large
mime: invalid media parameter
image/avif
image/jpeg
image/jpeg
application/json
text/javascript; charset=utf-8
image/svg+xml
Content Type
text/plain
mime: no media type
()<>@,;:\\"/>[]?=
multipartfiles
multipartmaxparts
multipartmaxheaders
flate: closed writer
flate: internal error:
not available
not available
transform: short source buffer
transform: input and output are not identical
transform: short internal buffer
caller error
Authorization
Content-Range
Keep-Alive
Max-Forwards
Proxy-Authenticate
Proxy-Connection
Transfer-Encoding
Www-Authenticate
hpack: invalid Huffman-encoded data
accept-encoding
accept-language
accept-ranges
access-control-allow-origin
authorization
cache-control
content-disposition
content-language
content-length
if-match
if-modified-since
if-none-match
last-modified
location
max-forwards

```
proxy-authenticate
retry-after
transfer-encoding
user-agent
:authority
/index.html
accept-charset
gzip, deflate
accept-language
authorization
content-disposition
content-encoding
content-location
if-none-match
if-unmodified-since
max-forwards
strict-transport-security
transfer-encoding
accept-charset
accept-encoding
content-disposition
content-language
content-length
content-range
if-modified-since
location
proxy-authenticate
proxy-authorization
retry-after
set-cookie
transfer-encoding
www-authenticate
dynamic table size update too large
decoding error: %v
evictOldest(%v) on table with %v entries
(sensitive)
header line too long
HTTP_PROXY
http_proxy
REQUEST_METHOD
seeker can't seek
io.File missing Seek method
INTERNAL_ERROR
SETTINGS_TIMEOUT
STREAM_CLOSED
COMPRESSION_ERROR
HTTP_1_1_REQUIRED
```

SETTINGS
PUSH_PROMISE
WINDOW_UPDATE
invalid stream ID
pad length too large
goroutine
HalfClosedRemote
HEADER_TABLE_SIZE
ENABLE_PUSH
MAX_FRAME_SIZE
client disconnected
timeout waiting for client preface
http2: recursive push not allowed
Connection
Transfer-Encoding
no multipart boundary param in Content-Type
Content-Length
Transfer-Encoding
local-addr
http: request too large
Content-Type
Transfer-Encoding
Content-Length:
silence-semicolons
http: Server closed
http2server
<!DOCTYPE HTML
image/x-icon
image/bmp
image/gif
image/gif
image/png
image/jpeg
FORM AIFF
audio/aiff
audio/mpeg
application/ogg
audio/midi
application/vnd.ms-fontobject
font/collection
font/woff2
application/x-gzip
application/zip
application/wasm

Content-Type
Transfer-Encoding

Content-Length
Transfer-Encoding
Content-Length
net/http: skip alternate protocol
http: CloseIdleConnections called
net/http: timeout awaiting response headers
http: read on closed response body
Content-Length
bad trailer key
Content-Length
Content-Length
identity
Content-Length
Transfer-Encoding: chunked

Transfer-Encoding
Trailer:
Switching Protocols
Non-Authoritative Information
No Content
Already Reported
Permanent Redirect
Forbidden
Method Not Allowed
Not Acceptable
Proxy Authentication Required
Conflict
Length Required
Expectation Failed
Misdirected Request
Failed Dependency
Upgrade Required
Gateway Timeout
Variant Also Negotiates
Insufficient Storage
Loop Detected
invalid username/password version
network unreachable
host unreachable
command not supported
address type not supported
network not implemented
nil context
unexpected protocol version
socks bind
Cache-Control
Cache-Control

malformed HTTP status code
Connection
transport got GOAWAY with error code = %v
recv_goaway_
Content-Length
Content-Encoding
Transfer-Encoding
keep-alive
Content-Length
out of range
http2debug=1
access-control-allow-credentials
access-control-allow-methods
access-control-request-headers
if-match
if-modified-since
if-unmodified-since
max-forwards
proxy-authorization
set-cookie
www-authenticate
x-forwarded-proto
, settings:
 (%d bytes omitted)
 ErrCode=%v
frame_continuation_zero_stream
frame_goaway_short
frame_ping_length
frame_pushpromise_pad_short
frame_pushpromise_promiseid_short
PRIORITY frame with stream ID 0
HEADERS frame with stream ID 0
frame_headers_prio_short
frame_headers_prio_weight_short
frame_data_stream_0
DATA frame with stream ID 0
frame_data_pad_byte_short
pad size larger than data payload
invalid header field name %q
stream error: stream ID %d; %v
connection error: %s
read_frame_too_large
connection
proxy-connection
content-length
accept-encoding
user-agent

:authority
illegal window increment value
http2: Framer %p: read %v
100-continue
UNKNOWN_FRAME_TYPE_%d
RoundTrip retrying after failure: %v
RoundTrip failure: %v
Proxy-Authorization
unknown status code
protocol
Error enabling Transport HTTP/2 support: %v
Accept-Encoding
Accept-Encoding
write error: %w
Content-Encoding
read limit of %d bytes exhausted
%s|%s|%s|
Cookie.Value
Set-Cookie
Set-Cookie
httponly
Authorization
Www-Authenticate
*http2.Transport
http: nil Request.URL
Authorization
Connection
Idempotency-Key
Connection
User-Agent: %s

https://keyauth.win/
checkblacklist
sessionid
Something went wrong
Content-Type

Error:

username
Something went wrong
Something went wrong
execerrdot
NoDefaultCurrentDirectoryInExePath
SYSTEMROOT
exec: environment variable contains NUL

```
... omitting
  bytes ...

exec: not started
exec: Wait was already called
exec: killing Cmd
exec: no command
[:^ascii:]
[:cntrl:]
[:^cntrl:]
[:^digit:]
[:lower:]
[:^lower:]
[:^print:]
[:^space:]
[:^upper:]
[:xdigit:]
InstAltMatch
altmatch ->
\.+*?()|[]{}^$
bad inst
unexpected InstFail
interrupt
illegal instruction
bus error
floating point exception
user defined signal 1
broken pipe
alarm clock
terminated
1.3.6.1.5.5.7.3.1
advapi32.dll
crypt32.dll
iphlpapi.dll
ntdll.dll
secur32.dll
setupapi.dll
version.dll
CM_Get_Device_Interface_ListW
AdjustTokenPrivileges
BuildSecurityDescriptorW
ChangeServiceConfigW
CreateServiceW
CryptReleaseContext
DeleteService
EnumServicesStatusExW
EqualSid
```

GetLengthSid
GetNamedSecurityInfoW
GetSecurityDescriptorDacl
GetSecurityDescriptorGroup
GetSecurityDescriptorOwner
GetSecurityDescriptorSacl
GetSecurityInfo
GetSidIdentifierAuthority
ImpersonateSelf
IsTokenRestricted
IsWellKnownSid
LookupAccountNameW
LookupAccountSidW
NotifyServiceStatusChangeW
OpenSCManagerW
OpenSCManagerW
QueryServiceConfig2W
QueryServiceConfigW
QueryServiceLockStatusW
QueryServiceStatus
RegQueryInfoKeyW
RegisterServiceCtrlHandlerExW
ReportEventW
ReportEventW
SetEntriesInAclW
SetNamedSecurityInfoW
SetSecurityDescriptorControl
SetSecurityDescriptorSacl
SetSecurityInfo
SetThreadToken
SetTokenInformation
CertCloseStore
CertDuplicateCertificateContext
CertEnumCertificatesInStore
CertFindCertificateInStore
CertFreeCertificateContext
CertGetNameStringW
CertOpenSystemStoreW
CertVerifyCertificateChainPolicy
CryptDecodeObject
CryptQueryObject
CryptUnprotectData
DnsRecordListFree
GetAdaptersAddresses
GetAdaptersInfo
CancelIoEx
CloseHandle

ConnectNamedPipe
CreateFileMappingW
CreateFileW
CreateMutexExW
CreateNamedPipeW
CreateNamedPipeW
CreateProcessW
CreateSymbolicLinkW
DeviceIoControl
ExpandEnvironmentStringsW
FindFirstVolumeMountPointW
FindFirstVolumeW
FindNextChangeNotification
FindNextFileW
FindNextVolumeW
FindResourceW
FindVolumeClose
FlushFileBuffers
FreeLibrary
GetCommandLineW
GetComputerNameExW
GetComputerNameW
GetConsoleScreenBufferInfo
GetCurrentProcessId
GetDiskFreeSpaceExW
GetEnvironmentVariableW
GetExitCodeProcess
GetFileAttributesExW
GetFileAttributesW
GetFileType
GetLargePageMinimum
GetLogicalDriveStringsW
GetLogicalDrives
GetOverlappedResult
GetPriorityClass
GetProcessId
GetProcessShutdownParameters
GetProcessTimes
GetStdHandle
GetSystemTimeAsFileTime
GetSystemTimePreciseAsFileTime
GetTempPathW
GetThreadPreferredUILanguages
GetTickCount64
GetUserPreferredUILanguages
GetUserPreferredUILanguages
GetVolumeNameForVolumeMountPointW

GetVolumePathNameW
IsWow64Process
IsWow64Process2
LockResource
Module32NextW
MultiByteToWideChar
OpenProcess
OpenThread
Process32FirstW
ProcessIdToSessionId
PulseEvent
QueryDosDeviceW
QueryFullProcessImageNameW
ReadDirectoryChangesW
ReleaseMutex
RemoveDirectoryW
ResetEvent
ResumeThread
SetConsoleMode
SetDllDirectoryW
SetDllDirectoryW
SetEnvironmentVariableW
SetEvent
SetFileCompletionNotificationModes
SetFilePointer
SetHandleInformation
SetVolumeLabelW
SetVolumeMountPointW
SizeofResource
TerminateProcess
Thread32First
Thread32Next
UnlockFileEx
UnmapViewOfFile
UpdateProcThreadAttribute
VirtualAlloc
VirtualQuery
VirtualQueryEx
WTSGetActiveConsoleSessionId
WriteFile
WriteProcessMemory
AcceptEx
TransmitFile
NetApiBufferFree
NetUserGetInfo
NtCreateNamedPipeFile
NtQueryInformationProcess

NtSetInformationFile
NtSetInformationProcess
NtSetSystemInformation
RtlAddFunctionTable
RtlDeleteFunctionTable
CLSIDFromString
CoCreateGuid
CoTaskMemFree
StringFromGUID2
EnumProcessModulesEx
GetModuleBaseNameW
GetModuleFileNameExW
SetupDiBuildDriverInfoList
SetupDiCallClassInstaller
SetupDiClassGuidsFromNameExW
SetupDiClassNameFromGuidExW
SetupDiCreateDeviceInfoListExW
SetupDiDestroyDeviceInfoList
SetupDiGetDeviceInstallParamsW
SetupDiGetDeviceInstanceIdW
SetupDiGetDevicePropertyW
SetupDiGetDriverInfoDetailW
SetupDiGetSelectedDriverW
SetupDiSetDeviceInstallParamsW
ShellExecuteW
EnumChildWindows
ExitWindowsEx
GetDesktopWindow
GetForegroundWindow
IsWindowUnicode
MessageBoxW
GetFileVersionInfoSizeW
GetAddrInfoW
WSALookupServiceEnd
WSASocketW
WSASocketW
gethostbyname
getpeername
getprotobyname
WTSEnumerateSessionsW
WTSQueryUserToken
NTSTATUS 0x%08x
Failed to load
Failed to find
 procedure in
invalid option
missing address

```
not implemented on windows/amd64
echo reply
router advertisement
parameter problem
timestamp
timestamp reply
extended echo request
extended echo reply
invalid transmit time in response
invalid leap second
invalid dispersion
advapi32.dll
kernel32.dll
RegConnectRegistryW
RegDeleteKeyW
RegLoadMUIStringW
services.exe
windows-service
p3JrccdP0l
SearchIndexer.exe
taskkill
AnyDesk.exe
Dnscache
imagenamename eq %s.exe
Errore durante l'eliminazione del file:
C:\Program Files\WinRAR\01.reg
Errore durante il salvataggio del file:
Errore durante l'esecuzione del file .reg:
Diagtrack
statistics
TeamSpeak3-Client-win64-3.5.6.exe
C:\log.cthh
Errore durante la scrittura del file:
```

Cleaning completed!

Enter Username:

Enter Username:

Enter Password:

Enter License:

Testing /tmp/test/df9c5cb24f3f9f995a8e7c6ca1d19fcd49032e70298f4f36fe5724fde8f8e6b4

complex128
interface
unsafe.Pointer
reflect: call of
 on zero Value
reflect.Value.Len
reflect: NumIn of non-func type
reflect: In of non-func type
non-empty string
read varint
t.xcount > 0
sync: Unlock of unlocked RWMutex
sync.Cond is copied
short buffer
unexpected EOF
Anatolian_Hieroglyphs
Armenian
Balinese
Bopomofo
Canadian_Aboriginal
Caucasian_Albanian
Caucasian_Albanian
Cyrillic
Dives_Akuru
Georgian
Glagolitic
Gujarati
Gunjala_Gondi
Hiragana
Imperial_Aramaic
Javanese
Kayah_Li
Kharoshthi
Linear_B
Malayalam
Masaram_Gondi
Medefaidrin
Meetei_Mayek
Mende_Kikakui
Meroitic_Cursive
Mongolian
Mongolian
Nandinagari
New_Tai_Lue
Old_Hungarian

Old_Italic
Old_North_Arabian
Old_North_Arabian
Old_Persian
Old_Sogdian
Old_South_Arabian
Old_Turkic
Pahawh_Hmong
Pahawh_Hmong
Phoenician
Samaritan
Sora_Sompeng
Sora_Sompeng
Syloti_Nagri
Tai_Viet
Ugaritic
Zanabazar_Square
Bidi_Control
Deprecated
Hex_Digit
IDS_Binary_Operator
IDS_Tertiary_Operator
Other_Default_Ignorable_Code_Point
Other_Lowercase
Pattern_Syntax
Quotation_Mark
Sentence_Terminal
Soft_Dotted
Terminal_Punctuation
strings.Reader.Seek: invalid whence
bufio: buffer full
bufio: negative count
bufio.Scanner: token too long
bufio: tried to fill full buffer
invalid syntax
6103515625
152587890625
762939453125
3814697265625
95367431640625
11920928955078125
59604644775390625
1490116119384765625
7450580596923828125
37252902984619140625
186264514923095703125
14551915228366851806640625

```
363797880709171295166015625
28421709430404007434844970703125
710542735760100185871124267578125
strconv: illegal AppendInt/FormatInt base
0123456789ABCDEF
ParseUint
ParseUint
invalid bit size
invalid base
ParseFloat
ParseFloat
ParseFloat
unsafe.Pointer
<invalid Value>
reflect: New(nil)
reflect: Zero(nil)
reflect.MakeMapWithSize of non-map type
reflect.Copy
reflect.Copy
precomputed stack offset
precomputed stack offset
unexpected value step
reflect: internal error: invalid method index
  of unexported method
typ.size > 0
  returned zero Value
reflect.MakeFunc
reflect: call of
  on zero Value
methodargs(
i < length
" is anonymous but has PkgPath set
reflect.StructOf: field "
  has no name
  has invalid name
reflect.StructOf: field
  has no type
&x.field safe
reflect.nameFrom: name too long:
reflect.nameFrom: tag too long:
reflect: call of MakeFunc with non-Func type
bad argSize
t.inCount > 0
invalid n
unknown type kind
reflect: nil type passed to Type.Implements
reflect: NumOut of non-func type
```

reflect: Len of non-array type
reflect: Key of non-map type
reflect: FieldByNameFunc of non-struct type
reflect: Field of non-struct type
reflect: Elem of invalid type
reflect.Value.Equal: values of type
cannot be converted to type
: value of type
reflect.Value.Grow: negative len
reflect.Value.Uint
reflect.Value.Slice3
reflect.Value.SetMapIndex
reflect.Value.SetInt
reflect.Value.SetComplex
reflect.Set
reflect.Value.Pointer
reflect: Method on nil interface value
reflect: Value.SetIterKey called before Next
reflect.MapIter.SetKey
MapIter.Next called on exhausted iterator
reflect.Value.Int
i < s.Len
i < s.Len
reflect: Field index out of range
same as non-reflect &v.field
reflect.Value.Call: call of nil function
reflect:
reflect.Value.Call: wrong argument count
tv.Size() != 0
mismatch between ABI description and types
reflect: Bits of nil Type
t.xcount > 0
name offset field
non-empty string
non-empty string
read varint
not available
hash/crc32: invalid hash state size
hash/crc32: tables do not match
invalid argument
permission denied
file already exists
file does not exist
interrupt
illegal instruction
user defined signal 1
terminated

1.3.6.1.5.5.7.3.1
2.16.840.1.113730.4.1
advertise error
resource temporarily unavailable
invalid exchange
bad message
invalid request code
invalid slot
resource deadlock avoided
destination address required
numerical argument out of domain
file exists
file too large
identifier removed
invalid argument
input/output error
is a directory
key was rejected by service
too many links
multihop attempted
no XENIX semaphores available
network is down
network dropped connection on reset
no anode
no buffer space available
no medium found
package not installed
out of streams resources
block device required
transport endpoint is not connected
state not recoverable
no such device or address
owner died
broken pipe
protocol error
numerical result out of range
object is remote
remote I/O error
interrupted system call should be restarted
no such process
timer expired
connection timed out
invalid cross-device link
exchange full
advapi32.dll
crypt32.dll
mswsock.dll

ntdll.dll
shell32.dll
userenv.dll
ws2_32.dll
ConvertStringSidToSidW
CryptReleaseContext
GetTokenInformation
LookupAccountNameW
RegCloseKey
RegEnumKeyExW
RegOpenKeyExW
RegQueryValueExW
CertAddCertificateContextToStore
CertCloseStore
CertOpenStore
DnsNameCompare_W
GetAdaptersInfo
GetIfEntry
CancelIoEx
CloseHandle
CreateDirectoryW
CreateFileMappingW
CreateProcessW
CreateSymbolicLinkW
CreateToolhelp32Snapshot
DeleteFileW
DeleteProcThreadAttributeList
DeviceIoControl
FormatMessageW
FreeEnvironmentStringsW
GetCommandLineW
GetComputerNameW
GetCurrentProcessId
GetFileAttributesExW
GetFileAttributesW
GetFileType
GetFullPathNameW
GetLongPathNameW
GetProcessTimes
GetTempPathW
GetVersion
LoadLibraryW
Process32FirstW
RemoveDirectoryW
SetEnvironmentVariableW
SetFileCompletionNotificationModes
SetFilePointer

SetHandleInformation
VirtualLock
WriteFile
NetApiBufferFree
GetUserNameExW
GetUserProfileDirectoryW
FreeAddrInfoW
WSARecvFrom
WSASendTo
WSAStartup
getprotobyname
getsockopt
shutdown
failed to find ConnectEx:
Failed to load
winapi error #
unexpected key value type
advapi32.dll
RegDeleteKeyW
RegEnumValueW
RegLoadMUIStringW
RegSetValueExW
September
November
time: invalid number
bad value for field
time: bad [0-9]*
Aleutian Standard Time
Bahia Standard Time
Mountain Standard Time (Mexico)
Turks And Caicos Standard Time
Cuba Standard Time
US Mountain Standard Time
Haiti Standard Time
Yukon Standard Time
Central Asia Standard Time
Jordan Standard Time
Arabic Standard Time
SE Asia Standard Time
Sri Lanka Standard Time
Bangladesh Standard Time
W. Mongolia Standard Time
North Asia East Standard Time
Russia Time Zone 11
Pakistan Standard Time
Magadan Standard Time
Omsk Standard Time

Myanmar Standard Time
Arab Standard Time
Korea Standard Time
China Standard Time
Russia Time Zone 10
Taipei Standard Time
West Asia Standard Time
Georgian Standard Time
Iran Standard Time
Tomsk Standard Time
Azores Standard Time
Aus Central W. Standard Time
AUS Eastern Standard Time
GMT Standard Time
Russian Standard Time
Saratov Standard Time
Volgograd Standard Time
Mauritius Standard Time
Chatham Islands Standard Time
Easter Island Standard Time
Fiji Standard Time
Line Islands Standard Time
Norfolk Standard Time
English name for time zone "
unknown time zone
corrupt zip file
corrupt zip file
is too large
/lib/time/zoneinfo.zip
ZONEINFO
short read
: extra text:
: day-of-year does not match day
2006-01-02T15:04:05Z07:00
: cannot parse
Time.MarshalText:
%!Weekday(
%!Month(
year outside of range [0,9999]
advapi32.dll
iphlpapi.dll
kernel32.dll
netapi32.dll
userenv.dll
SetTokenInformation
SystemFunction036
GetModuleFileNameW

Module32NextW
MultiByteToWideChar
SetFileInformationByHandle
UnlockFileEx
VirtualQuery
NetShareAdd
GetProcessMemoryInfo
CreateEnvironmentBlock
GetProfilesDirectoryW
WSASocketW
use of closed network connection
file type does not support deadline
inconsistent poll.fdMutex
invalid path
/dev/stdin
/dev/stdout
GetFileInformationByHandle
ComputerNameEx
GetFileType
FindFirstFile
SyscallConn.Read
SyscallConn.Control
DuplicateHandle
os: unexpected result from WaitForSingleObject
exit status
SetReadDeadline
truncate
negative offset
FindNextFile
syntax error in pattern
Rel: can't make
relative to
syntax error scanning complex number
%!(BADPREC)
0123456789abcdefx
0123456789abcdefx
0123456789abcdefx
0123456789abcdefx
0123456789abcdefx
0123456789ABCDEFX
0123456789abcdefx
fmt: unknown base; can't happen
index > windowEnd
zipinsecurepath
zip: checksum error
zip: FileHeader.Extra too long
Write after Close

cipher: incorrect tag size given to GCM
crypto/cipher: invalid buffer overlap
crypto: Size of unknown hash function
BLAKE2s-256
BLAKE2b-512
unknown hash value
boringcrypto: not available
crypto/cipher: invalid buffer overlap
crypto/aes: input not full block
crypto/aes: output not full block
Crypt32.dll
CryptUnprotectData
in literal true (expecting 'r')
after top-level value
after object key:value pair
after array element
omitempty
unexpected map key type
json: encoding error for type %q: %q
MarshalJSON
 for type
json: Unmarshal(nil)
json: Unmarshal(nil)
context deadline exceeded
.WithValue(type
.WithDeadline(
.WithCancel
context.TODO
P521 point is the point at infinity
invalid P384 point encoding
invalid scalar length
invalid P256 point encoding
boringcrypto:
randautoseed
invalid rune %#U
%!%c(big.Int=%s)
impossible
impossible
division by zero
invalid number base %d
big: misuse of expNNWindowed
underflow
input overflows the modulus
struct contains unexported fields
unknown Go type
application
omitempty

asn1: Unmarshal recipient value is nil
truncated tag or length
length too large
superfluous leading zeros in length
pkcs12: odd-length BMP string
IA5String contains invalid character
PrintableString contains invalid character
NumericString contains invalid character
20060102150405Z0700
base 128 integer too large
integer too large
empty integer
060102150405Z0700
0601021504Z0700
20060102150405Z0700
out does not point to an integer type
invalid ASN.1
scalar has high bit set illegally
edwards25519: invalid point encoding
crypto/rsa: public exponent too large
crypto/rsa: decryption error
crypto/rsa: verification error
crypto/rsa: unsupported hash function
crypto/sha256: invalid hash state identifier
crypto/sha256: invalid hash state size
crypto/dsa: invalid public key
2.5.4.11
SERIALNUMBER
POSTALCODE
netip.ParsePrefix(
netip.ParsePrefix(
netip.ParsePrefix(
invalid port
invalid ip:port
not an ip:port
unexpected slice size
colon must be followed by more characters
IPv4 field must have at least one digit
IPv4 address too long
ParseAddr(
missing IPv6 address
negative Prefix bits
prefix length
too large for IPv6
invalid Prefix
TypeHINFO
ClassINET

ClassCHAOS
ClassHESIOD
ClassANY
RCodeFormatError
RCodeServerFailure
RCodeNameError
RCodeNotImplemented
RCodeRefused
insufficient data for calculated length type
segment prefix is reserved
invalid pointer
nil resource body
too many Questions to pack (>65535)
too many Answers to pack (>65535)
too many Authorities to pack (>65535)
ResourceHeader
unpacking Question.Type
skipping:
cannot unmarshal DNS message
cannot marshal DNS message
invalid DNS response
invalid network interface
pointtopoint
no suitable address found
missing address
no such host
unixgram
unknown mode:
unixpacket
setsockopt
setsockopt
setsockopt
setsockopt
transmitfile
raw-control
criterion too short
criterion lacks equal sign
unclosed criterion bracket
invalid criteria:
/etc/nsswitch.conf
/etc/nsswitch.conf
unknown network
address
unknown port
unexpected '[' in address
dragonfly
dragonfly

```
CIDR address
getadaptersaddresses
/etc/resolv.conf
unixpacket
unexpected type in connect
wsasendmsg
wsasendmsg
wsasendto
wsarecvfrom
unixpacket
nil context
.localhost
.localhost.localdomain
go package net: confVal.netCgo =
go package net: using cgo DNS resolver
myhostname
getaddrinfo
getaddrinfo
unknown network
unexpected network:
cannot marshal DNS message
cannot marshal DNS message
unixpacket
invalid port %q after host
invalid URL escape
crypto/des: input not full block
crypto/des: output not full block
crypto/des: input not full block
crypto/des: invalid buffer overlap
crypto/sha1: invalid hash state size
AES-128-CBC
AES-192-CBC
AES-256-CBC
x509usefallbackroots
SHA256-RSA
SHA512-RSAPSS
DSA-SHA256
ECDSA-SHA1
ECDSA-SHA256
ECDSA-SHA384
-----BEGIN X509 CRL
X509 CRL
x509: unknown elliptic curve
x509: cannot sign with hash function requested
x509: Ed25519 verification failure
x509: internal error: cannot parse domain %q
x509: unknown error
```

x509: malformed tbs certificate
x509: invalid version
x509: malformed validity
x509: malformed spki
x509: malformed extensions
x509: invalid authority info access
x509: invalid NameConstraints extension
x509: invalid constraint value:
x509: SAN rfc822Name is malformed
x509: cannot parse IP address of length
x509: wrong Ed25519 public key size
x509: X25519 key encoded with illegal parameters
x509: malformed extension OID field
x509: malformed extension value field
x509: malformed OID
invalid UTF-8 string
invalid NumericString
CERTIFICATE
current time %s is before %s
current time %s is after %s
2006-01-02T15:04:05Z07:00
email address
%s %q is excluded by constraint %q
%s %q is not permitted by any constraint
avx512vl
avx512ifma
avx512vbmi
avx512vpclmulqdq
avx512vaes
avx512vbmi2
" not supported for cpu option "
GODEBUG sys/cpu: can not disable "
chacha20: invalid buffer overlap
hkdf: entropy limit reached
decryption failed
record overflow
decompression failure
bad certificate
revoked certificate
expired certificate
unknown certificate
protocol version not supported
no renegotiation
certificate required
no application protocol
tls: no certificates configured
key expansion

```
client finished
server finished
master secret
unknown version
tls: internal error: unsupported curve
res master
SERVER_TRAFFIC_SECRET_0
TLS 1.3, server CertificateVerify
s hs traffic
tls: server sent two HelloRetryRequest messages
CLIENT_RANDOM
tls: failed to write to key log:
tls: server chose an unconfigured cipher suite
resumption
res binder
tls: short read from Rand:
tls: handshake has not yet been performed
tls: too many non-advancing records
tls: unknown Renegotiation value
unknown cipher type
local error
tls: too many ignored records
unsupported SSLv2 handshake received
oversized record received with length %d
unknown cipher type
ClientAuthType(
connection doesn't support Ed25519
tls: unsupported public key: %T
PKCS1WithSHA256
ECDSAWithP256AndSHA256
SignatureScheme(
expected an Ed25519 public key, got %T
tls: alert(
Accept-Charset
Accept-Encoding
Accept-Language
Cache-Control
Connection
Content-Language
Content-Type
If-Modified-Since
Location
Message-Id
Mime-Version
malformed MIME header: missing colon: %q
malformed MIME header line:
message too large
```

mime: invalid media parameter
image/avif
image/jpeg
image/jpeg
application/wasm
image/webp
Content Type
text/plain
text/plain; charset=utf-8
multipart: message too large
Content-Disposition
Content-Disposition
()<>@,;:\"/[]?=
mime: SetBoundary called after write
quoted-printable
multipart: boundary is empty
bidirule: failed Bidi Rule
caller error
Content-Encoding
Content-Range
Content-Type
Max-Forwards
Proxy-Authorization
Proxy-Connection
Www-Authenticate
need more data
varint integer overflow
hpack: invalid Huffman-encoded data
accept-encoding
authorization
cache-control
content-length
if-modified-since
if-none-match
location
max-forwards
set-cookie
transfer-encoding
:authority
/index.html
accept-charset
accept-encoding
accept-ranges
content-length
content-range
content-type
if-modified-since

```
proxy-authenticate
proxy-authorization
set-cookie
user-agent
accept-charset
gzip, deflate
accept-ranges
authorization
cache-control
content-encoding
content-language
content-location
if-modified-since
if-none-match
location
proxy-authenticate
proxy-authorization
www-authenticate
invalid encoding
id (%v) <= evictCount (%v)
evictCount overflow
(sensitive)
header line too long
http chunk length too large
malformed chunked encoding
HTTP_PROXY
https_proxy
no_proxy
REQUEST_METHOD
invalid range: failed to overlap
io.File directory missing ReadDir method
PROTOCOL_ERROR
COMPRESSION_ERROR
CONNECT_ERROR
ENHANCE_YOUR_CALM
INADEQUATE_SECURITY
received from peer
PRIORITY
SETTINGS
END_STREAM
END_HEADERS
END_HEADERS
invalid stream ID
pad length too large
goroutine
HEADER_TABLE_SIZE
INITIAL_WINDOW_SIZE
```

MAX_HEADER_LIST_SIZE
client disconnected
body closed by handler
Transfer-Encoding
http2: no cached connection was available
http2: response body closed
Mon, 02 Jan 2006 15:04:05 GMT
Mon Jan _2 15:04:05 2006
http: no such file
header too long
entity body too short
User-Agent
Content-Type
Connection
Content-Length:
hijacked
http2server
application/pdf
%!PS-Adobe-
text/plain; charset=utf-16le
text/plain; charset=utf-8
image/x-icon
RIFF WEBPVP
image/webp
image/jpeg
FORM AIFF
audio/aiff
audio/mpeg
MThd
RIFF WAVE
audio/wave
video/webm
font/ttf
font/collection
font/woff2
application/x-gzip
application/x-rar-compressed
application/wasm
Transfer-Encoding
Content-Length
Transfer-Encoding
http: persistConn.readLoop exiting
Transfer-Encoding
bad trailer key
Connection
Connection
Content-Length

Content-Length
Connection
Connection: close

Content-Length:
Content-Length
Transfer-Encoding
Content-Length
Processing
No Content
Reset Content
Multi-Status
Already Reported
Multiple Choices
Moved Permanently
Bad Request
Unauthorized
Payment Required
Not Found
Not Acceptable
Precondition Failed
I'm a teapot
Upgrade Required
Request Header Fields Too Large
Not Implemented
Bad Gateway
Variant Also Negotiates
Insufficient Storage
Network Authentication Required
succeeded
general SOCKS server failure
connection not allowed by ruleset
command not supported
unknown code:
socks bind
malformed HTTP status code
missing form body
http: POST too large
multipart/form-data
Connection
Unhandled Setting: %v
transport got GOAWAY with error code = %v
recv_goaway_
Content-Encoding
Connection
keep-alive
Transfer-Encoding

out of range
accept-language
access-control-allow-methods
access-control-request-method
cache-control
content-disposition
content-encoding
content-language
content-location
content-range
if-unmodified-since
retry-after
set-cookie
user-agent
x-forwarded-proto
, settings:
frame_goaway_short
frame_ping_length
frame_pushpromise_pad_too_big
frame_rststream_bad_len
frame_data_pad_byte_short
read_frame_eof
read_frame_other
connection
proxy-connection
transfer-encoding
user-agent
content-length
accept-encoding
conn_close_lost_ping
http2: invalid header: %v
UNKNOWN_SETTING_%d
http2: Framer %p: wrote %v
ERR_UNKNOWN_%d
 stream=%d
proxyconnect
Proxy-Authorization
http: nil Request.URL
net/http: invalid header field value for %q
Accept-Encoding
Accept-Encoding
write error: %w
%s|%s%s|%s
Cookie.Path
Cookie.Value
Set-Cookie
Set-Cookie

```
Www-Authenticate
http: nil Request.URL
Connection
websocket
Host: %s

User-Agent: %s

missing form body
multipart/form-data
multipart/mixed
User-Agent
status code
HTTP/%d.%d %03d %s

Content-Length: 0

; Domain=
; Max-Age=0
; Secure
; SameSite=None
; SameSite=Strict
executable file not found in %PATH%
SYSTEMROOT
SYSTEMROOT
exec: Stderr already set
exec: StderrPipe after process started
exec: StdoutPipe after process started
exec: not started
exec: canceling Cmd
exec: killing Cmd
exec: no command
ipinfo.io/country
USERNAME
api.ipify.org
System Manufacturer:
System Model:
Total Physical Memory:
country_name
UAC enabled
desktopmonitor
kernel32.dll
LOCALAPPDATA
Country Code:
Location:
Geolocation:
System Info
```

Hard Drive Info

```
USERINFO.txt
CloseZipFile:
LOCALAPPDATA
RegOpenKeyExW
RegCloseKey
BANDIT STEALER
VirtualBox
driver: remove argument from query
sql: connection is already closed
sql: Rows are closed
sql: unknown driver %q (forgotten import?)
sql: Register driver is nil
sql: Register called twice for driver
2006-01-02T15:04:05.999999999Z07:00
destination not a pointer
converting NULL to %s is unsupported
converting NULL to %s is unsupported
sql: Scan called without calling Next
sql: duplicate driverConn close
Read Uncommitted
Write Committed
Repeatable Read
Linearizable
destination pointer is nil
2006-01-02 15:04:05
2006-01-02 15:04
2006-01-02T15:04
datetime
timestamp
ROLLBACK
_auth_user
_auth_pass
Invalid _loc: %v: %v
deferred
Invalid _txlock: %v
Invalid _busy_timeout: %v: %v
_case_sensitive_like
_defer_foreign_keys
_foreign_keys
_journal_mode
_journal_mode
TRUNCATE
```

```
_locking_mode
_locking_mode
_locking
EXCLUSIVE
_query_only
_recursive_triggers
_synchronous
_cache_size
CryptEncoderSHA1: %s
CryptEncoderSSHA1: %s
sqlite_crypt
sqlite_crypt
CryptEncoderSHA384: %s
sqlite_crypt
authenticate
auth_enabled
PRAGMA case_sensitive_like = %d;
PRAGMA ignore_check_constraints = %d;
cannot convert %s to BLOB
unreachable
argument must be BLOB or TEXT
string too large
non-function passed to RegisterAggregator
\Torch\User Data
\Orbitum\User Data
\Sputnik\Sputnik\User Data
\Google\Chrome SxS\User Data
google-chrome
epic-privacy-browser
microsoft-edge
LOCALAPPDATA
LOCALAPPDATA
\Iridium\User Data
LOCALAPPDATA
Web Data
web_data_db_*
%s_history.txt
LOCALAPPDATA
cards_db_*
LOCALAPPDATA
%s_login_data.txt
Local State
LOCALAPPDATA
Atomic Wallet
LOCALAPPDATA
saturnWallet
User Data
```

fjnhmkhmkbjkkabndcnnogagobneec
LOCALAPPDATA
Local Extension Settings
cloverWallet
Local Extension Settings
mathWallet
User Data
guardaWallet
LOCALAPPDATA
equalWallet
LOCALAPPDATA
IndexedDB
LOCALAPPDATA
LOCALAPPDATA
LOCALAPPDATA
METAMASK
ibnejdfjmmkpcnlpebklmnkoeiohofec
fhbohimaelbohpbjbbldcngcnapndodjp
TRUSTWALLET
LOCALAPPDATA
ejbalbakoplchlghcedalmeeeajnimhm
Microsoft
trustWallet
LOCALAPPDATA
Login Data
Telegram Desktop
advapi32.dll
comdlg32.dll
oleaut32
opengl32.dll
psapi.dll
winmm.dll
dxva2.dll
msimg32.dll
RegisterClassExW
CreateWindowW
CreateWindowExW
AdjustWindowRectEx
DestroyWindow
PostQuitMessage
GetMessageW
WaitMessage
CallWindowProcW
SetClassLongPtrW
EnableWindow
GetClientRect
SetCapture

ReleaseCapture
MessageBoxW
EqualRect
IntersectRect
IsRectEmpty
OffsetRect
DialogBoxParamW
ClientToScreen
DrawTextW
OpenClipboard
SetClipboardData
MapVirtualKeyW
MapVirtualKeyExW
GetAsyncKeyState
MonitorFromPoint
MonitorFromWindow
GetMonitorInfoW
ChangeDisplaySettingsExW
CallNextHookEx
GetWindowPlacement
GetForegroundWindow
FindWindowW
MessageBeep
EnumWindows
GetSysColorBrush
CheckMenuItem
CreatePopupMenu
EnableMenuItem
GetMenuBarInfo
GetMenuItemCount
GetMenuItemInfoW
GetMenuState
GetMenuStringW
GetSystemMenu
HiliteMenuItem
InsertMenuW
LoadMenuW
MenuItemFromPoint
RemoveMenu
SetMenuInfo
SetMenuItemBitmaps
IsDlgButtonChecked
LookupIconIdFromDirectoryEx
SetForegroundWindow
ScrollWindow
PrintWindow
RegGetValueW

RegEnumKeyExW
RegSetValueExW
OpenSCManagerW
CloseServiceHandle
OpenServiceW
StartServiceW
InitCommonControlsEx
ImageList_Destroy
ImageList_ReplaceIcon
ImageList_Remove
DefSubclassProc
GetOpenFileNameW
DwmExtendFrameIntoClientArea
DwmFlush
DwmGetTransportAttributes
DwmModifyPreviousDxFrameDuration
DwmSetWindowAttribute
DwmShowContact
DwmTetherContact
DwmUpdateThumbnailProperties
CloseEnhMetaFile
CreateCompatibleDC
CreateDIBSection
CreateEnhMetaFileW
CreateICW
GetTextMetricsW
SelectObject
SetBkMode
SetStretchBltMode
ChoosePixelFormat
DescribePixelFormat
SetPixelFormat
SwapBuffers
SetDCPenColor
SetDCBrushColor
CreatePen
Polyline
PolyBezier
GetModuleHandleW
GetConsoleWindow
GlobalAlloc
GlobalFree
RtlMoveMemory
FindResourceW
SizeofResource
LockResource
LoadResource

```
CreateToolhelp32Snapshot
GetDiskFreeSpaceExW
GetProcessTimes
GetCurrentProcessId
GetVersion
GetCurrentActCtx
CreateFileW
CoUninitialize
CreateStreamOnHGlobal
VariantInit
SysFreeString
SysStringLen
wglGetProcAddress
wglMakeCurrent
EnumProcesses
DragAcceptFiles
DragQueryPoint
ShellExecuteW
ExtractIconW
GdiplusStartup
VerQueryValueW
PlaySoundW
WNetAddConnection3W
kernel32.dll
ShowWindow
MTQxLjk4LjYuMTA6NjY2
no such process
https://api.telegram.org/bot%s/sendDocument
Content-Type
user32.dll
ShowWindow
Banditstealer %s%s
blacklist.txt
USERINFO.txt
LOCALAPPDATA
LOCALAPPDATA
LOCALAPPDATA
Telegram.exe
Testing /tmp/test/623a5f4c57cf5b3feb6775508cd6492f89d55ce11f62e0b6fb1020fd730b2e8f
complex128
interface
unsafe.Pointer
reflect: call of
  on zero Value
reflect.Value.Len
reflect: NumIn of non-func type
reflect: In of non-func type
```

non-empty string
read varint
t.xcount > 0
sync: Unlock of unlocked RWMutex
sync.Cond is copied
short buffer
unexpected EOF
Anatolian_Hieroglyphs
Armenian
Balinese
Bopomofo
Canadian_Aboriginal
Caucasian_Albanian
Caucasian_Albanian
Cyrillic
Dives_Akuru
Georgian
Glagolitic
Gujarati
Gunjala_Gondi
Hiragana
Imperial_Aramaic
Javanese
Kayah_Li
Kharoshthi
Linear_B
Malayalam
Masaram_Gondi
Medefaidrin
Meetei_Mayek
Mende_Kikakui
Meroitic_Cursive
Mongolian
Mongolian
Nandinagari
New_Tai_Lue
Old_Hungarian
Old_Italic
Old_North_Arabian
Old_North_Arabian
Old_Persian
Old_Sogdian
Old_South_Arabian
Old_Turkic
Pahawh_Hmong
Pahawh_Hmong
Phoenician

Samaritan
Sora_Sompeng
Sora_Sompeng
Syloti_Nagri
Tai_Viet
Ugaritic
Zanabazar_Square
Bidi_Control
Deprecated
Hex_Digit
IDS_Binary_Operator
IDS_Tertiary_Operator
Other_Default_Ignorable_Code_Point
Other_Lowercase
Pattern_Syntax
Quotation_Mark
Sentence_Terminal
Soft_Dotted
Terminal_Punctuation
strings.Reader.Seek: invalid whence
bufio: buffer full
bufio: negative count
bufio.Scanner: token too long
bufio: tried to fill full buffer
invalid syntax
6103515625
152587890625
762939453125
3814697265625
95367431640625
11920928955078125
59604644775390625
1490116119384765625
7450580596923828125
37252902984619140625
186264514923095703125
14551915228366851806640625
363797880709171295166015625
28421709430404007434844970703125
710542735760100185871124267578125
strconv: illegal AppendInt/FormatInt base
0123456789ABCDEF
ParseUint
ParseUint
invalid bit size
invalid base
ParseFloat

ParseFloat
ParseFloat
unsafe.Pointer
<invalid Value>
reflect: New(nil)
reflect: Zero(nil)
reflect.MakeMapWithSize of non-map type
reflect.Copy
reflect.Copy
precomputed stack offset
precomputed stack offset
unexpected value step
reflect: internal error: invalid method index
 of unexported method
typ.size > 0
 returned zero Value
reflect.MakeFunc
reflect: call of
 on zero Value
methodargs(
i < length
" is anonymous but has PkgPath set
reflect.StructOf: field "
 has no name
 has invalid name
reflect.StructOf: field
 has no type
&x.field safe
reflect.nameFrom: name too long:
reflect.nameFrom: tag too long:
reflect: call of MakeFunc with non-Func type
bad argSize
t.inCount > 0
invalid n
unknown type kind
reflect: nil type passed to Type.Implements
reflect: NumOut of non-func type
reflect: Len of non-array type
reflect: Key of non-map type
reflect: FieldByNameFunc of non-struct type
reflect: Field of non-struct type
reflect: Elem of invalid type
reflect.Value.Equal: values of type
 cannot be converted to type
: value of type
reflect.Value.Grow: negative len
reflect.Value.Uint

```
reflect.Value.Slice3
reflect.Value.SetMapIndex
reflect.Value.SetInt
reflect.Value.SetComplex
reflect.Set
reflect.Value.Pointer
reflect: Method on nil interface value
reflect: Value.SetIterKey called before Next
reflect.MapIter.SetKey
MapIter.Next called on exhausted iterator
reflect.Value.Int
i < s.Len
i < s.Len
reflect: Field index out of range
same as non-reflect &v.field
reflect.Value.Call: call of nil function
reflect:
reflect.Value.Call: wrong argument count
tv.Size() != 0
mismatch between ABI description and types
reflect: Bits of nil Type
t.xcount > 0
name offset field
non-empty string
non-empty string
read varint
not available
hash/crc32: invalid hash state size
hash/crc32: tables do not match
invalid argument
permission denied
file already exists
file does not exist
interrupt
illegal instruction
user defined signal 1
terminated
1.3.6.1.5.5.7.3.1
2.16.840.1.113730.4.1
advertise error
resource temporarily unavailable
invalid exchange
bad message
invalid request code
invalid slot
resource deadlock avoided
destination address required
```

numerical argument out of domain
file exists
file too large
identifier removed
invalid argument
input/output error
is a directory
key was rejected by service
too many links
multihop attempted
no XENIX semaphores available
network is down
network dropped connection on reset
no anode
no buffer space available
no medium found
package not installed
out of streams resources
block device required
transport endpoint is not connected
state not recoverable
no such device or address
owner died
broken pipe
protocol error
numerical result out of range
object is remote
remote I/O error
interrupted system call should be restarted
no such process
timer expired
connection timed out
invalid cross-device link
exchange full
advapi32.dll
crypt32.dll
mswsock.dll
ntdll.dll
shell32.dll
userenv.dll
ws2_32.dll
ConvertStringSidToSidW
CryptReleaseContext
GetTokenInformation
LookupAccountNameW
RegCloseKey
RegEnumKeyExW

RegOpenKeyExW
RegQueryValueExW
CertAddCertificateContextToStore
CertCloseStore
CertOpenStore
DnsNameCompare_W
GetAdaptersInfo
GetIfEntry
CancelIoEx
CloseHandle
CreateDirectoryW
CreateFileMappingW
CreateProcessW
CreateSymbolicLinkW
CreateToolhelp32Snapshot
DeleteFileW
DeleteProcThreadAttributeList
DeviceIoControl
FormatMessageW
FreeEnvironmentStringsW
GetCommandLineW
GetComputerNameW
GetCurrentProcessId
GetFileAttributesExW
GetFileAttributesW
GetFileType
GetFullPathNameW
GetLongPathNameW
GetProcessTimes
GetTempPathW
GetVersion
LoadLibraryW
Process32FirstW
RemoveDirectoryW
SetEnvironmentVariableW
SetFileCompletionNotificationModes
SetFilePointer
SetHandleInformation
VirtualLock
WriteFile
NetApiBufferFree
GetUserNameExW
GetUserProfileDirectoryW
FreeAddrInfoW
WSARecvFrom
WSASendTo
WSAStartup

getprotobyname
getsockopt
shutdown
failed to find ConnectEx:
Failed to load
winapi error #
unexpected key value type
advapi32.dll
RegDeleteKeyW
RegEnumValueW
RegLoadMUIStringW
RegSetValueExW
September
November
time: invalid number
bad value for field
time: bad [0-9]*
Aleutian Standard Time
Bahia Standard Time
Mountain Standard Time (Mexico)
Turks And Caicos Standard Time
Cuba Standard Time
US Mountain Standard Time
Haiti Standard Time
Yukon Standard Time
Central Asia Standard Time
Jordan Standard Time
Arabic Standard Time
SE Asia Standard Time
Sri Lanka Standard Time
Bangladesh Standard Time
W. Mongolia Standard Time
North Asia East Standard Time
Russia Time Zone 11
Pakistan Standard Time
Magadan Standard Time
Omsk Standard Time
Myanmar Standard Time
Arab Standard Time
Korea Standard Time
China Standard Time
Russia Time Zone 10
Taipei Standard Time
West Asia Standard Time
Georgian Standard Time
Iran Standard Time
Tomsk Standard Time

Azores Standard Time
Aus Central W. Standard Time
AUS Eastern Standard Time
GMT Standard Time
Russian Standard Time
Saratov Standard Time
Volgograd Standard Time
Mauritius Standard Time
Chatham Islands Standard Time
Easter Island Standard Time
Fiji Standard Time
Line Islands Standard Time
Norfolk Standard Time
English name for time zone "
unknown time zone
corrupt zip file
corrupt zip file
 is too large
/lib/time/zoneinfo.zip
ZONEINFO
short read
: extra text:
: day-of-year does not match day
2006-01-02T15:04:05Z07:00
: cannot parse
Time.MarshalText:
%!Weekday(
%!Month(
year outside of range [0,9999]
advapi32.dll
iphlpapi.dll
kernel32.dll
netapi32.dll
userenv.dll
SetTokenInformation
SystemFunction036
GetModuleFileNameW
Module32NextW
MultiByteToWideChar
SetFileInformationByHandle
UnlockFileEx
VirtualQuery
NetShareAdd
GetProcessMemoryInfo
CreateEnvironmentBlock
GetProfilesDirectoryW
WSASocketW

use of closed network connection
file type does not support deadline
inconsistent poll.fdMutex
invalid path
/dev/stdin
/dev/stdout
GetFileInformationByHandle
ComputerNameEx
GetFileType
FindFirstFile
SyscallConn.Read
SyscallConn.Control
DuplicateHandle
os: unexpected result from WaitForSingleObject
exit status
SetReadDeadline
truncate
negative offset
FindNextFile
syntax error in pattern
Rel: can't make
 relative to
syntax error scanning complex number
expected newline
type not a pointer:
can't scan type:
expected quoted string
0123456789_
bad unicode format
bad unicode format
01234567
bad verb '%
%!(BADPREC)
0123456789abcdefx
0123456789abcdefx
0123456789abcdefx
0123456789abcdefx
0123456789abcdefx
0123456789ABCDEFX
0123456789abcdefx
fmt: unknown base; can't happen
index > windowEnd
zipinsecurepath
zip: checksum error
zip: FileHeader.Extra too long
Write after Close
kernel32.dll

```
CreateToolhelp32Snapshot
Process32NextW
netip.ParsePrefix(
netip.ParsePrefix(
netip.ParsePrefix(
invalid port
invalid ip:port
not an ip:port
unexpected slice size
colon must be followed by more characters
IPv4 field must have at least one digit
IPv4 address too long
ParseAddr(
missing IPv6 address
negative Prefix bits
prefix length
  too large for IPv6
invalid Prefix
context deadline exceeded
.WithValue(type
.WithDeadline(
.WithCancel
context.TODO
TypeHINFO
ClassINET
ClassCHAOS
ClassHESIOD
ClassANY
RCodeFormatError
RCodeServerFailure
RCodeNameError
RCodeNotImplemented
RCodeRefused
insufficient data for calculated length type
segment prefix is reserved
invalid pointer
nil resource body
too many Questions to pack (>65535)
too many Answers to pack (>65535)
too many Authorities to pack (>65535)
ResourceHeader
unpacking Question.Type
skipping:
cannot unmarshal DNS message
cannot marshal DNS message
invalid DNS response
invalid network interface
```

```
pointtopoint
no suitable address found
missing address
no such host
unixgram
unknown mode:
unixpacket
setsockopt
setsockopt
setsockopt
setsockopt
transmitfile
raw-control
criterion too short
criterion lacks equal sign
unclosed criterion bracket
invalid criteria:
/etc/nsswitch.conf
/etc/nsswitch.conf
unknown network
address
unknown port
unexpected '[' in address
dragonfly
dragonfly
CIDR address
getadaptersaddresses
/etc/resolv.conf
unixpacket
unexpected type in connect
wsasendmsg
wsasendmsg
wsasendto
wsarecvfrom
unixpacket
nil context
.localhost
.localhost.localdomain
go package net: confVal.netCgo =
go package net: using cgo DNS resolver
myhostname
getaddrinfo
getaddrinfo
unknown network
unexpected network:
cannot marshal DNS message
cannot marshal DNS message
```

```
unixpacket
crypto: Size of unknown hash function
BLAKE2s-256
BLAKE2b-512
unknown hash value
cipher: incorrect tag size given to GCM
crypto/cipher: invalid buffer overlap
boringcrypto: not available
crypto/cipher: invalid buffer overlap
crypto/aes: input not full block
crypto/aes: output not full block
P521 point is the point at infinity
invalid P384 point encoding
invalid scalar length
invalid P256 point encoding
boringcrypto:
randautoseed
invalid rune %#U
%%!%c(big.Int=%s)
impossible
impossible
division by zero
invalid number base %d
big: misuse of expNNWindowed
underflow
input overflows the modulus
struct contains unexported fields
unknown Go type
application
omitempty
asn1: Unmarshal recipient value is nil
truncated tag or length
length too large
superfluous leading zeros in length
pkcs12: odd-length BMP string
IA5String contains invalid character
PrintableString contains invalid character
NumericString contains invalid character
20060102150405Z0700
base 128 integer too large
integer too large
empty integer
060102150405Z0700
0601021504Z0700
20060102150405Z0700
out does not point to an integer type
invalid ASN.1
```

scalar has high bit set illegally
edwards25519: invalid point encoding
crypto/rsa: public exponent too large
crypto/rsa: decryption error
crypto/rsa: verification error
crypto/rsa: unsupported hash function
crypto/sha256: invalid hash state identifier
crypto/sha256: invalid hash state size
crypto/dsa: invalid public key
2.5.4.11
SERIALNUMBER
POSTALCODE
invalid port %q after host
invalid URL escape
crypto/des: input not full block
crypto/des: output not full block
crypto/des: input not full block
crypto/des: invalid buffer overlap
crypto/sha1: invalid hash state size
AES-128-CBC
AES-192-CBC
AES-256-CBC
x509usefallbackroots
SHA256-RSA
SHA512-RSAPSS
DSA-SHA256
ECDSA-SHA1
ECDSA-SHA256
ECDSA-SHA384
-----BEGIN X509 CRL
X509 CRL
x509: unknown elliptic curve
x509: cannot sign with hash function requested
x509: Ed25519 verification failure
x509: internal error: cannot parse domain %q
x509: unknown error
x509: malformed tbs certificate
x509: invalid version
x509: malformed validity
x509: malformed spki
x509: malformed extensions
x509: invalid authority info access
x509: invalid NameConstraints extension
x509: invalid constraint value:
x509: SAN rfc822Name is malformed
x509: cannot parse IP address of length
x509: wrong Ed25519 public key size

x509: X25519 key encoded with illegal parameters
x509: malformed extension OID field
x509: malformed extension value field
x509: malformed OID
invalid UTF-8 string
invalid NumericString
CERTIFICATE
current time %s is before %s
current time %s is after %s
2006-01-02T15:04:05Z07:00
email address
%s %q is excluded by constraint %q
%s %q is not permitted by any constraint
avx512vl
avx512ifma
avx512vbmi
avx512vpc1mulqdq
avx512vaes
avx512vbmi2
" not supported for cpu option "
GODEBUG sys/cpu: can not disable "
chacha20: invalid buffer overlap
hkdf: entropy limit reached
decryption failed
record overflow
decompression failure
bad certificate
revoked certificate
expired certificate
unknown certificate
protocol version not supported
no renegotiation
certificate required
no application protocol
tls: no certificates configured
key expansion
client finished
server finished
master secret
unknown version
tls: internal error: unsupported curve
res master
SERVER_TRAFFIC_SECRET_0
TLS 1.3, server CertificateVerify
s hs traffic
tls: server sent two HelloRetryRequest messages
CLIENT_RANDOM

```
tls: failed to write to key log:
tls: server chose an unconfigured cipher suite
resumption
res binder
tls: short read from Rand:
tls: handshake has not yet been performed
tls: too many non-advancing records
tls: unknown Renegotiation value
unknown cipher type
local error
tls: too many ignored records
unsupported SSLv2 handshake received
oversized record received with length %d
unknown cipher type
ClientAuthType(
connection doesn't support Ed25519
tls: unsupported public key: %T
PKCS1WithSHA256
ECDSAWithP256AndSHA256
SignatureScheme(
expected an Ed25519 public key, got %T
tls: alert(
Accept-Charset
Accept-Encoding
Accept-Language
Cache-Control
Connection
Content-Language
Content-Type
If-Modified-Since
Location
Message-Id
Mime-Version
malformed MIME header: missing colon: %q
malformed MIME header line:
message too large
mime: invalid media parameter
image/avif
image/jpeg
image/jpeg
application/wasm
image/webp
Content Type
text/plain
text/plain; charset=utf-8
multipart: message too large
Content-Disposition
```

Content-Disposition
()<>@,;:\"/[]?=
mime: SetBoundary called after write
quoted-printable
multipart: boundary is empty
bidirule: failed Bidi Rule
caller error
Content-Encoding
Content-Range
Content-Type
Max-Forwards
Proxy-Authorization
Proxy-Connection
Www-Authenticate
need more data
varint integer overflow
hpack: invalid Huffman-encoded data
accept-encoding
authorization
cache-control
content-length
if-modified-since
if-none-match
location
max-forwards
set-cookie
transfer-encoding
:authority
/index.html
accept-charset
accept-encoding
accept-ranges
content-length
content-range
content-type
if-modified-since
proxy-authenticate
proxy-authorization
set-cookie
user-agent
accept-charset
gzip, deflate
accept-ranges
authorization
cache-control
content-encoding
content-language

content-location
if-modified-since
if-none-match
location
proxy-authenticate
proxy-authorization
www-authenticate
invalid encoding
id (%v) <= evictCount (%v)
evictCount overflow
(sensitive)
header line too long
http chunk length too large
malformed chunked encoding
HTTP_PROXY
https_proxy
no_proxy
REQUEST_METHOD
invalid range: failed to overlap
NO_ERROR
FLOW_CONTROL_ERROR
COMPRESSION_ERROR
HTTP_1_1_REQUIRED
END_STREAM
PRIORITY
http2: frame too large
invalid stream ID
HEADER_TABLE_SIZE
ENABLE_PUSH
body closed by handler
http2: stream closed
http2: recursive push not allowed
Connection
Transfer-Encoding
http2: no cached connection was available
http2: Request.URI is nil
Mon, 02 Jan 2006 15:04:05 GMT
http: no such file
header too long
entity body too short
Content-Length
Transfer-Encoding
http-server
Connection
Content-Length:
http: Server closed
http2server

```
<!DOCTYPE HTML
text/plain; charset=utf-16le
text/plain; charset=utf-8
FORM    AIFF
RIFF    AVI
audio/wave
video/webm

                                LP

font/ttf
application/x-gzip
application/wasm
Content-Length
Transfer-Encoding
Content-Length
Transfer-Encoding
http2client
http: CloseIdleConnections called
net/http: timeout awaiting response headers
net/http: TLS handshake timeout
bad Content-Length
Transfer-Encoding
Connection
keep-alive
Content-Length
Content-Length
Content-Length
identity
unexpected type
too many transfer encodings: %q
unsupported transfer encoding: %q
Connection
Connection: close

Transfer-Encoding: chunked

Transfer-Encoding
Transfer-Encoding
Content-Length
invalid Trailer key
Non-Authoritative Information
No Content
Partial Content
Multi-Status
Permanent Redirect
Payment Required
Precondition Failed
Expectation Failed
```

Misdirected Request
Unprocessable Entity
Precondition Required
Bad Gateway
Gateway Timeout
HTTP Version Not Supported
Loop Detected
username/password authentication failed
unsupported authentication method
host unreachable
connection refused
command not supported
unknown code:
port number out of range
nil context
unknown address type
unknown address type
socks connect
Connection
Content-Type
net/http: nil Context
Connection
recv_goaway_
Transfer-Encoding
keep-alive
Content-Length
out of range
http2debug=1
accept-language
access-control-request-method
content-language
content-length
if-modified-since
if-unmodified-since
last-modified
proxy-authorization
set-cookie
user-agent
x-forwarded-for
(%d bytes omitted)
incr=%v
frame_continuation_zero_stream
frame_windowupdate_zero_inc_stream
frame_pushpromise_pad_short
frame_pushpromise_promiseid_short
frame_settings_has_stream
frame_settings_mod_6

frame_rststream_bad_len
frame_headers_zero_stream
frame_data_stream_0
frame_data_pad_too_big
invalid header field value for %q
invalid header field name %q
http2: connection error: %v: %v
connection error: %s
read_frame_eof
read_frame_unexpected_eof
forgetting unknown stream id
assigned stream ID 0
invalid HTTP header name %q
content-length
connection
proxy-connection
user-agent
Go-http-client/2.0
http2: invalid header: %v
http2: invalid pseudo headers: %v
:authority
[%v = %d]
UNKNOWN_SETTING_%d
http2: Framer %p: wrote %v
Accept-Encoding
err must be non-nil
 stream=%d
[FrameHeader
UNKNOWN_FRAME_TYPE_%d
http2: unsupported scheme
RoundTrip failure: %v
proxyconnect
http: nil Request.URL
http: nil Request.Header
net/http: invalid header field name %q
Accept-Encoding
Accept-Encoding
write error: %w
Content-Encoding
Content-Length
%s|%s|%s|
Cookie.Path
Cookie.Value
Set-Cookie
Mon, 02-Jan-2006 15:04:05 MST
Authorization
Authorization

```
Host: %s

User-Agent
missing form body
multipart/form-data
http: MultipartReader called twice
nil context
nil context
Content-Length: 0

http: invalid byte %q in Cookie.Path
http: invalid Cookie.Domain
Mon, 02 Jan 2006 15:04:05 GMT
; Max-Age=0
; SameSite=None
; SameSite=Lax
executable file not found in %PATH%
SYSTEMROOT
SYSTEMROOT
exec: Stderr already set
exec: StderrPipe after process started
exec: StdoutPipe after process started
exec: not started
exec: canceling Cmd
exec: killing Cmd
exec: no command
[:alnum:]
[:^cntrl:]
[:^digit:]
[:^graph:]
[:^print:]
[:^punct:]
[:space:]
[:^space:]
[:upper:]
InstEmptyWidth
InstRuneAny
InstRuneAnyNotNL
altmatch ->
rune <nil>
anynotnl ->
unknown empty width arg
regexp: Compile(
unhandled
driver: remove argument from query
sql: connection is already closed
sql: Rows are closed
```

```
sql: unknown driver %q (forgotten import?)
sql: Register driver is nil
sql: Register called twice for driver
2006-01-02T15:04:05.999999999Z07:00
destination not a pointer
converting NULL to %s is unsupported
converting NULL to %s is unsupported
sql: Scan called without calling Next
sql: duplicate driverConn close
Read Uncommitted
Write Committed
Repeatable Read
Linearizable
in literal true (expecting 'r')
after top-level value
after object key:value pair
after array element
omitempty
unexpected map key type
json: encoding error for type %q: %q
MarshalJSON
  for type
json: Unmarshal(nil)
json: Unmarshal(nil)
destination pointer is nil
2006-01-02 15:04:05
2006-01-02 15:04
2006-01-02T15:04
datetime
timestamp
ROLLBACK
_auth_user
_auth_pass
Invalid _loc: %v: %v
deferred
Invalid _txlock: %v
Invalid _busy_timeout: %v: %v
_case_sensitive_like
_defer_foreign_keys
_foreign_keys
_journal_mode
_journal_mode
TRUNCATE
_locking_mode
_locking_mode
_locking
EXCLUSIVE
```

_query_only
_recursive_triggers
_synchronous
_cache_size
CryptEncoderSHA1: %s
CryptEncoderSSHA1: %s
sqlite_crypt
sqlite_crypt
CryptEncoderSHA384: %s
sqlite_crypt
authenticate
auth_enabled
PRAGMA case_sensitive_like = %d;
PRAGMA ignore_check_constraints = %d;
cannot convert %s to BLOB
unreachable
argument must be BLOB or TEXT
string too large
non-function passed to RegisterAggregator
illegal instruction
trace/breakpoint trap
user defined signal 2
broken pipe
alarm clock
terminated
2.16.840.1.113730.4.1
CfgMgr32.dll
dnsapi.dll
dnsapi.dll
iphlpapi.dll
iphlpapi.dll
netapi32.dll
netapi32.dll
netapi32.dll
psapi.dll
sechost.dll
shell32.dll
shell32.dll
version.dll
ws2_32.dll
CM_Get_Device_Interface_ListW
CM_Get_Device_Interface_List_SizeW
CM_MapCrToWin32Err
AdjustTokenGroups
AdjustTokenPrivileges
CheckTokenMembership
CreateServiceW

DeleteService
GetNamedSecurityInfoW
GetSecurityDescriptorControl
GetSecurityDescriptorGroup
GetSecurityDescriptorLength
GetSidIdentifierAuthority
GetSidSubAuthorityCount
ImpersonateSelf
InitializeSecurityDescriptor
IsValidSid
NotifyServiceStatusChangeW
OpenServiceW
QueryServiceConfigW
RegEnumKeyExW
RegOpenKeyExW
RegisterServiceCtrlHandlerExW
RegisterServiceCtrlHandlerExW
RevertToSelf
SetEntriesInAclW
SetSecurityDescriptorControl
SetSecurityDescriptorSacl
SetServiceStatus
SetThreadToken
SetTokenInformation
CertAddCertificateContextToStore
CertCreateCertificateContext
CertDeleteCertificateFromStore
CertFindCertificateInStore
CertGetNameStringW
CertOpenSystemStoreW
CryptAcquireCertificatePrivateKey
CryptProtectData
CryptQueryObject
DnsNameCompare_W
DnsNameCompare_W
DnsRecordListFree
DwmGetWindowAttribute
GetAdaptersInfo
CancelIoEx
CreateEventExW
CreateFileMappingW
CreateFileW
CreateHardLinkW
CreateJobObjectW
CreateMutexExW
CreateMutexExW
CreateProcessW

DefineDosDeviceW
DeleteProcThreadAttributeList
DuplicateHandle
ExpandEnvironmentStringsW
FindFirstVolumeMountPointW
FindNextFileW
FindNextVolumeMountPointW
FindResourceW
FindVolumeClose
FlushFileBuffers
FreeLibrary
GetCommandLineW
GetComputerNameExW
GetComputerNameW
GetConsoleMode
GetConsoleScreenBufferInfo
GetCurrentProcessId
GetCurrentThreadId
GetDiskFreeSpaceExW
GetDriveTypeW
GetFileAttributesExW
GetFileInformationByHandle
GetFinalPathNameByHandleW
GetLastError
GetLogicalDrives
GetLongPathNameW
GetProcAddress
GetProcessShutdownParameters
GetProcessWorkingSetSizeEx
GetQueuedCompletionStatus
GetSystemDirectoryW
GetSystemPreferredUILanguages
GetTempPathW
GetTickCount64
GetVersion
GetVolumeInformationByHandleW
IsWow64Process
LoadLibraryExW
LoadLibraryW
LoadResource
LocalAlloc
LocalAlloc
LockFileEx
MapViewOfFile
Module32FirstW
MoveFileExW
MultiByteToWideChar

OpenEventW
OpenEventW
OpenProcess
OpenThread
PostQueuedCompletionStatus
Process32FirstW
Process32NextW
ProcessIdToSessionId
PulseEvent
QueryDosDeviceW
ReadConsoleW
ReadProcessMemory
RemoveDirectoryW
SetCommTimeouts
SetCurrentDirectoryW
SetDllDirectoryW
SetEndOfFile
SetErrorMode
SetNamedPipeHandleState
SetVolumeLabelW
Thread32First
UnlockFileEx
UnmapViewOfFile
UnmapViewOfFile
VirtualProtect
VirtualProtectEx
VirtualUnlock
WriteConsoleW
AcceptEx
GetAcceptExSockaddrs
NtCreateFile
NtQueryInformationProcess
NtSetInformationProcess
RtlGetCurrentPeb
RtlGetNtVersionNumbers
RtlGetVersion
RtlNtStatusToDosErrorNoTeb
CoCreateGuid
EnumProcessModulesEx
GetModuleInformation
QueryWorkingSetEx
UnsubscribeServiceChangeNotifications
GetUserNameExW
TranslateNameW
SetupDiCreateDeviceInfListExW
SetupDiDestroyDeviceInfoList
SetupDiGetClassDevsExW

SetupDiGetClassInstallParamsW
SetupDiGetDeviceInstallParamsW
SetupDiGetDeviceInstanceIdW
SetupDiGetDevicePropertyW
SetupDiGetSelectedDriverW
SetupDiSetClassInstallParamsW
SetupDiSetDeviceInstallParamsW
CommandLineToArgvW
SHGetKnownFolderPath
EnumChildWindows
EnumWindows
ExitWindowsEx
GetClassNameW
GetGUIThreadInfo
GetShellWindow
IsWindow
MessageBoxW
GetFileVersionInfoSizeW
GetFileVersionInfoW
VerQueryValueW
FreeAddrInfoW
GetAddrInfoW
WSAIoctl
WSALookupServiceNextW
WSARecvFrom
WSARecvFrom
WSASocketW
closesocket
getservbyname
getsockopt
setsockopt
WTSEnumerateSessionsW
WTSFreeMemory
WTSQueryUserToken
Failed to load
procedure in
DeviceCapabilitiesW
DocumentPropertiesW
GetDefaultPrinterW
CloseThemeData
GetThemeTextExtent
IsAppThemed
SetWindowTheme
user32.dll
AdjustWindowRect
BeginDeferWindowPos
BringWindowToTop

ChangeWindowMessageFilterEx
ClientToScreen
CreateDialogParamW
CreateIconIndirect
CreateMenu
DefWindowProcW
DestroyWindow
DispatchMessageW
DrawIconEx
DrawMenuBar
DrawTextExW
EmptyClipboard
EnableMenuItem
EnumChildWindows
GetActiveWindow
GetClientRect
GetCursorPos
GetDesktopWindow
GetDlgItem
GetIconInfo
GetScrollInfo
GetSubMenu
GetSysColorBrush
GetSystemMetrics
GetWindowLongPtrW
IsClipboardFormatAvailable
IsWindowVisible
KillTimer
LoadCursorW
LoadStringW
MessageBoxW
MonitorFromWindow
PeekMessageW
PostQuitMessage
RedrawWindow
RegisterRawInputDevices
ReleaseCapture
RemoveMenu
SendDlgItemMessageW
SetCapture
SetMenuItemInfoW
SystemParametersInfoW
TrackMouseEvent
WindowFromDC
DragFinish
DragQueryFileW
SHBrowseForFolderW

SHDefExtractIconW
SHGetFileInfoW
SHGetSpecialFolderPathW
SHGetStockIconInfo
Shell_NotifyIconW
PdhValidatePathW
wglGetLayerPaletteEntries
wglGetProcAddress
wglMakeCurrent
wglSwapLayerBuffers
wglUseFontBitmapsW
oleaut32.dll
SysAllocString
ole32.dll
CoCreateInstance
CoTaskMemFree
OleInitialize
OleUninitialize
ActivateActCtx
CloseHandle
CreateActCtxW
GetConsoleWindow
GetNumberFormatW
GetPhysicallyInstalledSystemMemory
GetProfileStringW
GetThreadUILanguage
GlobalAlloc
GlobalFree
GlobalLock
GlobalUnlock
RtlMoveMemory
LoadResource
SetLastError
SizeofResource
SystemTimeToFileTime
GdipCreateBitmapFromFile
GdipCreateHBITMAPFromBitmap
GdipDisposeImage
GdiplusShutdown
GdiplusStartup
GenericError
Win32Error
UnknownImageFormat
GdiplusNotInitialized
PropertyNotFound
msimg32.dll
AbortDoc

ChoosePixelFormat
CombineRgn
CreateBitmap
CreateCompatibleDC
CreateDIBSection
CreateEnhMetaFileW
CreateFontIndirectW
CreatePatternBrush
CreateRectRgn
ExcludeClipRect
ExtCreatePen
GetEnhMetaFileHeader
GetObjectW
GetTextExtentExPointW
IntersectClipRect
MoveToEx
Rectangle
SetBkColor
SetBrushOrgEx
SetStretchBltMode
SetViewportOrgEx
SwapBuffers
AlphaBlend
TransparentBlt
comdlg32.dll
ChooseColorW
GetSaveFileNameW
PrintDlgExW
ImageList_Add
ImageList_Create
LoadIconWithScaleDown
RegQueryValueExW
RegEnumValueW
RegSetValueExW
Unable to run function '%v': %v
FUNCTION

XButton1
Hanja / Kanji
Nonconvert
ModeChange
BrowserBack
BrowserRefresh
BrowserHome
VolumeDown
MediaNextTrack
MediaPrevTrack

```
LaunchMail
LaunchApp1
OEMMinus
ProcessKey
GetClientRect
CreateWindowEx
SetWindowLongPtr
GetModuleHandle
LoadCursor
IWebBrowser2.Navigate2
tooltips_class32
invalid index
LVM_SETCOLUMNWIDTH failed
SetTimer
SendMessage(LVM_SETITEMSTATE)
GetWindowLong
SendMessage(LVM_SETITEMSTATE)
SendMessage(LVM_ENSUREVISIBLE)
\o/ Walk_Spacer_Class \o/
\o/ Walk_ScrollView_Class \o/
ReflectListModel
ReflectListModel
Shell_NotifyIcon
Shell_NotifyIcon
Shell_NotifyIcon
Shell_TrayWnd
\o/ Walk_MainWindow_Class \o/
applyLayoutResults
BeginDeferWindowPos
TaskbarCreated
invalid style
failed to create default font
%s: Error %d
%s
```

Stack:

%s

```
Can't convert float64 to %s.
SHGetPathFromIDList failed
invalid index
GetDC failed
GetTextExtentPoint32 failed
GetDC failed
container required
CreateCompatibleDC failed
GetWindowRect failed
Dynamic Annotation not available
```

```
IAccPropServices.SetHwndPropStr
App().Settings() must not be nil
App().Settings() must not be nil
GetTextMetrics failed
GetTextExtentPoint32 failed
MoveWindow
GetWindowRect
SetWindowPos
walk: negative WindowGroup refs counter
RemoveMenu
InsertMenuItem failed
SetMenuItemInfo failed
CheckMenuRadioItem failed
clientComposite
ITaskbarList3.SetProgressValue
SHDefExtractIcon
LoadIconWithScaleDown
GetWindowLong
SetParent
SetWindowPos
effect == nil
SelectObject failed
DrawTextEx failed
MoveToEx failed
LineTo failed
bmp cannot be nil
bmp cannot be nil
CreateFontIndirect failed
SelectObject failed
SetBkMode failed
GetEnhMetaFileHeader failed
SelectObject failed
StretchBlt failed
GetDIBits #1
GetDIBits #2
GetDIBits get bitmapinfo failed
GetDIBits failed
\Amigo\User Data
\Orbitum\User Data
cent-browser
\Sputnik\Sputnik\User Data
\Vivaldi\User Data
LOCALAPPDATA
epic-privacy-browser
microsoft-edge
\Yandex\YandexBrowser\User Data
LOCALAPPDATA
```

fiddler.exe
regedit.exe
df5serv.exe
ollydbg.exe
pestudio.exe
vmwareuser.exe
vgauthservice.exe
x32dbg.exe
vmusrvc.exe
prl_cc.exe
prl_tools.exe
xenservice.exe
qemu-ga.exe
joeboxcontrol.exe
joeboxserver.exe
00:0c:29
08:00:27
00:21:F6
2C:C2:60
00:10:4F
00:0c:29:2c:c1:21
00:25:90:65:39:e4
c8:9f:1d:b6:58:e4
2e:b8:24:4d:f7:de
00:15:5d:00:05:d5
00:e0:4c:4b:4a:40
00:1b:21:13:15:20
00:15:5d:00:06:43
00:15:5d:1e:01:c8
b6:ed:9d:27:f4:fa
00:15:5d:b6:e0:cc
08:00:27:3a:28:73
12:8a:5c:2a:65:d1
00:25:90:36:f0:3b
00:1b:21:13:21:26
00:1b:21:13:32:51
3c:ec:ef:43:fe:de
00:03:47:63:8b:de
processhacker
^r[0-9a-zA-Z]{23,50}\$
^0x[a-fA-F0-9]{40}\$
^0x[0-9a-fA-F]{40}\$
^([a-zA-Z0-9]){32,}\$
fhbohimaelbohpbjbbldcngcnapndodjp
KardiaChain
pdadjkfkcgafgbceimcpbkalfnepbnk
amkmjmmflldogmhpjloimipbofnfjih

Jaxx Liberty
cjelfplplebdjjenllpjcbmljkcffne
Terra Station
TON Crystal Wallet
cgeeodpfagjceefieflmdfphplkenlfk
Math Wallet
fihkakfobkmkjojpchpfgcmhfjnmnmpi
Saturn Wallet
Coin98 Wallet
Bytecoin
ElectronCash
\Exodus\
AtomicWallet
\atomic\Local Storage\leveldb
wallet.dat
LocalAppData
\DashCore\
wallet.dat
\Litecoin\
multidoge.wallet
\Bither\
address.db
config.inc.php
ShareX_H_
UserProfile
\Documents\ShareX\
History.json
\Documents\ShareX\
ExpanDrive
Default.ppx
LocalAppData
browsedata.db
\Notepad++\backup\
Muon Snowflake
\snowflake-ssh\
UserProfile
Authy Desktop
GitHub Desktop
UserProfile
auth.json
COMPOSER_HOME
\Flock\Browser\
winauth.xml
accounts.dat
Squirrel
UserProfile
\.squirrel-sql\

UserProfile
\postgresql\
pgpass.conf
\Moonchild Productions\Pale Moon\
profiles.ini
\Mozilla\icecat\
Cyberfox
CoffeeCup_0
ProgramFiles
\CoffeeCup Software\
CoffeeCup_1
LocalAppData
\CoffeeCup Software\
\CoffeeCup Software\
JDownloader
\jDownloader\config\
\Binance\
LocalAppData
\NordPass\
UserProfile
UserProfile
git-credentials
UserProfile
settings-security.xml
\Privat_Kommunikation_AB\
\FLASHFXP\
3QUICK.DAT
\FTPInfo\
ServerList.cfg
ServerList.xml
ESTdb2.dat
site.dat
ProgramFiles
UserProfile
NDSites.ini
\BitKinex\
bitkinex.ds
32BitFTP
ftpsite.ini
NexusFile1
ProgramFiles
ProgramFiles
mRemoteNG
confCons.xml
\FTPGetter\
Total Commander
wcx_ftp.ini

```
settings.cfg.viw
FileZilla
\Filezilla\
FileZilla1
\Filezilla\
FileZilla_PEM
\Filezilla\
\TS3Client\
\Slack\storage\
\Signal\sql\
config.json
\Mailspring\
config.json
\The Bat!\
\PocoMail\
accounts.ini
PocoMail1
UserProfile
\Documents\Pocomail\
profiles.ini
\Mailbird\Store\
Store.db
Thunderbird
profiles.ini
accounts.xml
LocalAppData
\\Growtopia\\
Kalypso Media
launcher.ini
LocalAppData
GNU Privacy Guard
SDRTrunk
UserProfile
PostboxApp
Sherrod FTP
ProgramFiles
\.LavaServer\
Settings.reg
Minecraft VimeWorld
Minecraft McSkill
settings.bin
Minecraft loliland
auth.json
\.minecraft\
Minecraft RedServer
\lxs\rootfs\etc\
\qBittorrent\
```

qBittorrent.ini
Vitalwerks DUC x64
Vitalwerks DUC
HKEY_CURRENT_USER\Software\SimonTatham
ClassicFTP
IncrediMail
Pixel Worlds
HKEY_CURRENT_USER\SOFTWARE\zzplaguecheat
DownloadManagerIDM
Atomic Wallet
guildWallet
nanjmdknhkinifnkgdcggcfnhdaammj
roninWallet
fnjhmkhmkbjkkabndcnnogagogbneec
LOCALAPPDATA
cloverWallet
kpfopkelmapcoipemfendmdcghnegimn
User Data
LOCALAPPDATA
User Data
Local Extension Settings
LOCALAPPDATA
IndexedDB
jaxxLiberty
LOCALAPPDATA
LOCALAPPDATA
Local Extension Settings
LOCALAPPDATA
METAMASK
User Data
Local Extension Settings
ibnejdfjmmkpcnlpebklmnkoeiohofec
LOCALAPPDATA
Local Extension Settings
User Data
crypto.com
LOCALAPPDATA
User Data
hnfanknocfeofbddgcijnmhfnkdnaad
Coin98 Wallet
LOCALAPPDATA
LOCALAPPDATA
LOCALAPPDATA
KardiaChain
User Data
pdadjkfkcgafgbceimcpbkalfnepbnk
LocalAppData

```
LocalAppData
\1Password\data\
UserProfile
UserProfile
settings-security.xml
LocalAppData
user.config
FlashFXP
3QUICK.DAT
FTPInfo_CFG
FTPInfo_CFG
FTPInfo_XML
\FTPInfo\
ESTdb2.dat
\Staff-FTP\
ProgramFiles
\DeluxeFTP\
sites.xml
\EasyFTP\data\
UserProfile
NetSarang1
NetSarang1
\NetDrive\
BitKinex
bitkinex.ds
NovaFTP.db
32BitFtp.ini
WhatsApp
\Signal\sql\
Mailspring
Opera Mail
Opera Mail
\Opera Mail\Opera Mail\
PocoMail
PocoMail1
profiles.ini
LocalAppData
Thunderbird
\Thunderbird\
GetWindowTextW
GetForegroundWindow
ShowWindow
MessageBoxW
SystemParametersInfoW
SendMessageA
GetKeyboardLayout
GetKeyState
```

CloseClipboard
GetClipboardData
GetFileSize
IsBadReadPtr
VirtualAllocEx
Wow64GetThreadContext
GetThreadContext
GlobalLock
CreateMutexW
CreateProcessA
Wow64RevertWow64FsRedirection
QueueUserAPC
RtlCopyMemory
avicap32.dll
advapi32.dll
winmm.dll
mciSendStringW
advapi32.dll
RegOpenKeyExW
BANDIT STEALER
VirtualBox
/proc/self/status
systeminfo
Processor(s):
desktopmonitor
2006-01-02 15:04:05
Location:
Screen Size:
UAC Info:
USERINFO.txt
USERPROFILE
Telegram.exe
Telegram.exe
%-%.zip
Login Data
Name: %s
Value: %s
Created On: %s

LOCALAPPDATA

URL: %s
Title: %s
Visited Time: %s

LOCALAPPDATA

```
tempLoginData  
Error copying database: %v  
Error scanning row:  
Local State  
os_crypt  
Local State file not found for %s
```

```
advapi32.dll  
comdlg32.dll  
oleaut32  
opengl32.dll  
psapi.dll  
winmm.dll  
dxva2.dll  
msimg32.dll  
RegisterClassExW  
CreateWindowW  
CreateWindowExW  
AdjustWindowRectEx  
DestroyWindow  
PostQuitMessage  
GetMessageW  
WaitMessage  
CallWindowProcW  
SetClassLongPtrW  
EnableWindow  
GetClientRect  
SetCapture  
ReleaseCapture  
MessageBoxW  
EqualRect  
IntersectRect  
IsRectEmpty  
OffsetRect  
DialogBoxParamW  
ClientToScreen  
DrawTextW  
OpenClipboard  
SetClipboardData  
MapVirtualKeyW  
MapVirtualKeyExW  
GetAsyncKeyState  
MonitorFromPoint  
MonitorFromWindow  
GetMonitorInfoW  
ChangeDisplaySettingsExW  
CallNextHookEx
```

GetWindowPlacement
GetForegroundWindow
FindWindowW
MessageBeep
EnumWindows
GetSysColorBrush
CheckMenuItem
CreatePopupMenu
EnableMenuItem
GetMenuBarInfo
GetMenuItemCount
GetMenuItemInfoW
GetMenuState
GetMenuStringW
GetSystemMenu
HiliteMenuItem
InsertMenuW
LoadMenuW
MenuItemFromPoint
RemoveMenu
SetMenuInfo
SetMenuItemBitmaps
IsDlgButtonChecked
LookupIconIdFromDirectoryEx
SetForegroundWindow
ScrollWindow
PrintWindow
RegGetValueW
RegEnumKeyExW
RegSetValueExW
OpenSCManagerW
CloseServiceHandle
OpenServiceW
StartServiceW
InitCommonControlsEx
ImageList_Destroy
ImageList_ReplaceIcon
ImageList_Remove
DefSubclassProc
GetOpenFileNameW
DwmExtendFrameIntoClientArea
DwmFlush
DwmGetTransportAttributes
DwmModifyPreviousDxFrameDuration
DwmSetWindowAttribute
DwmShowContact
DwmTetherContact

DwmUpdateThumbnailProperties
CloseEnhMetaFile
CreateCompatibleDC
CreateDIBSection
CreateEnhMetaFileW
CreateICW
GetTextMetricsW
SelectObject
SetBkMode
SetStretchBltMode
ChoosePixelFormat
DescribePixelFormat
SetPixelFormat
SwapBuffers
SetDCPenColor
SetDCBrushColor
CreatePen
Polyline
PolyBezier
GetModuleHandleW
GetConsoleWindow
GlobalAlloc
GlobalFree
RtlMoveMemory
FindResourceW
SizeofResource
LockResource
LoadResource
CreateToolhelp32Snapshot
GetDiskFreeSpaceExW
GetProcessTimes
GetCurrentProcessId
GetVersion
GetCurrentActCtx
CreateFileW
CoUninitialize
CreateStreamOnHGlobal
VariantInit
SysFreeString
SysStringLen
wglGetProcAddress
wglMakeCurrent
EnumProcesses
DragAcceptFiles
DragQueryPoint
ShellExecuteW
ExtractIconW

```
GdiplusStartup
VerQueryValueW
PlaySoundW
WNetAddConnection3W
iexplore.exe
msedge.exe
maxthon.exe
seamonkey.exe
orbitum.exe
browser.exe
failed to open file: %v
Content-Type
failed to read response body: %v
MTAzLjg5LjEyLjE2MA==
Content-Type
user32.dll
Banditstealer %s%s
LOCALAPPDATA
blacklist.txt
blacklist.txt
LOCALAPPDATA
LOCALAPPDATA
user_data
user_data#1
Telegram
LOCALAPPDATA
Telegram
user_data#4
LOCALAPPDATA
user_data#5
Telegram
LOCALAPPDATA
user_data#7
user_data#8
LOCALAPPDATA
user_data#10
LOCALAPPDATA
user_data#9
LOCALAPPDATA
LOCALAPPDATA
Telegram
LOCALAPPDATA
user_data
Telegram.exe
Failed to send ZIP file to VPS:
Testing /tmp/test/b245c7bbf3314d1c962b5687cf3d60ccc9a6665d8fa7bd3a7dda688021583280
on zero Value
```

reflect: call of
reflect: Out of non-func type
reflect: NumOut of non-func type
reflect: Elem of invalid type
name offset field
non-empty string
reflect: slice index out of range
sync: Unlock of unlocked RWMutex
sync: RUnlock of unlocked RWMutex
unexpected EOF
Seek: invalid offset
file does not exist
trace/breakpoint trap
user defined signal 1
invalid exchange
file descriptor in bad state
bad message
invalid request code
invalid slot
no child processes
resource deadlock avoided
resource deadlock avoided
host is down
no route to host
level 3 halted
level 3 reset
cannot exec a shared library directly
wrong medium type
message too long
multihop attempted
network dropped connection on reset
no buffer space available
no such device
exec format error
required key not available
no message of desired type
package not installed
state not recoverable
socket operation on non-socket
protocol not supported
protocol wrong type for socket
stale NFS file handle
structure needs cleaning
exchange full
not supported by windows
advapi32.dll
crypt32.dll

iphlpapi.dll
netapi32.dll
shell32.dll
ConvertSidToStringSidW
CryptAcquireContextW
CryptGenRandom
CryptReleaseContext
LookupAccountSidW
RegQueryInfoKeyW
RegQueryValueExW
CertCloseStore
CertGetCertificateChain
GetAdaptersInfo
CreatePipe
CreateToolhelp32Snapshot
DuplicateHandle
FindFirstFileW
FormatMessageW
FreeEnvironmentStringsW
GetConsoleMode
GetCurrentProcess
GetCurrentProcessId
GetFileAttributesExW
GetLastError
GetProcessTimes
GetStdHandle
MapViewOfFile
OpenProcess
Process32FirstW
ReadConsoleW
SetFileCompletionNotificationModes
SetFilePointer
SetFileTime
SetHandleInformation
VirtualLock
VirtualUnlock
AcceptEx
GetAcceptExSockaddrs
NetApiBufferFree
RtlGetNtVersionNumbers
CommandLineToArgvW
FreeAddrInfoW
GetAddrInfoW
WSACleanup
WSAEnumProtocolsW
WSARecvFrom
closesocket

advapi32.dll
iphlpapi.dll
kernel32.dll
DuplicateTokenEx
ImpersonateSelf
RevertToSelf
GetAdaptersAddresses
GetFileInformationByHandleEx
Module32FirstW
MoveFileExW
MultiByteToWideChar
UnlockFileEx
NetUserGetLocalGroups
GetProcessMemoryInfo
invalid syntax
1220703125
762939453125
95367431640625
476837158203125
59604644775390625
7450580596923828125
186264514923095703125
2910383045673370361328125
363797880709171295166015625
710542735760100185871124267578125
55511151231257827021181583404541015625
ryuFtoaFixed32 called with negative prec
ryuFtoaFixed32 called with prec > 9
0123456789abcdef
ParseFloat
ParseFloat
ParseFloat
ParseFloat
Canadian_Aboriginal
Devanagari
Duployan
Egyptian_Hieroglyphs
Ethiopic
Glagolitic
Hanifi_Rohingya
Inherited
Javanese
Katakana
Kayah_Li
Kharoshthi
Khitan_Small_Script
Mende_Kikakui

Meroitic_Cursive
Meroitic_Hieroglyphs
Meroitic_Hieroglyphs
Nyiakeng_Puachue_Hmong
Ol_Chiki
Old_Hungarian
Old_Permic
Old_Persian
Old_Sogdian
Old_South_Arabian
Old_Turkic
Psalter_Pahlavi
SignWriting
Syloti_Nagri
Tagbanwa
Tai_Tham
Tifinagh
Warang_Citi
Bidi_Control
Diacritic
IDS_Binary_Operator
Ideographic
Ideographic
Other_Alphabetic
Other_Grapheme_Extend
Other_ID_Continue
Other_ID_Start
Other_Math
Other_Uppercase
Pattern_Syntax
Pattern_White_Space
Prepended_Concatenation_Mark
Quotation_Mark
Regional_Indicator
Sentence_Terminal
Soft_Dotted
Unified_Ideograph
White_Space
White_Space
unsafe.Pointer
<invalid Value>
reflect.Copy
unexpected method step
unexpected value step
 of unexported method
unknown ABI part kind
mismatch between ABI description and types

returned zero Value
reflect: call of
bad indir
reflect: negative length passed to ArrayOf
has no name
has invalid name
invalid n
reflect: NumOut of non-func type
reflect: NumField of non-struct type
reflect: FieldByName of non-struct type
reflect: Elem of invalid type
are not comparable
: value of type
reflect.Value.Grow: slice overflow
reflect.Value.Slice3
i < k <= cap
reflect.Value.SetMapIndex
reflect.Value.SetMapIndex
reflect.Value.Pointer
reflect.Value.OverflowComplex
reflect.Value.NumMethod
reflect.MapIter.SetKey
MapIter.Value called before Next
MapIter.Key called on exhausted iterator
reflect.Value.Len
reflect.Value.IsNil
reflect.Value.CanInterface
reflect.Value.Int
reflect: string index out of range
reflect.Value.Index
same as non-reflect &v.field
precomputed value offset
unknown ABI part kind
tv.Size() != 0
unknown ABI part kind
can't call pointer on a non-pointer Value
reflect:
name flag field
non-empty string
kernel32.dll
RegCreateKeyExW
RegEnumValueW
September
December
time: invalid number
time: bad [0-9]*
Egypt Standard Time

Sudan Standard Time
Sao Tome Standard Time
Central America Standard Time
Central Standard Time (Mexico)
Eastern Standard Time
US Mountain Standard Time
Pacific Standard Time (Mexico)
Jordan Standard Time
Arabic Standard Time
Sri Lanka Standard Time
Nepal Standard Time
North Asia Standard Time
N. Central Asia Standard Time
Korea Standard Time
Russia Time Zone 10
Iran Standard Time
Greenwich Standard Time
GTB Standard Time
E. Europe Standard Time
Belarus Standard Time
Romance Standard Time
Fiji Standard Time
Line Islands Standard Time
Norfolk Standard Time
Tonga Standard Time
malformed time zone information
English name for time zone "
fractional second
time: invalid duration
time: invalid duration
: day out of range
fractional second
parsing time
Time.MarshalBinary: unexpected zone offset
year outside of range [0,9999]
skip everything and stop the walk
use of closed network connection
unixpacket
i/o timeout
/dev/stderr
ComputerNameEx
GetFileType
CreateFile
SyscallConn.Write
SyscallConn.Read
OpenProcess
fork/exec

CloseHandle
WaitForSingleObject
SetDeadline
SyscallConn
negative offset
%!(BADWIDTH)
(MISSING)
0123456789abcdefx
0123456789abcdefx
0123456789ABCDEFX
0123456789abcdefx
0123456789abcdefx
strings: Repeat count causes overflow
strings.Reader.ReadAt: negative offset
strings.Reader.ReadAt: negative offset
binary.LittleEndian
binary.BigEndian
bytes.Reader.Seek: invalid whence
bytes.Buffer.WriteTo: invalid Write count
randautoseed
invalid argument to Intn
'_' must separate successive digits
invalid rune %#U
negative n for ProbablyPrime
negative bit index
negative bit index
impossible
impossible
division by zero
internal inconsistency
math/big: buffer too small to fit value
archive/tar: insecure file path
archive/tar: sockets not supported
USTAR cannot encode %s=%v
Linkname
linkpath
Devmajor
AccessTime
filename may not have trailing slash
SCHILY.xattr.
GNU.sparse.
Format specifies USTAR
Format specifies GNU
bufio: invalid use of UnreadRune
bufio: buffer full
flate: maxBits too large
not available

```
hash/crc32: tables do not match
.WithValue(type
.WithDeadline(
cannot create context from nil parent
.WithCancel
execerrdot
nil Context

os/exec.Command(
exec: Stdout already set
exec: Stdin already set
exec: StdinPipe after process started
exec: not started
exec: Wait was already called
exec: killing Cmd
parse error

Sint32Kind
Sfixed32Kind
Sfixed64Kind
<unknown: %T>
is_extension
deprecated
uninterpreted_option
uninterpreted_option
positive_int_value
negative_int_value
double_value
string_value
uninterpreted_option
input_type
server_streaming
deprecated
uninterpreted_option
deprecated
java_package
java_outer_classname
java_multiple_files
optimize_for
cc_enable_arenas
php_namespace
ruby_package
reserved_name
weak_dependency
message_type
source_code_info
<unknown:%d>
```

```
google/protobuf/  
file %q has a name conflict over %v  
cannot merge into invalid %v message  
no support for message_set_wire_format  
Extensions  
ReservedRanges  
Cardinality  
HasPresence  
HasDefault  
ReservedNames  
ReservedRanges  
IsStreamingClient  
IsStreamingServer  
Interface  
IsPlaceholder  
MapValue  
FileImports  
[:^alpha:]  
[:ascii:]  
[:^ascii:]  
[:^blank:]  
[:cntrl:]  
[:^print:]  
[:^xdigit:]  
InstAltMatch  
InstEmptyWidth  
InstRune  
InstRuneAny  
altmatch ->  
regexp: Compile(  
mergeRuneSets odd length []rune  
syntax error (line %d:%d): %v  
could not format value for %v: %v  
%d to %d  
invalid range: %v  
invalid syntax  
non-contiguous repeated field  
non-contiguous repeated field  
invalid range: %v  
oneof type already set  
%v has unknown kind: %v  
illegal base64 data at input byte  
zigzag64  
invalid Message.WhichOneof descriptor on  
XXX_OneofFuncs  
ExtensionRangeArray  
protobuf_val
```

```
protobuf_oneof
invalid Go type %v for field %v
invalid Go type %v for field %v
invalid type: got %v, want %v
invalid field: no encoder for %v %v %v
invalid kind:
weak message %v is not linked in
string field contains invalid UTF-8
field %v is invalid
XXX_sizecache
XXX_unrecognized
extensionFields
protobuf
0123456789
XXX_OneofFuncs
protobuf
%v: unable to resolve extension %v: %v
  for message
google/protobuf/descriptor.proto
SEND_FAILURE
DISCONNECT
DISCONNECT
DISCONNECT
  is unavailable
SHA3-224
BLAKE2s-256
BLAKE2b-512
cipher: incorrect tag size given to GCM
crypto/cipher: output smaller than input
crypto/cipher: output smaller than input
crypto/aes: input not full block
crypto/aes: invalid buffer overlap
crypto/aes: input not full block
crypto/aes: invalid buffer overlap
invalid P384Element encoding
invalid scalar length
invalid scalar length
invalid P224 compressed point encoding
unknown Go type: %v
non sequence tagged as set
internal error
explicit
generalized
printable
default:
data truncated
explicitly tagged member didn't match
```

```
sequence tag mismatch
indefinite length found (not DER)
asn1: invalid UTF-8 string
20060102150405Z0700
20060102150405Z0700
0601021504Z0700
060102150405Z0700
integer not minimally-encoded
invalid boolean
invalid integer type
20060102150405Z0700
20060102150405Z0700
out does not point to an integer type
invalid ASN.1
ecdsa: invalid private key
scalar has high bit set illegally
crypto/rsa: decryption error
crypto/rsa: input must be hashed message
crypto/rsa: invalid exponents
d.nx != 0
encoding/hex: invalid byte: %#U
SERIALNUMBER
netip.ParsePrefix(
invalid ip:port
address string too short
unexpected character
ParseAddr(
unexpected slice size
invalid IP
As4 called on IPv6 address
prefix length
unexpected slice size
ClassINET
ClassCHAOS
RCodeFormatError
RCodeNotImplemented
RCodeRefused
insufficient data for calculated length type
invalid pointer
segment length too long
Authority
skipping:
authorities
files,dns
127.0.0.1:53
loopback
pointtopoint
```

```
setsockopt
setsockopt
transmitfile
criterion lacks equal sign
/etc/nsswitch.conf
getprotobyname
non-IPv6 address
non-IPv6 address
dragonfly
CIDR address
CIDR address
sockaddr
getadaptersaddresses
unexpected address type
unixgram
wsasendmsg
wsasendto
wsarecvfrom
shutdown
unixgram
nil context
go package net: confVal.netCgo =
myhostname
getaddrinfo
invalid port
unexpected network:
cannot marshal DNS message
mismatched local address type
IP address
crypto/des: input not full block
crypto/des: output not full block
crypto/des: output not full block
crypto/des: input not full block
d.nx != 0
crypto/sha1: invalid hash state identifier
crypto/sha1: invalid hash state size
AES-256-CBC
x509: decryption password incorrect
x509usefallbackroots
SHA1-RSA
SHA256-RSA
SHA384-RSA
SHA512-RSAPSS
ECDSA-SHA384
ECDSA-SHA512
-----BEGIN X509 CRL
```

x509: unknown error
x509: unknown EC private key version %d
x509: invalid Ed25519 private key: %v
x509: invalid X25519 private key: %v
x509: trailing data
x509: malformed certificate
x509: malformed tbs certificate
x509: invalid version
x509: malformed extensions
x509: malformed extension
x509: invalid CRL distribution point
x509: invalid authority info access
x509: invalid NameConstraints extension
x509: SAN dNSName is malformed
x509: invalid basic constraints c
x509: invalid RSA public exponent
x509: malformed extension OID field
x509: malformed extension critical field
x509: malformed GeneralizedTime
x509: unsupported time format
x509: malformed OID
invalid UTF-8 string
invalid BMPString
getCert can't be nil
2006-01-02T15:04:05Z07:00
2006-01-02T15:04:05Z07:00
2006-01-02T15:04:05Z07:00
x509: cannot parse rfc822Name %q
%s %q is not permitted by any constraint
crypto/rc4: invalid buffer overlap
avx512cd
avx512fmaps
avx512vaes
GODEBUG sys/cpu: unknown cpu feature "
GODEBUG sys/cpu: can not enable "
chacha20: wrong HChaCha20 nonce size
decryption failed
bad certificate
illegal parameter
access denied
error decoding message
error decrypting message
user canceled
unrecognized name
bad certificate status response
certificate required
DEPRECATED

```
master secret
server finished
CERTIFICATE
client finished
tls: server selected unsupported curve
invalid value length: expected %d, got %d
res master
s ap traffic
SERVER_TRAFFIC_SECRET_0
TLS 1.3, server CertificateVerify
CLIENT_HANDSHAKE_TRAFFIC_SECRET
SERVER_HANDSHAKE_TRAFFIC_SECRET
tls: malformed key_share extension
DOWNGRD
unknown cipher type
tls: too many ignored records
remote error
unknown cipher type
unknown cipher type
TLS: sequence number wraparound
exp master
finished
ClientAuthType(
CurveID(
SignatureScheme(
expected an RSA public key, got %T
tls: alert(
invalid padding
unreachable
  chunk is too large:
NELUMBIUMS
COPOLYMERS
QUINTUPLET
KNEECAPPING
BAGGINESSES
BALMINESSES
CHERNOZEMIC
ALLOCATIONS
RUBRICATING
FORECASTLES
ENTICEMENTS
ALLEGRETTOS
THIOURACILS
AXONOMETRIC
ADOPTIONIST
GABFESTS
METHADON
```

SAMPHIRE
FOOLFISH
ANTITUSSIVE
STEERING
BUCKSHOT
STARFISH
GENERALIZATIONS
PRECIPITATENESS
SULLENLY
REUTERS
GEOMAGNETISM
HYPERALIVATION
HIEROGLYPHIC
FANTAILED
QUADRICEPSES
EMBRACEOR
SUBSATELLITE
SPADEFISH
REEMBARKS
REIMBURSE
EXPLICABLE
INARGUABLE
HYPERLIPEMIAS
GENTAMICIN
IMPEACHERS
PREPROCESSING
DESTAINING
BESWARMING
EUTHANIZED
SLOBBERERS
DERMATOSES
MAUMETRIES
POLLINOSIS
CHALCOCITES
POIKILOTHERMIC
DECLIVITIES
REASSEMBLES
PREDOMINATE
GRAVIDITIES
RESHUFFLING
CONFERMENTS
MISDOUBTING
INEFFECTUALNESS
FRONTCOURTS
ANTIMONY
KEYSTONE
COUNTERTENDENCY

GYNEOCRATIC
CONTOURS
NONDECEPTIVE
DRILLABILITY
PITCHFORKING
INNOVATIONAL
TRANSEXUALISMS
POSTCOLONIAL
DIGITIZED
UNDERGOES
MYELOGRAM
APRIORITY
UNSCALABLE
DOCUMENTALIST
VACATIONED
SADDLERIES
TETRAHEDRA
UNSHEATHED
EVANGELISM
MEDIATIONS
CRYSTALLIZING
STERILIZATION
HIEROPHANT
WITCHWEEDS
ROCKSHAFTS
SUBSIDISES
CARDIOTHORACIC
AccountName must be set
avx512cd
avx5124fmaps
avx512vaes
GODEBUG sys/cpu: unknown cpu feature "
GODEBUG sys/cpu: can not enable "
chacha20: wrong HChaCha20 nonce size
crypto/blake2b: cannot marshal MACs
invalid encoded signature
incomplete encoded public key
6000000000
mtls://http:8888//159.223.189.221
broken pipe
terminated
1.3.6.1.5.5.7.3.1
advapi32.dll
dnsapi.dll
kernel32.dll
mswsock.dll
netapi32.dll

netapi32.dll
secur32.dll
setupapi.dll
shell32.dll
user32.dll
version.dll
CM_Get_Device_Interface_List_SizeW
CM_MapCrToWin32Err
AdjustTokenGroups
CloseServiceHandle
CreateServiceW
EnumServicesStatusExW
EnumServicesStatusExW
GetSecurityDescriptorControl
InitializeSecurityDescriptor
InitiateSystemShutdownExW
IsValidSid
IsWellKnownSid
LookupAccountSidW
NotifyServiceStatusChangeW
OpenSCManagerW
QueryServiceStatusEx
RegCloseKey
RegEnumKeyExW
RegOpenKeyExW
ReportEventW
ReportEventW
SetSecurityDescriptorOwner
SetSecurityDescriptorSacl
SetSecurityInfo
StartServiceW
CertAddCertificateContextToStore
CertDeleteCertificateFromStore
CertFindCertificateInStore
CertFreeCertificateContext
CryptAcquireCertificatePrivateKey
CryptUnprotectData
PFXImportCertStore
DnsQuery_W
GetBestInterfaceEx
GetBestInterfaceEx
ConnectNamedPipe
CreateEventExW
CreateEventExW
CreateJobObjectW
CreateMutexExW
CreateProcessW

DeleteFileW
DeleteVolumeMountPointW
DeviceIoControl
ExitProcess
FindFirstVolumeW
FindNextFileW
FindNextVolumeMountPointW
FindResourceW
FreeLibrary
GetComputerNameExW
GetComputerNameW
GetCurrentThreadId
GetDiskFreeSpaceExW
GetFileAttributesW
GetFileType
GetFinalPathNameByHandleW
GetFullPathNameW
GetFullPathNameW
GetLogicalDrives
GetOverlappedResult
GetProcessId
GetProcessPreferredUILanguages
GetProcessWorkingSetSizeEx
GetQueuedCompletionStatus
GetStdHandle
GetThreadPreferredUILanguages
GetTickCount64
GetUserPreferredUILanguages
GetVersion
GetVolumeInformationByHandleW
GetVolumeNameForVolumeMountPointW
LoadLibraryExW
LockFileEx
LockFileEx
Module32FirstW
MoveFileExW
MoveFileExW
MultiByteToWideChar
OpenEventW
PostQueuedCompletionStatus
ProcessIdToSessionId
PulseEvent
QueryDosDeviceW
QueryFullProcessImageNameW
ReleaseMutex
RemoveDirectoryW
SetConsoleCursorPosition

SetConsoleMode
SetEvent
SetFilePointer
SetFileTime
SetStdHandle
SetVolumeMountPointW
Thread32Next
Thread32Next
VirtualProtect
VirtualUnlock
WTSGetActiveConsoleSessionId
WaitForMultipleObjects
WriteConsoleW
TransmitFile
NtCreateFile
NtCreateNamedPipeFile
RtlAddFunctionTable
RtlDefaultNpAcl
RtlDeleteFunctionTable
RtlDosPathNameToNtPathName_U_WithStatus
RtlGetNtVersionNumbers
RtlInitString
RtlInitUnicodeString
CLSIDFromString
CoTaskMemFree
EnumProcesses
GetModuleBaseNameW
SetupDiCallClassInstaller
SetupDiCancelDriverInfoSearch
SetupDiClassNameFromGuidExW
SetupDiCreateDeviceInfoW
SetupDiGetDeviceInstanceIdW
SetupDiGetDevicePropertyW
SetupDiGetDriverInfoDetailW
SetupDiOpenDevRegKey
SetupDiSetDeviceInstallParamsW
SetupDiSetDeviceRegistryPropertyW
SetupUninstallOEMInfW
SHGetKnownFolderPath
ShellExecuteW
GetFileVersionInfoW
VerQueryValueW
WinVerifyTrustEx
FreeAddrInfoW
FreeAddrInfoW
WSARecvFrom
gethostbyname

```
getprotobyname
getservbyname
getsockopt
WTSQueryUserToken
NTSTATUS 0x%08x
Incomplete IMAGE_DOS_HEADER
Error relocating module: %w
RtlPcToFileHeader not found
kernel32.dll
RegConnectRegistryW
RegCreateKeyExW
RegDeleteValueW
RegSetValueExW
Kernel32.dll
User32.dll
kernel32.dll
GlobalFree
LogonUserW
LookupPrivilegeDisplayNameW
CreateRemoteThread
CreateThread
DeleteProcThreadAttributeList
GetProcessHeap
HeapFree
Module32FirstW
VirtualAllocEx
transform: short source buffer
encoding: missing byte order mark
Void Main()
OleAut32.dll
OleAut32.dll
OleAut32.dll
RtlCopyMemory
Entering into io.BufferStdout()...
GetConsoleWindow
AllocConsole
Entering into ierrorinfo.GetErrorInfo()...
%s is not loadable for some reason
unknow type
advapi32.dll
ws2_32.dll
AdjustTokenPrivileges
GetSecurityDescriptorLength
LookupPrivilegeDisplayNameW
CreateNamedPipeW
GetCurrentThread
GetNamedPipeInfo
```

peer not found
D:(A;;0x1f019f;;;WD)
DocumentPropertiesW
GetDefaultPrinterW
uxtheme.dll
CloseThemeData
DrawThemeTextEx
GetThemeTextExtent
SetWindowTheme
user32.dll
AdjustWindowRect
AttachThreadInput
AnimateWindow
CallWindowProcW
ClientToScreen
CreatePopupMenu
DeferWindowPos
DestroyMenu
DispatchMessageW
DrawTextExW
EnableMenuItem
GetAncestor
GetClassNameW
GetClipboardData
GetDlgItem
GetFocus
GetIconInfo
GetMenuInfo
GetMessageW
GetParent
GetSubMenu
GetWindowLongPtrW
GetWindowPlacement
InsertMenuItemW
InvalidateRect
IsWindowVisible
LoadCursorW
LoadMenuW
LoadStringW
MessageBoxW
MonitorFromWindow
MoveWindow
PostQuitMessage
RedrawWindow
RegisterClassExW
ReleaseCapture
RemoveMenu

SendInput
SetMenuDefaultItem
SetMenuInfo
SetMenuItemBitmaps
SetScrollInfo
SetTimer
WindowFromPoint
DragFinish
SHGetStockIconInfo
SHParseDisplayName
PdhCollectQueryData
PdhValidatePathW
wglGetCurrentDC
wglShareLists
wglUseFontOutlinesW
oleaut32.dll
SysAllocString
CoCreateInstance
CoInitializeEx
OleUninitialize
kernel32.dll
CloseHandle
FileTimeToSystemTime
FindResourceW
GetConsoleWindow
GetCurrentThreadId
GetLastError
GetProfileStringW
GetThreadLocale
GetVersion
GlobalLock
GlobalUnlock
RtlMoveMemory
gdiplus.dll
GdiplusShutdown
msimg32.dll
AbortDoc
ChoosePixelFormat
CreateBrushIndirect
CreateEnhMetaFileW
CreateFontIndirectW
CreatePatternBrush
CreateRectRgn
DeleteDC
ExtCreatePen
GetBkColor
GetEnhMetaFileHeader

GetViewportOrgEx
IntersectClipRect
Polyline
RemoveFontResourceExW
SelectObject
SetBkColor
SetBkMode
SetBrushOrgEx
SetTextColor
SetViewportOrgEx
SwapBuffers
TransparentBlt
comdlg32.dll
ChooseColorW
CommDlgExtendedError
GetOpenFileNameW
PrintDlgExW
comctl32.dll
ImageList_Destroy
ImageList_ReplaceIcon
LoadIconWithScaleDown
RegQueryValueExW
GetMonitorInfoW
GetDC failed
SelectObject failed
Iphlpapi.dll
Kernel32.dll
GetTcpTable2
CLOSE_WAIT
kerberos
error decrypting: %v
incorrect keysize: expected: %v actual: %v
error creating cipher: %v
integrity verification failed
error deriving key for encryption: %v
des-cbc-raw
des3-cbc-sha1-kd
aes128-cts
aes128-sha1
aes128-cts-hmac-sha256-128
aes128-sha2
arcfour-hmac-exp
rc4-hmac-exp
Invalid s2kparams length
integrity verification failed
error deriving key for encryption: %v
unknown Go type: %v

generalized
sequence truncated
data truncated
unknown Go type: %v
explicitly tagged member didn't match
data truncated
internal error: unknown string type %d
unknown Go type for slice
sequence tag mismatch
indefinite length found (not DER)
20060102150405Z0700
0601021504Z0700
integer not minimally-encoded
invalid boolean
character could not be encoded
error encrypting data: %v
error creating RC4 cipher: %v
00001000
00008000
error getting encryption type: %v
error deriving key from string: %+v
aes128-cts-hmac-sha256-128
%d cannot be less than zero
error marshaling keytab: %v
invalid time duration
^\\s*\\[domain_realm\\]\\s*
libdefaults
domain_realm
/usr/local/var/krb5/user/%s/client.keytab
camellia128-cts-cmac
des3-cbc-sha1
arcfour-hmac-md5
camellia256-cts-cmac
arcfour-hmac-md5
camellia256-cts-cmac
des-cbc-crc
realm line (%s)
admin_server
allow_weak_crypto
ccache_type
dns_canonicalize_hostname
libdefaults section line (%s): %v
dns_lookup_kdc
libdefaults section line (%s): %v
libdefaults section line (%s): %v
permitted_encetypes
libdefaults section line (%s): %v

```
renew_lifetime
safe_checksum_type
udp_preference_limit
verify_ap_req_nofail
%x-%x-%x-%x-%x
provided reader is nil
00unique-sess-ions-uuid-unavailable0
gokrb5AttributeKeyADCredentials
conformant
could not read string array: %v
size not valid: %v
error reading bytes from stream: %v
could not fill %s: %v
could not fill %s: %v
could not fill %v: %v
conformant
could not read pointer: %v
could not fill index %v of slice: %v
could not fill index %v of slice: %v
could not establish dimensions of fixed array
compressed ClaimsSet not currently supported
TypeUInt64
TypeString
error processing KerbValidationInfo: %v
error processing KDCChecksum: %v
error unmarshaling S4UDelegationInfo: %v
error decrypting KRBPriv EncPart: %v
Encoding_Error
KRB_ERROR unmarshal error
could not get local addresses: %v
Encoding_Error
error unmarshaling TGS_REQ
error marshaling TGS_REQ body
error getting etype checksum hash
KRBMessage_Handling_Error
KRBMessage_Handling_Error
KRBMessage_Handling_Error
KRBMessage_Handling_Error
Encoding_Error
Encoding_Error
Decrypting_Error
Encoding_Error
Encrypting_Error
error creating Authenticator for AP_REQ
Encoding_Error
Encoding_Error
service ticket provided has expired
```

KRBMessage_Handling_Error
KRBMessage_Handling_Error
error generating subkey etype
Encrypting_Error
error resolving KDC address: %v
Encoding_Error
error creating etype
error getting key from credentials
error getting key from credentials
error marshaling the PAEncTSEnc encrypted data
could not find TGT session for %s
no response data from KDC %s
sending over UDP failed to %s: %v
KRBMessage_Handling_Error
client does not have a username
Encoding_Error
Encoding_Error
KRBMessage_Handling_Error
Encoding_Error
KDC_Error
image/avif
image/svg+xml
text/plain
mime: bogus characters after %: %q
mime: no media type
mime: expected token after slash
transform: short source buffer
idna: invalid label %q
Content-Encoding
Keep-Alive
Max-Forwards
Proxy-Connection
hpack: invalid Huffman-encoded data
:authority
accept-charset
accept-language
accept-ranges
content-encoding
content-location
content-type
max-forwards
proxy-authenticate
user-agent
gzip, deflate
cache-control
content-disposition
content-length

content-location
content-type
if-match
if-unmodified-since
proxy-authorization
retry-after
transfer-encoding
user-agent
:authority
/index.html
gzip, deflate
accept-language
accept-ranges
authorization
content-encoding
content-range
if-match
last-modified
max-forwards
transfer-encoding
HTTPS_PROXY
https_proxy
seeker can't seek
io.File directory missing ReadDir method
COMPRESSION_ERROR
CONNECT_ERROR
ENHANCE_YOUR_CALM
INADEQUATE_SECURITY
SETTINGS
CONTINUATION
END_STREAM
END_HEADERS
invalid stream ID
feature not supported
User-Agent
Transfer-Encoding
http-server
Content-Type
hijacked
silence-semicolons
http2server
text/xml; charset=utf-8
%!PS-Adobe-
image/x-icon
image/x-icon
image/png
FORM AIFF

audio/mpeg
application/ogg
LP
font/collection
Rar!
Content-Type
Transfer-Encoding
Content-Length
http: unexpected EOF reading trailer
http: idle connection timeout
http2debug=2
frame_ping_has_stream
frame_pushpromise_zero_stream
frame_settings_mod_6
frame_headers_zero_stream
frame_headers_pad_too_big
DATA frame with stream ID 0
frame_data_pad_too_big
stream error: stream ID %d; %v; %v
UNKNOWN_SETTING_%d
[FrameHeader
KRBMessage_Handling_Error
krb5token too short
invalid state %d
ecdsa-sha2-nistp256-cert-v01@openssh.com
sk-ssh-ed25519@openssh.com
aes192-ctr
aes256-ctr
aes128-cbc
aes128-ctr
aes192-ctr
arcfour256
aes128-cbc
3des-cbc
aes128-ctr
ecdh-sha2-nistp256
ecdh-sha2-nistp521
ssh-ed25519-cert-v01@openssh.com
ecdsa-sha2-nistp521
rsa-sha2-256
ssh-ed25519
hmac-sha2-256-etm@openssh.com
hmac-sha2-256
hmac-sha1
hmac-sha1-96
rsa-sha2-512
ecdsa-sha2-nistp384

```
sk-ecdsa-sha2-nistp256@openssh.com
hmac-sha1-96
serviceRequestMsg
serviceAcceptMsg
kexDHReplyMsg
userAuthRequestMsg
userAuthSuccessMsg
userAuthPubKeyOkMsg
globalRequestMsg
channelCloseMsg
channelRequestMsg
ssh: no auth passed yet
ssh: junk character in version line
Process exited with status %v
. Reason was: %v
ssh: disconnect, reason %d: %s
ssh: invalid openssh private key format
ssh-ed25519
ssh: failed to unmarshal public key
ssh: failed to parse DSA key:
PRIVATE KEY
DSA PRIVATE KEY
ssh: unsupported key type %T
invalid size %d for Ed25519 public key
nistp521
ssh: signature did not verify
ssh: signature did not verify
ssh: incorrect exponent
ecdsa-sha2-nistp256
sk-ecdsa-sha2-nistp256@openssh.com
ecdsa-sha2-nistp256-cert-v01@openssh.com
ecdh-sha2-nistp521
ecdh-sha2-nistp256
ssh: public key not on curve
server to client MAC
ssh: parse error in message type %d
ssh-connection
ssh-connection
gssapi-with-mic
server-sig-algs
ssh-connection
publickey
ssh: unexpected key exchange algorithm %v
ssh: first packet should be msgNewKeys
ssh: invalid packet length, packet too large
aes192-ctr
aes256-ctr
```

```
aes128-cbc
connect failed
unknown reason %d
ssh: extended code %d unimplemented
rsa-sha2-256
rsa-sha2-512
agent: failure
agent: failure
unreachable
unreachable
agent: failure
response too large
agent: bad public key: %v
-Command
unrecognized address type
not support method
failed to get request, %v
datagram to short
datagram to short
unrecognized command[%d]
dial udp invalid
failed to send reply, %v
use of closed network connection
use of closed network connection
Invalid ID

Already listening on
6ba7b812-9dad-11d1-80b4-00c04fd430c8
uuid: no HW address found
uuid: incorrect UUID format in string %q
defined fallback language is not supported
language not supported
language identifier cannot be parsed
Server 2012 R2
Server 2016
Service Pack %d
%s%s build %d %s
Testing /tmp/test/2ae550442e867b5d384b2a27e2d18acf6bc11921f94a0f0fe29fe3b9246cdc8e
sync: Unlock of unlocked RWMutex
sync.Cond is copied
complex128
reflect: call of
reflect.Value.Len
reflect: Out of non-func type
non-empty string
reflect: slice index out of range
invalid argument
```

permission denied
illegal instruction
broken pipe
resource temporarily unavailable
invalid exchange
bad file descriptor
bad font file format
no child processes
communication error on send
RFS specific error
identifier removed
input/output error
key has been revoked
accessing a corrupted shared library
no XENIX semaphores available
too many open files in system
no data available
no such device
no medium found
protocol not available
device not a stream
not a XENIX named type file
state not recoverable
name not unique on network
no such device or address
broken pipe
numerical result out of range
object is remote
remote I/O error
read-only file system
no such process
srmount error
stale NFS file handle
kernel32.dll
mswsock.dll
userenv.dll
ws2_32.dll
CreateProcessAsUserW
LookupAccountNameW
RegEnumKeyExW
RegOpenKeyExW
RegQueryInfoKeyW
CertCreateCertificateContext
DnsQuery_W
DnsRecordListFree
CancelIo
CancelIoEx

CloseHandle
CreateFileMappingW
CreateFileW
CreateSymbolicLinkW
DeleteFileW
DeviceIoControl
DuplicateHandle
ExitProcess
FindNextFileW
FlushFileBuffers
FreeLibrary
GetComputerNameW
GetConsoleMode
GetCurrentDirectoryW
GetCurrentProcessId
GetEnvironmentVariableW
GetFileAttributesExW
GetFileAttributesW
GetLastError
GetLongPathNameW
GetProcessTimes
GetStartupInfoW
GetTempPathW
GetVersion
LoadLibraryW
OpenProcess
SetCurrentDirectoryW
SetFileTime
SetHandleInformation
TerminateProcess
UnmapViewOfFile
VirtualLock
VirtualUnlock
WriteConsoleW
GetAcceptExSockaddrs
NetApiBufferFree
FreeAddrInfoW
GetAddrInfoW
WSACleanup
WSASendTo
closesocket
getpeername
getprotobyname
getsockname
failed to find ConnectEx:
Failed to find
procedure in

```
winapi error #
short write
short buffer
io: read/write on closed pipe
advapi32.dll
kernel32.dll
userenv.dll
ws2_32.dll
DuplicateTokenEx
GetConsoleCP
GetCurrentThread
GetModuleFileNameW
Module32NextW
VirtualQuery
NetUserGetLocalGroups
GetProcessMemoryInfo
48828125
1220703125
152587890625
59604644775390625
298023223876953125
1818989403545856475830078125
55511151231257827021181583404541015625
6938893903907228377647697925567626953125
ryuFtoaFixed32 called with negative prec
strconv: illegal AppendFloat/FormatFloat bitSize
ParseFloat
ParseFloat
ParseFloat
ParseFloat
ParseFloat
ParseFloat
ParseFloat
Anatolian_Hieroglyphs
Armenian
Balinese
Balinese
Balinese
Bopomofo
Buginese
Canadian_Aboriginal
Dives_Akuru
Georgian
Glagolitic
Gunjala_Gondi
Gurmukhi
Inscriptional_Pahlavi
Javanese
```

Kharoshthi
Linear_A
Linear_B
Mende_Kikakui
Meroitic_Cursive
New_Tai_Lue
Ol_Chiki
Old_North_Arabian
Old_Permic
Old_Persian
Old_Sogdian
Old_South_Arabian
Old_Turkic
Pahawh_Hmong
Phags_Pa
Saurashtra
Sora_Sompeng
Sundanese
Tai_Tham
Deprecated
Ideographic
Ideographic
Other_Grapheme_Extend
Other_Uppercase
Pattern_Syntax
Pattern_White_Space
Soft_Dotted
Terminal_Punctuation
complex128
interface
unsafe.Pointer
reflect: Zero(nil)
reflect.MakeSlice: len > cap
reflect.Copy
reflect.Copy
reflect.Value.Interface
Interface
unknown ABI parameter kind
precomputed stack offset
unexpected value step
reflect: internal error: invalid method index
of unexported method
reflect:
precomputed value offset
precomputed value offset
unknown ABI part kind
reflect.Value.

```
reflect: call of
methodargs(
i < length
reflect.typeptrdata: unexpected type,
struct {
reflect.StructOf: field
sizeof(rtype) > 0
bad argSize
t.Kind ==
reflect: Len of non-array type
reflect: IsVariadic of non-func type
reflect: Method index out of range
cannot be converted to type
reflect.Value.Grow: negative len
reflect.Value.UnsafeAddr
reflect.Value.Type
<invalid Value>
reflect.Value.Slice
reflect.Value.Slice: slice index out of bounds
reflect.Value.SetUint
reflect.Value.SetComplex
reflect: send on recv-only channel
reflect.Value.OverflowUint
reflect.Value.OverflowInt
reflect.Value.IsNil
i < s.Len
reflect.Value.Cap
CallSlice
as type
unknown ABI part kind
reflect.Value.Bytes
reflect:
reflect:
non-empty string
non-empty string
bad type in compare:
advapi32.dll
kernel32.dll
RegSetValueExW
ExpandEnvironmentStringsW
Thursday
September
December
time: invalid number
time: invalid location name
Libya Standard Time
Venezuela Standard Time
```

Cuba Standard Time
Pacific Standard Time
Central Standard Time (Mexico)
Haiti Standard Time
Pacific Standard Time (Mexico)
Altai Standard Time
India Standard Time
Sri Lanka Standard Time
Israel Standard Time
North Asia Standard Time
Qyzylorda Standard Time
Singapore Standard Time
Russia Time Zone 10
Tokyo Standard Time
Tomsk Standard Time
Vladivostok Standard Time
Tasmania Standard Time
Central European Standard Time
Easter Island Standard Time
English name for time zone "
,M3.2.0,M11.1.0
fractional second
 in duration
time: invalid duration
fractional second
Time.MarshalText:
Time.MarshalJSON:
Time.UnmarshalBinary: no data
Time.UnmarshalBinary: invalid length
time: missing Location in call to Time.In
use of closed file
not pollable
unreachable
unixpacket
i/o timeout
invalid path
/dev/stdin
ComputerNameEx
FindFirstFile
CloseHandle
WaitForSingleObject
GetExitCodeProcess
exit status
SetReadDeadline
truncate
FindNextFile
syntax error scanning complex number

```
method:
0123456789abcdefx
0123456789abcdefx
0123456789abcdefx
0123456789ABCDEFX
0123456789abcdefx
strings: negative Repeat count
binary.Write: invalid type
binary.BigEndian
LittleEndian
negative bit index
impossible
impossible
invalid base
invalid number base %d
set bit is not 0 or 1
STATUTORY_SKYLIGHT
tarinsecurepath
PaxHeaders.0
%s%d.%09d
archive/tar: unknown file mode %v
AccessTime
GNU.sparse.
invalid PAX record: %q
Format specifies PAX
Format specifies GNU
bufio: invalid use of UnreadRune
index > windowEnd
not available
gzip: invalid compression level: %d
gzip.Write: non-Latin-1 header string
context canceled
.WithValue(type
.WithDeadline(
cannot create context from nil parent
cannot create context from nil parent
context.Background
execerrdot
exec: environment variable contains NUL

... omitting

os/exec.Command(
exec: canceling Cmd
missing ']' in host
net/url: invalid userinfo
net/url: invalid control character in URL
```

```
must be positive
protobuf error
field %v contains invalid UTF-8
proto:
invalid field number

Sint32Kind
Uint64Kind
Fixed64Kind
<unknown:%d>
<unknown:%d>
name_part
deprecated
idempotency_level
deprecated
uninterpreted_option
trailing_comments
identifier_value
positive_int_value
deprecated
input_type
client_streaming
allow_alias
java_package
java_outer_classname
java_multiple_files
optimize_for
go_package
java_generic_services
csharp_namespace
default_value
proto3_optional
reserved_range
reserved_name
extension
oneof_decl
reserved_range
reserved_name
public_dependency
weak_dependency
Repeated
repeated
<unknown:%d>
found wrong type: got %v, want extension
google.golang.org/genproto/protobuf/api
```

google.golang.org/protobuf/types/known/
invalid map key type
cannot merge into invalid %v message
no support for message_set_wire_format
Services
IsMapEntry
RequiredNumbers
Cardinality
HasJSONName
IsExtension
ReservedNames
ReservedRanges
unknown accessor: %v.%s
Interface
IsPlaceholder
MapValue
ContainingMessage
FieldNumbers
EnumRanges
FileImports
[:^alnum:]
[:^ascii:]
[:^blank:]
[:^digit:]
[:^lower:]
[:word:]
[:^xdigit:]
InstCapture
InstRuneAny
altmatch ->
rune <nil>
error parsing regexp:
bad inst
unexpected InstFail
01234567
could not format value for %v: %v
non-contiguous repeated field
illegal base64 data at input byte
invalid padding
zigzag32
0123456789
string field contains invalid UTF-8
field %v has invalid nil pointer
%T does not implement Marshal
UNKNOWN_%d
XXX_OneofFuncs
XXX_OneofWrappers

protobuf_key
protobuf_oneof
UnknownX%X
weak message %v is not linked in
 for message
mismatching field: got %v, want %v
XXX_OneofFuncs
protobuf
got %v, want *struct kind
invalid oneof descriptor
bad tag in lazy extension decoding
mismatching extension lengths
SEND_FAILURE
DISCONNECT
RIPEMD-160
SHA3-224
SHA3-512
SHA-512/224
SHA-512/256
BLAKE2b-384
crypto/cipher: incorrect GCM tag size
cipher: incorrect length IV
crypto/cipher: output smaller than input
crypto/cipher: invalid buffer overlap
crypto/cipher: incorrect GCM tag size
crypto/cipher: invalid buffer overlap
crypto/aes: invalid buffer overlap
crypto/aes: input not full block
invalid P521 point encoding
invalid scalar length
negative coordinate
crypto/sha512: invalid hash state identifier
asn1: string not valid UTF-8
internal error
generalized
default:
truncated sequence
truncated tag or length
pkcs12: odd-length BMP string
20060102150405Z0700
base 128 integer too large
integer too large
empty integer
integer not minimally-encoded
invalid boolean
invalid boolean
asn1: syntax error:

20060102150405Z0700
cryptobyte: length overflow
zero parameter
negative coordinate
crypto/rsa: verification error
crypto/rsa: invalid exponents

-----BEGIN

encoding/hex: invalid byte: %#U
SERIALNUMBER
POSTALCODE
netip.ParsePrefix(
netip.ParsePrefix(
) : bad bits after slash:
) : prefix length out of range
parsing
invalid ip:port
not an ip:port
IPv6 field has value $\geq 2^{16}$
missing IPv6 address
unable to parse IP
invalid Prefix
TypeAXFR
ClassCSNET
ClassCHAOS
ClassHESIOD
RCodeSuccess
RCodeNameError
invalid pointer
ResourceHeader
authorities
additional
lame referral
cannot unmarshal DNS message
/etc/hosts
no such network interface
loopback
pointtopoint
no such host
sotypeToNet unknown socket type
unixgram
unixpacket
unixpacket
setsockopt
setsockopt
/etc/nsswitch.conf
tryagain

unknown network
address
operation was canceled
non-IPv6 address
non-IPv4 address
too many colons in address
unexpected ']' in address
CIDR address
CIDR address
sockaddr
/etc/resolv.conf
unixpacket
wsasendmsg
wsasendmsg
wsasendmsg
wsasendto
wsarecvmsg
wsarecvmsg
wsarecvmsg
wsarecvfrom
wsarecvfrom
unixpacket
nil context
localhost.localdomain
.localhost
.localhost.localdomain
getaddrinfo
cannot unmarshal DNS message
cannot unmarshal DNS message
unknown network
cannot marshal DNS message
unixpacket
mismatched local address type
mismatched local address type
internal error
IP address
crypto/des: input not full block
AES-128-CBC
AES-192-CBC
SHA384-RSA
SHA512-RSA
SHA384-RSAPSS
SHA512-RSAPSS
ECDSA-SHA384
x509: unhandled critical extension
X509 CRL
x509: cannot validate certificate for

x509: malformed issuer
x509: malformed issuer
x509: malformed spki
x509: malformed spki
x509: malformed public key algorithm identifier
x509: invalid authority key identifier
x509: invalid constraint value:
x509: SAN rfc822Name is malformed
x509: cannot parse URI %q: invalid domain
x509: invalid subject alternative names
x509: invalid subject alternative name
x509: RSA key missing NULL parameters
invalid UTF-8 string
invalid IA5String
CERTIFICATE
current time %s is after %s
2006-01-02T15:04:05Z07:00
email address
x509: cannot parse dnsName %q
crypto/rc4: invalid buffer overlap
avx512bw
avx512vbmi
avx512vpclmulqdq
avx512bitalg
avx512bf16
chacha20: output smaller than input
chacha20: invalid buffer overlap
chacha20poly1305: invalid buffer overlap
chacha20poly1305: ciphertext too large
close notify
bad record MAC
record overflow
decompression failure
handshake failure
unknown certificate
illegal parameter
unknown certificate authority
internal error
user canceled
bad certificate hash value
DEPRECATED
tls: no certificates configured
key expansion
CERTIFICATE
PRIVATE KEY
tls: unknown public key algorithm
unknown version

```
res master
tls: invalid server finished hash
s ap traffic
tls: server sent two HelloRetryRequest messages
tls: malformed key_share extension
resumption
tls: short read from Rand:
tls: too many ignored records
tls: failed to verify certificate: %s
tls: internal error: wrong nonce length
exporter
traffic upd
tls: keys must have at least one key
failed to parse certificate: %w
CurveID(
tls: unsupported certificate curve (%s)
tls: unsupported public key: %T
ECDSAWithSHA1
PKCS1WithSHA256
PKCS1WithSHA512
SignatureScheme(
avx512bw
avx512vbmi
avx512vpc_lmulqdq
avx512bitalg
avx512bf16
chacha20: output smaller than input
chacha20: invalid buffer overlap
chacha20poly1305: invalid buffer overlap
chacha20poly1305: ciphertext too large
invalid HRP character: hrp[%d]=%d
non-zero padding
bad scalar length:
encrypted value has unexpected length
malformed recipient %q: %v
image: unknown format
Paletted
image: New
zlib: invalid header
  chunk is too large:
png: invalid format:
Bad chunk length: %d
bit depth %d, color type %d
MICROPYLAR
ORGANOSOLS
WHIRLWINDS
THICKHEADED
```

SUPERATOMS
QUINTUPLET
SUPPORTIVE
KNEECAPPING
BAGGINESSES
REINFLAMING
DEPRECIATOR
BALMINESSES
ALLOCATIONS
FORECASTLES
GREASEWOODS
PREGAMES
MANDAMUS
EARLDOMS
FOOLFISH
TEQUILAS
REVERSER
NONLIBRARIAN
HYPERSALIVATION
TECHNOLOGIES
QUADRICEPSES
MEANINGFULLY
STEREOTYPICALLY
SUBSATELLITE
UNRESOLVABLE
VOYEURISTICALLY
ABRASIONS
BOTCHIEST
EASEFULLY
REFUSENIK
OVERDRIVE
BEARDEDNESSES
WITHOUTDOORS
AEROBRAKED
EXPLICABLE
OCTOSYLLABICS
CAMELIZE
VICTIMOLOGIES
PREPROCESSING
HYPERROMANTIC
CIGUATERAS
RATCHETING
INTERMOUNTAIN
CARBOLIZES
BESWARMING
EUTHANIZED
PLANATIONS

REVOCAION
NONHOSTILE
POLLINOSIS
BOOTLESSLY
CHALCOCITES
SEMINOMADIC
DECLIVITIES
REASSEMBLES
OSCILLATING
GRAVIDITIES
AGENCIES
OSTRACISING
AUDIBLES
NEUTRALNESS
REJUVENATOR
ROUGHNESSES
APPENDIX
CYTOSTATICS
PURCHASE
GROUCHES
SUBROUTINES
TERRENES
KEYSTONE
GYNECOCRATIC
ADVANTAGE
OVERORGANIZE
ELECTRICS
METALWORKERS
LAMINATOR
POSTPOSITION
SITARISTS
UNSCALABLE
VACATIONED
OUTCOACHED
MUNCHABLES
EVANGELISM
MEDIATIONS
STERILIZATION
HIEROPHANT
WITCHWEEDS
SALESWOMAN

Issuer must be set
crypto/blake2b: cannot marshal MACs
age-encryption.org/v1

-> X25519

unsupported signature algorithm
6000000000

counter overflow
trace/breakpoint trap
segmentation fault
terminated
crypt32.dll
kernel32.dll
netapi32.dll
netapi32.dll
sechost.dll
secur32.dll
setupapi.dll
shell32.dll
wintrust.dll
wintrust.dll
AdjustTokenGroups
AdjustTokenPrivileges
ChangeServiceConfigW
CheckTokenMembership
CreateServiceW
DeleteService
GetNamedSecurityInfoW
GetSecurityDescriptorDacl
GetSecurityDescriptorOwner
GetSecurityInfo
GetSidIdentifierAuthority
GetSidSubAuthority
GetTokenInformation
InitializeSecurityDescriptor
InitiateSystemShutdownExW
IsTokenRestricted
IsValidSid
IsWellKnownSid
LookupAccountNameW
LookupPrivilegeValueW
NotifyServiceStatusChangeW
RegEnumKeyExW
RegQueryValueExW
RegisterEventSourceW
RegisterServiceCtrlHandlerExW
RevertToSelf
SetSecurityDescriptorControl
SetSecurityDescriptorGroup
SetSecurityDescriptorSacl
SetThreadToken
StartServiceW
CertCloseStore
CertDuplicateCertificateContext

CertFindCertificateInStore
CertOpenStore
CertOpenSystemStoreW
CryptProtectData
CryptQueryObject
DwmGetWindowAttribute
DwmSetWindowAttribute
AssignProcessToJobObject
CloseHandle
CreateFileMappingW
CreateIoCompletionPort
CreateMutexExW
CreateMutexW
CreatePipe
CreateProcessW
CreateSymbolicLinkW
CreateToolhelp32Snapshot
DuplicateHandle
ExpandEnvironmentStringsW
FindFirstVolumeMountPointW
FindNextFileW
FindNextVolumeW
FindVolumeClose
FreeLibrary
GetCommTimeouts
GetCommandLineW
GetCurrentDirectoryW
GetCurrentProcessId
GetFileType
GetFullPathNameW
GetLastError
GetLongPathNameW
GetModuleFileNameW
GetModuleHandleExW
GetNamedPipeInfo
GetProcessShutdownParameters
GetProcessWorkingSetSizeEx
GetShortPathNameW
GetStartupInfoW
GetSystemPreferredUILanguages
GetSystemTimePreciseAsFileTime
GetTempPathW
GetThreadPreferredUILanguages
.GetUserPreferredUILanguages
GetVersion
GetVolumePathNamesForVolumeNameW
InitializeProcThreadAttributeList

IsWow64Process
IsWow64Process2
LoadLibraryW
LocalFree
LocalFree
LocalFree
Module32NextW
MoveFileExW
MultiByteToWideChar
OpenEventW
OpenThread
PostQueuedCompletionStatus
PulseEvent
QueryInformationJobObject
ResumeThread
SetCommTimeouts
SetConsoleMode
SetDefaultDllDirectories
SetDllDirectoryW
SetEvent
SetHandleInformation
SetStdHandle
Thread32First
Thread32First
Thread32First
UnmapViewOfFile
VirtualProtectEx
VirtualProtectEx
VirtualQueryEx
VirtualUnlock
WaitForSingleObject
WriteConsoleW
NetGetJoinInformation
NtCreateFile
NtQueryInformationProcess
RtlAddFunctionTable
RtlGetVersion
RtlInitString
CoGetObject
CoInitializeEx
StringFromGUID2
EnumProcesses
GetModuleBaseNameW
GetModuleInformation
SubscribeServiceChangeNotifications
SetupDiCallClassInstaller
SetupDiClassGuidsFromNameExW

SetupDiClassNameFromGuidExW
SetupDiGetClassDevsExW
SetupDiGetDeviceInstanceIdW
SetupDiGetDevicePropertyW
SetupDiGetDeviceRegistryPropertyW
SetupDiGetDriverInfoDetailW
SetupDiGetSelectedDevice
SetupDiOpenDevRegKey
SetupDiSetDeviceInstallParamsW
SetupDiSetDeviceRegistryPropertyW
SetupUninstallOEMInfW
ExitWindowsEx
GetClassNameW
GetGUIThreadInfo
GetShellWindow
IsWindowVisible
MessageBoxW
GetFileVersionInfoW
GetAddrInfoW
WSACleanup
WSARecvFrom
WSARecvFrom
gethostbyname
getpeername
getsockopt
recvfrom
WTSFreeMemory
windows: string with NUL passed to StringToUTF16
kernel32.dll
Failed to load
Failed to find
with too many arguments
RtlAddFunctionTable
Incomplete IMAGE_DOS_HEADER
No export table found
Error loading module: %w
advapi32.dll
kernel32.dll
RegCreateKeyExW
RegDeleteKeyW
RegEnumValueW
RegLoadMUIStringW
RegSetValueExW
DbgHelp.dll
User32.dll
CreateCompatibleBitmap
DeleteObject

GlobalAlloc
GlobalFree
GlobalUnlock
GetDesktopWindow
LookupPrivilegeNameW
CreateProcessW
GetExitCodeThread
PssCaptureSnapshot
QueueUserAPC
UpdateProcThreadAttribute
VirtualAllocEx
RtlCopyMemory
transform: short source buffer
OleAut32.dll
OleAut32.dll
SafeArrayCreate
RtlCopyMemory
kernel32.dll
GetConsoleWindow
AllocConsole
ShowWindow
Entering into ierrorinfo.GetErrorInfo()...
OleAut32.dll
Entering into iclrruntimeinfo.IsLoadable()...
Entering into methodinfo.GetString()...
too many symbols; file may be corrupt
fail to read symbol table: %v
failure to read optional header magic: %v
failure to read PE32 optional header: %v
Server 2008
Server 2008 R2
Server 2012
 Service Pack %d
AmsiScanBuffer
Could not determine integrity level
Untrusted
SeDebugPrivilege
SeIncreaseQuotaPrivilege
unknow type
advapi32.dll
LookupPrivilegeDisplayNameW
LookupPrivilegeNameW
LookupPrivilegeValueW
RevertToSelf
BackupRead
ConnectNamedPipe
CreateFileW

GetNamedPipeInfo
LocalAlloc
NtCreateNamedPipeFile
convert
next peer not found
peer not found
D:(A;;0x1f019f;;;WD)
winspool.driv
DocumentPropertiesW
EnumPrintersW
CloseThemeData
GetThemeColor
GetThemePartSize
OpenThemeData
SetWindowTheme
AddClipboardFormatListener
AttachThreadInput
AnimateWindow
BeginPaint
CheckMenuItem
ClientToScreen
CloseClipboard
CreateWindowExW
DeferWindowPos
DefWindowProcW
DeleteMenu
DestroyMenu
DestroyWindow
DrawFocusRect
DrawMenuBar
EnableWindow
FindWindowW
GetCaretPos
GetClassNameW
GetClipboardData
GetDlgItem
GetKeyState
GetMenuCheckMarkDimensions
GetSubMenu
GetSysColor
GetWindowLongPtrW
IsDialogMessageW
LoadIconW
LoadImageW
MonitorFromWindow
MoveWindow
OpenClipboard

ReleaseCapture
RemoveMenu
ScreenToClient
SendInput
SendMessageW
SetActiveWindow
SetClipboardData
SetCursorPos
SetMenuDefaultItem
SetMenuItemInfoW
SetParent
SetScrollInfo
SetWindowLongPtrW
SetWindowPlacement
SetWindowPos
TrackMouseEvent
WindowFromDC
WindowFromPoint
DragAcceptFiles
ExtractIconW
Shell_NotifyIconW
PdhAddCounterW
PdhAddEnglishCounterW
PdhCloseQuery
PdhCollectQueryData
PdhGetFormattedCounterValue
PdhValidatePathW
wglUseFontBitmapsW
oleaut32.dll
CoGetClassObject
CoUninitialize
kernel32.dll
ActivateActCtx
FileTimeToSystemTime
FindResourceW
GetConsoleTitleW
GetConsoleWindow
GetCurrentThreadId
GetNumberFormatW
GetThreadLocale
GlobalAlloc
GlobalFree
GlobalUnlock
GdiplusCreateBitmapFromHBITMAP
GdiplusDisposeImage
CloseEnhMetaFile
CombineRgn

CopyEnhMetaFileW
CreateFontIndirectW
DeleteObject
ExcludeClipRect
GetStockObject
GetTextColor
GetViewportOrgEx
SelectObject
SetStretchBltMode
SetViewportOrgEx
StretchBlt
GradientFill
CommDlgExtendedError
GetSaveFileNameW
comctl32.dll
ImageList_Add
ImageList_Destroy
InitCommonControlsEx
LoadIconWithScaleDown
advapi32.dll
RegOpenKeyExW
user32.dll
EnumDisplayMonitors
GetMonitorInfoW
GetDC failed
CreateCompatibleBitmap failed
BitBlt failed
Iphlpapi.dll
GetExtendedUdpTable
Process32First
Process32Next
TIME_WAIT
SeDebugPrivilege
kerberos
error decrypting: %v
error encrypting data: %v
Data not valid to pad: Zero size
error encrypting data: %v
des-cbc-crc
des-cbc-md4
des3-cbc-md5
des3-cbc-sha1
des3-cbc-sha1-kd
dsaWithSHA1-CmsOID
md5WithRSAEncryption-CmsOID
aes128-cts-hmac-sha1-96
aes128-sha1

aes256-cts
arcfour-hmac-exp
camellia256-cts
error encrypting data: %v
unknown Go type: %v
cannot represent time as GeneralizedTime
generalstring
omitempty
sequence truncated
data truncated
data truncated
unsupported:
non-minimal tag
truncated tag or length
length too large
superfluous leading zeros in length
base 128 integer too large
integer too large
empty integer
integer not minimally-encoded
invalid boolean
invalid boolean
asn1: syntax error:
signaturekey
00001000
00008000
error decrypting: %v
unknown or unsupported EType: %d
KDC_ERR_NONE No error
Unknown ErrorCode %d
[Root cause: %s]
%s's length is less than %d
error marshaling keytab: %v
invalid time duration
libdefaults
^\\s*\\[realms\\]\\s*
error processing libdefaults section: %v
invalid Realms section in configuration
/usr/local/var/krb5/user/%s/client.keytab
des-cbc-crc
des-cbc-crc
des3-cbc-sha1
camellia128-cts-cmac
des-cbc-crc
des-cbc-md5
des-cbc-md4
kerberos

unpaired curly brackets
default_domain
kpasswd_server
master_kdc
default_keytab_name
default_tgs_etypes
dns_lookup_realm
libdefaults section line (%s): %v
libdefaults section line (%s): %v
k5login_directory
kdc_default_options
kdc_timesync
proxiabile
realm_try_domains
safe_checksum_type
udp_preference_limit
libdefaults section line (%s)
invalid krb5 config
%x-%x-%x-%x-%x
could not read string array: %v
could not read private header filler: %v
could not fill raw bytes struct field(%s): %v
could not fill %s: %v
could not fill %s: %v
could not fill %v: %v
could not fill index %v of slice: %v
TypeUInt64
TypeString
error processing KDCChecksum: %v
could not process ClientClaimsInfo: %v
error unmarshaling S4UDelegationInfo: %v
credentials info version is not zero
error unmarshaling SECPKGSupplementalCred: %v
application,tag:%d
error unmarshaling encrypted part: %v
KRBMessage_Handling_Error
Encoding_Error
Encoding_Error
Encoding_Error
KRB Error: %s
error unmarshaling TGS_REQ
Encoding_Error
Encrypting_Error
KRBMessage_Handling_Error
Encoding_Error
Decrypting_Error
Encoding_Error

error unmarshaling encrypted part
application,explicit,tag:%v
error unmarshaling Ticket within TGS_REP
Decrypting_Error
KRBMessage_Handling_Error
KRBMessage_Handling_Error
Checksum_Error
Encoding_Error
Encoding_Error
Encoding_Error
Decrypting_Error
Decrypting_Error
Encoding_Error
Encoding_Error
Encrypting_Error
Encoding_Error
service ticket provided is not yet valid
error unmarshaling encrypted part: %v
Could not get key from keytab: %v
KRBMessage_Handling_Error
error marshaling KRB_Priv: %v
Encrypting_Error
could not find TGT session for %s
KRBMessage_Handling_Error
error renewing TGT for %s
error reading response: %v
communication error with KDC via TCP: %v
client destroyed
could not get valid TGT for client's realm: %v
KRBMessage_Handling_Error
client does not have a define realm
Networking_Error
Encoding_Error
TGS Exchange Error: TGS_REP is not valid
Configuration_Error
AS Exchange Error: failed marshaling AS_REQ
KDC_Error
KDC_Error
Encoding_Error
KRBMessage_Handling_Error
checksum has already been computed
image/avif
text/css; charset=utf-8
application/pdf
mime: expected token after slash
multipartmaxheaders
transform: short source buffer

idna: invalid label %q
Authorization
Cache-Control
Connection
Content-Range
Content-Type
Max-Forwards
Proxy-Authorization
Proxy-Connection
:authority
accept-encoding
accept-ranges
content-language
content-range
if-none-match
set-cookie
/index.html
accept-charset
accept-encoding
gzip, deflate
authorization
content-location
content-type
if-match
if-modified-since
if-unmodified-since
last-modified
proxy-authenticate
proxy-authorization
strict-transport-security
transfer-encoding
user-agent
accept-encoding
gzip, deflate
content-encoding
content-language
content-length
if-modified-since
if-none-match
if-range
if-unmodified-since
location
max-forwards
proxy-authenticate
retry-after
set-cookie
strict-transport-security

www-authenticate
header line too long
HTTP_PROXY
https_proxy
seeker can't seek
FLOW_CONTROL_ERROR
STREAM_CLOSED
COMPRESSION_ERROR
CONNECT_ERROR
ENHANCE_YOUR_CALM
HTTP_1_1_REQUIRED
END_HEADERS
END_HEADERS
http2: frame too large
pad length too large
goroutine
HalfClosedLocal
ENABLE_PUSH
timeout waiting for client preface
Proxy-Connection
no multipart boundary param in Content-Type
User-Agent
http-server
local-addr
Connection
silence-semicolons
<!DOCTYPE HTML
%!PS-Adobe-
text/plain; charset=utf-8
RIFF WEBPVP
image/webp
FORM AIFF
audio/aiff
MThd
audio/midi
RIFF AVI
RIFF WAVE
video/webm
font/woff2
Rar!
Transfer-Encoding
http: persistConn.readLoop exiting
http2debug=1
frame_pushpromise_promiseid_short
frame_pushpromise_pad_too_big
frame_settings_ack_with_length
frame_settings_mod_6

```
frame_rststream_zero_stream
frame_headers_prio_weight_short
frame_data_stream_0
stream error: stream ID %d; %v; %v
stream error: stream ID %d; %v
[%v = %d]
[FrameHeader
error unmarshalling KRB5Token AP_REP: %v
error generating NewAPReq: %w
unmarshal APRep token failed: %w
OxychromaticBlowfishSwatDynamite
rsa-sha2-256
rsa-sha2-512
ecdsa-sha2-nistp256
ecdsa-sha2-nistp384
ecdsa-sha2-nistp521
sk-ecdsa-sha2-nistp256@openssh.com
ssh-ed25519
sk-ssh-ed25519@openssh.com
aes192-ctr
aes256-ctr
arcfour256
arcfour256
chacha20-poly1305@openssh.com
aes256-ctr
curve25519-sha256
ecdh-sha2-nistp384
ecdh-sha2-nistp521
curve25519-sha256
ecdh-sha2-nistp384
ecdh-sha2-nistp521
ecdsa-sha2-nistp256
ecdsa-sha2-nistp521
ecdsa-sha2-nistp384
ecdsa-sha2-nistp521
sk-ecdsa-sha2-nistp256@openssh.com
sk-ecdsa-sha2-nistp256@openssh.com
rsa-sha2-512
hmac-sha2-256-etm@openssh.com
ssh: short read
extInfoMsg
kexDHInitMsg
userAuthPubKeyOkMsg
channelOpenMsg
channelDataMsg
channelOpenConfirmMsg
ssh: junk character in version line
```

```
. Reason was: %v
array of unsupported type
ssh: disconnect, reason %d: %s
ssh: multi-key files are not supported
ssh: unhandled elliptic curve:
ssh: unhandled key type
RSA PRIVATE KEY
EC PRIVATE KEY
DSA PRIVATE KEY
OPENSSH PRIVATE KEY
invalid size %d for Ed25519 public key
nistp521
invalid size %d for Ed25519 public key
ssh-ed25519
ecdsa-sha2-
ssh: exponent too large
ecdsa-sha2-nistp521
ecdsa-sha2-nistp521-cert-v01@openssh.com
ssh-ed25519-cert-v01@openssh.com
ssh: unknown key algorithm: %v
diffie-hellman-group14-sha256
ssh: public key not on curve
key exchange
client to server cipher
server to client compression
rsa-sha2-512
rsa-sha2-256-cert-v01@openssh.com
rsa-sha2-512-cert-v01@openssh.com
ssh-rsa-cert-v01@openssh.com
ssh-connection
server-sig-algs
public key signature algorithm
ssh-userauth
SSH-2.0-Go
ext-info-c
ssh: handshake failed: %v
unknown channel type: %v
ssh: empty packet
ssh: empty packet
aes128-cbc
resource shortage
en_US.UTF-8
ssh: unexpected response to request: %#v
unknown certificate type for key type
rsa-sha2-512-cert-v01@openssh.com
ssh-dss-cert-v01@openssh.com
ecdsa-sha2-nistp384-cert-v01@openssh.com
```

```
ecdsa-sha2-nistp384
ecdsa-sha2-nistp521
ssh-ed25519
agent: unsupported algorithm %q
agent: unsupported RSA key with %d primes
agent: failure
agent: unsupported RSA key with %d primes
agent: failure
response too large
SSH_AUTH_SOCK
already started
no supported authentication mechanism
not support method
datagram to short
datagram to short
datagram to short
%s (%s):%d
listen udp failed, %v
failed to send reply, %v
use of closed network connection
[socks] invalid tunnel id
shell wait error
kernel32.dll
ExitProcess
ExitThread
Invalid ID

Already listening on
Unsupported pivot listener type
SYSTEM\HardwareConfig
kernel32.dll
Testing /tmp/test/96a31bbbc2a01828823ad11076b046670613d59ad9b5c96a74caccc8aea95dfb
complex128
interface
unsafe.Pointer
reflect: call of
  on zero Value
reflect.Value.Len
reflect: NumIn of non-func type
reflect: In of non-func type
non-empty string
read varint
t.xcount > 0
sync: Unlock of unlocked RWMutex
sync.Cond is copied
short buffer
unexpected EOF
```

Anatolian_Hieroglyphs
Armenian
Balinese
Bopomofo
Canadian_Aboriginal
Caucasian_Albanian
Caucasian_Albanian
Cyrillic
Dives_Akuru
Georgian
Glagolitic
Gujarati
Gunjala_Gondi
Hiragana
Imperial_Aramaic
Javanese
Kayah_Li
Kharoshthi
Linear_B
Malayalam
Masaram_Gondi
Medefaidrin
Meetei_Mayek
Mende_Kikakui
Meroitic_Cursive
Mongolian
Mongolian
Nandinagari
New_Tai_Lue
Old_Hungarian
Old_Italic
Old_North_Arabian
Old_North_Arabian
Old_Persian
Old_Sogdian
Old_South_Arabian
Old_Turkic
Pahawh_Hmong
Pahawh_Hmong
Phoenician
Samaritan
Sora_Sompeng
Sora_Sompeng
Syloti_Nagri
Tai_Viet
Ugaritic
Zanabazar_Square

Bidi_Control
Deprecated
Hex_Digit
IDS_Binary_Operator
IDS_Tertiary_Operator
Other_Default_Ignorable_Code_Point
Other_Lowercase
Pattern_Syntax
Quotation_Mark
Sentence_Terminal
Soft_Dotted
Terminal_Punctuation
strings.Reader.Seek: invalid whence
bufio: buffer full
bufio: negative count
bufio.Scanner: token too long
bufio: tried to fill full buffer
invalid syntax
6103515625
152587890625
762939453125
3814697265625
95367431640625
11920928955078125
59604644775390625
1490116119384765625
7450580596923828125
37252902984619140625
186264514923095703125
14551915228366851806640625
363797880709171295166015625
28421709430404007434844970703125
710542735760100185871124267578125
strconv: illegal AppendInt/FormatInt base
0123456789ABCDEF
ParseUint
ParseUint
invalid bit size
invalid base
ParseFloat
ParseFloat
ParseFloat
unsafe.Pointer
<invalid Value>
reflect: New(nil)
reflect: Zero(nil)
reflect.MakeMapWithSize of non-map type

```
reflect.Copy
reflect.Copy
precomputed stack offset
precomputed stack offset
unexpected value step
reflect: internal error: invalid method index
  of unexported method
typ.size > 0
  returned zero Value
reflect.MakeFunc
reflect: call of
  on zero Value
methodargs(
i < length
" is anonymous but has PkgPath set
reflect.StructOf: field "
  has no name
  has invalid name
reflect.StructOf: field
  has no type
&x.field safe
reflect.nameFrom: name too long:
reflect.nameFrom: tag too long:
reflect: call of MakeFunc with non-Func type
bad argSize
t.inCount > 0
invalid n
unknown type kind
reflect: nil type passed to Type.Implements
reflect: NumOut of non-func type
reflect: Len of non-array type
reflect: Key of non-map type
reflect: FieldByNameFunc of non-struct type
reflect: Field of non-struct type
reflect: Elem of invalid type
reflect.Value.Equal: values of type
  cannot be converted to type
: value of type
reflect.Value.Grow: negative len
reflect.Value.Uint
reflect.Value.Slice3
reflect.Value.SetMapIndex
reflect.Value.SetInt
reflect.Value.SetComplex
reflect.Set
reflect.Value.Pointer
reflect: Method on nil interface value
```

```
reflect: Value.SetIterKey called before Next
reflect.MapIter.SetKey
MapIter.Next called on exhausted iterator
reflect.Value.Int
i < s.Len
i < s.Len
reflect: Field index out of range
same as non-reflect &v.field
reflect.Value.Call: call of nil function
reflect:
reflect.Value.Call: wrong argument count
tv.Size() != 0
mismatch between ABI description and types
reflect: Bits of nil Type
t.xcount > 0
name offset field
non-empty string
non-empty string
read varint
not available
hash/crc32: invalid hash state size
hash/crc32: tables do not match
invalid argument
permission denied
file already exists
file does not exist
interrupt
illegal instruction
user defined signal 1
terminated
1.3.6.1.5.5.7.3.1
2.16.840.1.113730.4.1
advertise error
resource temporarily unavailable
invalid exchange
bad message
invalid request code
invalid slot
resource deadlock avoided
destination address required
numerical argument out of domain
file exists
file too large
identifier removed
invalid argument
input/output error
is a directory
```

key was rejected by service
too many links
multihop attempted
no XENIX semaphores available
network is down
network dropped connection on reset
no anode
no buffer space available
no medium found
package not installed
out of streams resources
block device required
transport endpoint is not connected
state not recoverable
no such device or address
owner died
broken pipe
protocol error
numerical result out of range
object is remote
remote I/O error
interrupted system call should be restarted
no such process
timer expired
connection timed out
invalid cross-device link
exchange full
advapi32.dll
crypt32.dll
mswsock.dll
ntdll.dll
shell32.dll
userenv.dll
ws2_32.dll
ConvertStringSidToSidW
CryptReleaseContext
GetTokenInformation
LookupAccountNameW
RegCloseKey
RegEnumKeyExW
RegOpenKeyExW
RegQueryValueExW
CertAddCertificateContextToStore
CertCloseStore
CertOpenStore
DnsNameCompare_W
GetAdaptersInfo

GetIfEntry
CancelIoEx
CloseHandle
CreateDirectoryW
CreateFileMappingW
CreateProcessW
CreateSymbolicLinkW
CreateToolhelp32Snapshot
DeleteFileW
DeleteProcThreadAttributeList
DeviceIoControl
FormatMessageW
FreeEnvironmentStringsW
GetCommandLineW
GetComputerNameW
GetCurrentProcessId
GetFileAttributesExW
GetFileAttributesW
GetFileType
GetFullPathNameW
GetLongPathNameW
GetProcessTimes
GetTempPathW
GetVersion
LoadLibraryW
Process32FirstW
RemoveDirectoryW
SetEnvironmentVariableW
SetFileCompletionNotificationModes
SetFilePointer
SetHandleInformation
VirtualLock
WriteFile
NetApiBufferFree
GetUserNameExW
GetUserProfileDirectoryW
FreeAddrInfoW
WSARecvFrom
WSASendTo
WSAStartup
getprotobyname
getsockopt
shutdown
failed to find ConnectEx:
Failed to load
winapi error #
unexpected key value type

advapi32.dll
RegDeleteKeyW
RegEnumValueW
RegLoadMUIStringW
RegSetValueExW
September
November
time: invalid number
bad value for field
time: bad [0-9]*
Aleutian Standard Time
Bahia Standard Time
Mountain Standard Time (Mexico)
Turks And Caicos Standard Time
Cuba Standard Time
US Mountain Standard Time
Haiti Standard Time
Yukon Standard Time
Central Asia Standard Time
Jordan Standard Time
Arabic Standard Time
SE Asia Standard Time
Sri Lanka Standard Time
Bangladesh Standard Time
W. Mongolia Standard Time
North Asia East Standard Time
Russia Time Zone 11
Pakistan Standard Time
Magadan Standard Time
Omsk Standard Time
Myanmar Standard Time
Arab Standard Time
Korea Standard Time
China Standard Time
Russia Time Zone 10
Taipei Standard Time
West Asia Standard Time
Georgian Standard Time
Iran Standard Time
Tomsk Standard Time
Azores Standard Time
Aus Central W. Standard Time
AUS Eastern Standard Time
GMT Standard Time
Russian Standard Time
Saratov Standard Time
 Volgograd Standard Time

Mauritius Standard Time
Chatham Islands Standard Time
Easter Island Standard Time
Fiji Standard Time
Line Islands Standard Time
Norfolk Standard Time
English name for time zone "
unknown time zone
corrupt zip file
corrupt zip file
is too large
/lib/time/zoneinfo.zip
ZONEINFO
short read
: extra text:
: day-of-year does not match day
2006-01-02T15:04:05Z07:00
: cannot parse
Time.MarshalText:
%!Weekday(
%!Month(
year outside of range [0,9999]
advapi32.dll
iphlpapi.dll
kernel32.dll
netapi32.dll
userenv.dll
SetTokenInformation
SystemFunction036
GetModuleFileNameW
Module32NextW
MultiByteToWideChar
SetFileInformationByHandle
UnlockFileEx
VirtualQuery
NetShareAdd
GetProcessMemoryInfo
CreateEnvironmentBlock
GetProfilesDirectoryW
WSASocketW
use of closed network connection
file type does not support deadline
inconsistent poll.fdMutex
invalid path
/dev/stdin
/dev/stdout
GetFileInformationByHandle

ComputerNameEx
GetFileType
FindFirstFile
SyscallConn.Read
SyscallConn.Control
DuplicateHandle
os: unexpected result from WaitForSingleObject
exit status
SetReadDeadline
truncate
negative offset
FindNextFile
syntax error in pattern
Rel: can't make
relative to
syntax error scanning complex number
expected newline
type not a pointer:
can't scan type:
expected quoted string
0123456789_
bad unicode format
bad unicode format
01234567
bad verb '%
%!(BADPREC)
0123456789abcdefx
0123456789abcdefx
0123456789abcdefx
0123456789abcdefx
0123456789abcdefx
0123456789ABCDEFX
0123456789abcdefx
fmt: unknown base; can't happen
index > windowEnd
zipinsecurepath
zip: checksum error
zip: FileHeader.Extra too long
Write after Close
kernel32.dll
CreateToolhelp32Snapshot
Process32NextW
netip.ParsePrefix(
netip.ParsePrefix(
netip.ParsePrefix(
invalid port
invalid ip:port

not an ip:port
unexpected slice size
colon must be followed by more characters
IPv4 field must have at least one digit
IPv4 address too long
ParseAddr(
missing IPv6 address
negative Prefix bits
prefix length
 too large for IPv6
invalid Prefix
context deadline exceeded
.WithValue(type
.WithDeadline(
.WithCancel
context.TODO
TypeHINFO
ClassINET
ClassCHAOS
ClassHESIOD
ClassANY
RCodeFormatError
RCodeServerFailure
RCodeNameError
RCodeNotImplemented
RCodeRefused
insufficient data for calculated length type
segment prefix is reserved
invalid pointer
nil resource body
too many Questions to pack (>65535)
too many Answers to pack (>65535)
too many Authorities to pack (>65535)
ResourceHeader
unpacking Question.Type
skipping:
cannot unmarshal DNS message
cannot marshal DNS message
invalid DNS response
invalid network interface
pointtoint
no suitable address found
missing address
no such host
unixgram
unknown mode:
unixpacket

```
setsockopt
setsockopt
setsockopt
setsockopt
transmitfile
raw-control
criterion too short
criterion lacks equal sign
unclosed criterion bracket
invalid criteria:
/etc/nsswitch.conf
/etc/nsswitch.conf
unknown network
address
unknown port
unexpected '[' in address
dragonfly
dragonfly
CIDR address
getadaptersaddresses
/etc/resolv.conf
unixpacket
unexpected type in connect
wsasendmsg
wsasendmsg
wsasendto
wsarecvfrom
unixpacket
nil context
.localhost
.localhost.localdomain
go package net: confVal.netCgo =
go package net: using cgo DNS resolver
myhostname
getaddrinfow
getaddrinfow
unknown network
unexpected network:
cannot marshal DNS message
cannot marshal DNS message
unixpacket
crypto: Size of unknown hash function
BLAKE2s-256
BLAKE2b-512
unknown hash value
cipher: incorrect tag size given to GCM
crypto/cipher: invalid buffer overlap
```

borningcrypto: not available
crypto/cipher: invalid buffer overlap
crypto/aes: input not full block
crypto/aes: output not full block
P521 point is the point at infinity
invalid P384 point encoding
invalid scalar length
invalid P256 point encoding
borningcrypto:
randautoseed
invalid rune %#U
%!%c(big.Int=%s)
impossible
impossible
division by zero
invalid number base %d
big: misuse of expNNWindowed
underflow
input overflows the modulus
struct contains unexported fields
unknown Go type
application
omitempty
asn1: Unmarshal recipient value is nil
truncated tag or length
length too large
superfluous leading zeros in length
pkcs12: odd-length BMP string
IA5String contains invalid character
PrintableString contains invalid character
NumericString contains invalid character
20060102150405Z0700
base 128 integer too large
integer too large
empty integer
060102150405Z0700
0601021504Z0700
20060102150405Z0700
out does not point to an integer type
invalid ASN.1
scalar has high bit set illegally
edwards25519: invalid point encoding
crypto/rsa: public exponent too large
crypto/rsa: decryption error
crypto/rsa: verification error
crypto/rsa: unsupported hash function
crypto/sha256: invalid hash state identifier

```
crypto/sha256: invalid hash state size
crypto/dsa: invalid public key
2.5.4.11
SERIALNUMBER
POSTALCODE
invalid port %q after host
invalid URL escape
crypto/des: input not full block
crypto/des: output not full block
crypto/des: input not full block
crypto/des: invalid buffer overlap
crypto/sha1: invalid hash state size
AES-128-CBC
AES-192-CBC
AES-256-CBC
x509usefallbackroots
SHA256-RSA
SHA512-RSAPSS
DSA-SHA256
ECDSA-SHA1
ECDSA-SHA256
ECDSA-SHA384
-----BEGIN X509 CRL
X509 CRL
x509: unknown elliptic curve
x509: cannot sign with hash function requested
x509: Ed25519 verification failure
x509: internal error: cannot parse domain %q
x509: unknown error
x509: malformed tbs certificate
x509: invalid version
x509: malformed validity
x509: malformed spki
x509: malformed extensions
x509: invalid authority info access
x509: invalid NameConstraints extension
x509: invalid constraint value:
x509: SAN rfc822Name is malformed
x509: cannot parse IP address of length
x509: wrong Ed25519 public key size
x509: X25519 key encoded with illegal parameters
x509: malformed extension OID field
x509: malformed extension value field
x509: malformed OID
invalid UTF-8 string
invalid NumericString
CERTIFICATE
```

```
current time %s is before %s
current time %s is after %s
2006-01-02T15:04:05Z07:00
email address
%s %q is excluded by constraint %q
%s %q is not permitted by any constraint
avx512vl
avx512ifma
avx512vbmi
avx512vpclmulqdq
avx512vaes
avx512vbmi2
" not supported for cpu option "
GODEBUG sys/cpu: can not disable "
chacha20: invalid buffer overlap
hkdf: entropy limit reached
decryption failed
record overflow
decompression failure
bad certificate
revoked certificate
expired certificate
unknown certificate
protocol version not supported
no renegotiation
certificate required
no application protocol
tls: no certificates configured
key expansion
client finished
server finished
master secret
unknown version
tls: internal error: unsupported curve
res master
SERVER_TRAFFIC_SECRET_0
TLS 1.3, server CertificateVerify
s hs traffic
tls: server sent two HelloRetryRequest messages
CLIENT_RANDOM
tls: failed to write to key log:
tls: server chose an unconfigured cipher suite
resumption
res binder
tls: short read from Rand:
tls: handshake has not yet been performed
tls: too many non-advancing records
```

tls: unknown Renegotiation value
unknown cipher type
local error
tls: too many ignored records
unsupported SSLv2 handshake received
oversized record received with length %d
unknown cipher type
ClientAuthType(
connection doesn't support Ed25519
tls: unsupported public key: %T
PKCS1WithSHA256
ECDSAWithP256AndSHA256
SignatureScheme(
expected an Ed25519 public key, got %T
tls: alert(
Accept-Charset
Accept-Encoding
Accept-Language
Cache-Control
Connection
Content-Language
Content-Type
If-Modified-Since
Location
Message-Id
Mime-Version
malformed MIME header: missing colon: %q
malformed MIME header line:
message too large
mime: invalid media parameter
image/avif
image/jpeg
image/jpeg
application/wasm
image/webp
Content Type
text/plain
text/plain; charset=utf-8
multipart: message too large
Content-Disposition
Content-Disposition
()<>@,;:\"/[]?=
mime: SetBoundary called after write
quoted-printable
multipart: boundary is empty
bidirule: failed Bidi Rule
caller error

Content-Encoding
Content-Range
Content-Type
Max-Forwards
Proxy-Authorization
Proxy-Connection
Www-Authenticate
need more data
varint integer overflow
hpack: invalid Huffman-encoded data
accept-encoding
authorization
cache-control
content-length
if-modified-since
if-none-match
location
max-forwards
set-cookie
transfer-encoding
:authority
/index.html
accept-charset
accept-encoding
accept-ranges
content-length
content-range
content-type
if-modified-since
proxy-authenticate
proxy-authorization
set-cookie
user-agent
accept-charset
gzip, deflate
accept-ranges
authorization
cache-control
content-encoding
content-language
content-location
if-modified-since
if-none-match
location
proxy-authenticate
proxy-authorization
www-authenticate

invalid encoding
id (%v) <= evictCount (%v)
evictCount overflow
(sensitive)
header line too long
http chunk length too large
malformed chunked encoding
HTTP_PROXY
https_proxy
no_proxy
REQUEST_METHOD
invalid range: failed to overlap
NO_ERROR
FLOW_CONTROL_ERROR
COMPRESSION_ERROR
HTTP_1_1_REQUIRED
END_STREAM
PRIORITY
http2: frame too large
invalid stream ID
HEADER_TABLE_SIZE
ENABLE_PUSH
body closed by handler
http2: stream closed
http2: recursive push not allowed
Connection
Transfer-Encoding
http2: no cached connection was available
http2: Request.URI is nil
Mon, 02 Jan 2006 15:04:05 GMT
http: no such file
header too long
entity body too short
Content-Length
Transfer-Encoding
http-server
Connection
Content-Length:
http: Server closed
http2server
<!DOCTYPE HTML
text/plain; charset=utf-16le
text/plain; charset=utf-8
FORM AIFF
RIFF AVI
audio/wave
video/webm

LP

font/ttf
application/x-gzip
application/wasm
Content-Length
Transfer-Encoding
Content-Length
Transfer-Encoding
http2client
http: CloseIdleConnections called
net/http: timeout awaiting response headers
net/http: TLS handshake timeout
bad Content-Length
Transfer-Encoding
Connection
keep-alive
Content-Length
Content-Length
Content-Length
identity
unexpected type
too many transfer encodings: %q
unsupported transfer encoding: %q
Connection
Connection: close

Transfer-Encoding: chunked

Transfer-Encoding
Transfer-Encoding
Content-Length
invalid Trailer key
Non-Authoritative Information
No Content
Partial Content
Multi-Status
Permanent Redirect
Payment Required
Precondition Failed
Expectation Failed
Misdirected Request
Unprocessable Entity
Precondition Required
Bad Gateway
Gateway Timeout
HTTP Version Not Supported
Loop Detected

username/password authentication failed
unsupported authentication method
host unreachable
connection refused
command not supported
unknown code:
port number out of range
nil context
unknown address type
unknown address type
socks connect
Connection
Content-Type
net/http: nil Context
Connection
recv_goaway_
Transfer-Encoding
keep-alive
Content-Length
out of range
http2debug=1
accept-language
access-control-request-method
content-language
content-length
if-modified-since
if-unmodified-since
last-modified
proxy-authorization
set-cookie
user-agent
x-forwarded-for
(%d bytes omitted)
incr=%v
frame_continuation_zero_stream
frame_windowupdate_zero_inc_stream
frame_pushpromise_pad_short
frame_pushpromise_promiseid_short
frame_settings_has_stream
frame_settings_mod_6
frame_rststream_bad_len
frame_headers_zero_stream
frame_data_stream_0
frame_data_pad_too_big
invalid header field value for %q
invalid header field name %q
http2: connection error: %v: %v

```
connection error: %s
read_frame_eof
read_frame_unexpected_eof
forgetting unknown stream id
assigned stream ID 0
invalid HTTP header name %q
content-length
connection
proxy-connection
user-agent
Go-http-client/2.0
http2: invalid header: %v
http2: invalid pseudo headers: %v
:authority
[%v = %d]
UNKNOWN_SETTING_%d
http2: Framer %p: wrote %v
Accept-Encoding
err must be non-nil
  stream=%d
[FrameHeader
UNKNOWN_FRAME_TYPE_%d
http2: unsupported scheme
RoundTrip failure: %v
proxyconnect
http: nil Request.URL
http: nil Request.Header
net/http: invalid header field name %q
Accept-Encoding
Accept-Encoding
write error: %w
Content-Encoding
Content-Length
%s|%s%s|%s
Cookie.Path
Cookie.Value
Set-Cookie
Mon, 02-Jan-2006 15:04:05 MST
Authorization
Authorization
Host: %s

User-Agent
missing form body
multipart/form-data
http: MultipartReader called twice
nil context
```

```
nil context
Content-Length: 0

http: invalid byte %q in Cookie.Path
http: invalid Cookie.Domain
Mon, 02 Jan 2006 15:04:05 GMT
; Max-Age=0
; SameSite=None
; SameSite=Lax
executable file not found in %PATH%
SYSTEMROOT
SYSTEMROOT
exec: Stderr already set
exec: StderrPipe after process started
exec: StdoutPipe after process started
exec: not started
exec: canceling Cmd
exec: killing Cmd
exec: no command
[:alnum:]
[:^cntrl:]
[:^digit:]
[:^graph:]
[:^print:]
[:^punct:]
[:space:]
[:^space:]
[:upper:]
InstEmptyWidth
InstRuneAny
InstRuneAnyNotNL
altmatch ->
rune <nil>
anynotnl ->
unknown empty width arg
regexp: Compile(
unhandled
driver: remove argument from query
sql: connection is already closed
sql: Rows are closed
sql: unknown driver %q (forgotten import?)
sql: Register driver is nil
sql: Register called twice for driver
2006-01-02T15:04:05.999999999Z07:00
destination not a pointer
converting NULL to %s is unsupported
converting NULL to %s is unsupported
```

```
sql: Scan called without calling Next
sql: duplicate driverConn close
Read Uncommitted
Write Committed
Repeatable Read
Linearizable
in literal true (expecting 'r')
after top-level value
after object key:value pair
after array element
omitempty
unexpected map key type
json: encoding error for type %q: %q
MarshalJSON
  for type
json: Unmarshal(nil)
json: Unmarshal(nil
destination pointer is nil
2006-01-02 15:04:05
2006-01-02 15:04
2006-01-02T15:04
datetime
timestamp
ROLLBACK
_auth_user
_auth_pass
Invalid _loc: %v: %v
deferred
Invalid _txlock: %v
Invalid _busy_timeout: %v: %v
_case_sensitive_like
_defer_foreign_keys
_foreign_keys
_journal_mode
_journal_mode
TRUNCATE
_locking_mode
_locking_mode
_locking
EXCLUSIVE
_query_only
_recursive_triggers
_synchronous
_cache_size
CryptEncoderSHA1: %s
CryptEncoderSSHA1: %s
sqlite_crypt
```

```
sqlite_crypt
CryptEncoderSHA384: %s
sqlite_crypt
authenticate
auth_enabled
PRAGMA case_sensitive_like = %d;
PRAGMA ignore_check_constraints = %d;
cannot convert %s to BLOB
unreachable
argument must be BLOB or TEXT
string too large
non-function passed to RegisterAggregator
illegal instruction
trace/breakpoint trap
user defined signal 2
broken pipe
alarm clock
terminated
2.16.840.1.113730.4.1
CfgMgr32.dll
dnsapi.dll
dnsapi.dll
iphlpapi.dll
iphlpapi.dll
netapi32.dll
netapi32.dll
netapi32.dll
psapi.dll
sechost.dll
shell32.dll
shell32.dll
version.dll
ws2_32.dll
CM_Get_Device_Interface_ListW
CM_Get_Device_Interface_List_SizeW
CM_MapCrToWin32Err
AdjustTokenGroups
AdjustTokenPrivileges
CheckTokenMembership
CreateServiceW
DeleteService
GetNamedSecurityInfoW
GetSecurityDescriptorControl
GetSecurityDescriptorGroup
GetSecurityDescriptorLength
GetSidIdentifierAuthority
GetSidSubAuthorityCount
```

ImpersonateSelf
InitializeSecurityDescriptor
IsValidSid
NotifyServiceStatusChangeW
OpenServiceW
QueryServiceConfigW
RegEnumKeyExW
RegOpenKeyExW
RegisterServiceCtrlHandlerExW
RegisterServiceCtrlHandlerExW
RevertToSelf
SetEntriesInAclW
SetSecurityDescriptorControl
SetSecurityDescriptorSacl
SetServiceStatus
SetThreadToken
SetTokenInformation
CertAddCertificateContextToStore
CertCreateCertificateContext
CertDeleteCertificateFromStore
CertFindCertificateInStore
CertGetNameStringW
CertOpenSystemStoreW
CryptAcquireCertificatePrivateKey
CryptProtectData
CryptQueryObject
DnsNameCompare_W
DnsNameCompare_W
DnsRecordListFree
DwmGetWindowAttribute
GetAdaptersInfo
CancelIoEx
CreateEventExW
CreateFileMappingW
CreateFileW
CreateHardLinkW
CreateJobObjectW
CreateMutexExW
CreateMutexExW
CreateProcessW
DefineDosDeviceW
DeleteProcThreadAttributeList
DuplicateHandle
ExpandEnvironmentStringsW
FindFirstVolumeMountPointW
FindNextFileW
FindNextVolumeMountPointW

FindResourceW
FindVolumeClose
FlushFileBuffers
FreeLibrary
GetCommandLineW
GetComputerNameExW
GetComputerNameW
GetConsoleMode
GetConsoleScreenBufferInfo
GetCurrentProcessId
GetCurrentThreadId
GetDiskFreeSpaceExW
GetDriveTypeW
GetFileAttributesExW
GetFileInformationByHandle
GetFinalPathNameByHandleW
GetLastError
GetLogicalDrives
GetLongPathNameW
GetProcAddress
GetProcessShutdownParameters
GetProcessWorkingSetSizeEx
GetQueuedCompletionStatus
GetSystemDirectoryW
GetSystemPreferredUILanguages
GetTempPathW
GetTickCount64
GetVersion
GetVolumeInformationByHandleW
IsWow64Process
LoadLibraryExW
LoadLibraryW
LoadResource
LocalAlloc
LocalAlloc
LockFileEx
MapViewOfFile
Module32FirstW
MoveFileExW
MultiByteToWideChar
OpenEventW
OpenEventW
OpenProcess
OpenThread
PostQueuedCompletionStatus
Process32FirstW
Process32NextW

ProcessIdToSessionId
PulseEvent
QueryDosDeviceW
ReadConsoleW
ReadProcessMemory
RemoveDirectoryW
SetCommTimeouts
SetCurrentDirectoryW
SetDllDirectoryW
SetEndOfFile
SetErrorMode
SetNamedPipeHandleState
SetVolumeLabelW
Thread32First
UnlockFileEx
UnmapViewOfFile
UnmapViewOfFile
VirtualProtect
VirtualProtectEx
VirtualUnlock
WriteConsoleW
AcceptEx
GetAcceptExSockaddrs
NtCreateFile
NtQueryInformationProcess
NtSetInformationProcess
RtlGetCurrentPeb
RtlGetNtVersionNumbers
RtlGetVersion
RtlNtStatusToDosErrorNoTeb
CoCreateGuid
EnumProcessModulesEx
GetModuleInformation
QueryWorkingSetEx
UnsubscribeServiceChangeNotifications
GetUserNameExW
TranslateNameW
SetupDiCreateDeviceInfoListExW
SetupDiDestroyDeviceInfoList
SetupDiGetClassDevsExW
SetupDiGetClassInstallParamsW
SetupDiGetDeviceInstallParamsW
SetupDiGetDeviceInstanceIdW
SetupDiGetDevicePropertyW
SetupDiGetSelectedDriverW
SetupDiSetClassInstallParamsW
SetupDiSetDeviceInstallParamsW

CommandLineToArgvW
SHGetKnownFolderPath
EnumChildWindows
EnumWindows
ExitWindowsEx
GetClassNameW
GetGUIThreadInfo
GetShellWindow
IsWindow
MessageBoxW
GetFileVersionInfoSizeW
GetFileVersionInfoW
VerQueryValueW
FreeAddrInfoW
GetAddrInfoW
WSAIoctl
WSALookupServiceNextW
WSARecvFrom
WSARecvFrom
WSASocketW
closesocket
getservbyname
getsockopt
setsockopt
WTSEnumerateSessionsW
WTSFreeMemory
WTSQueryUserToken
Failed to load
 procedure in
DeviceCapabilitiesW
DocumentPropertiesW
GetDefaultPrinterW
CloseThemeData
GetThemeTextExtent
IsAppThemed
SetWindowTheme
user32.dll
AdjustWindowRect
BeginDeferWindowPos
BringWindowToTop
ChangeWindowMessageFilterEx
ClientToScreen
CreateDialogParamW
CreateIconIndirect
CreateMenu
DefWindowProcW
DestroyWindow

DispatchMessageW
DrawIconEx
DrawMenuBar
DrawTextExW
EmptyClipboard
EnableMenuItem
EnumChildWindows
GetActiveWindow
GetClientRect
GetCursorPos
GetDesktopWindow
GetDlgItem
GetIconInfo
GetScrollInfo
GetSubMenu
GetSysColorBrush
GetSystemMetrics
GetWindowLongPtrW
IsClipboardFormatAvailable
IsWindowVisible
KillTimer
LoadCursorW
LoadStringW
MessageBoxW
MonitorFromWindow
PeekMessageW
PostQuitMessage
RedrawWindow
RegisterRawInputDevices
ReleaseCapture
RemoveMenu
SendDlgItemMessageW
SetCapture
SetMenuItemInfoW
SystemParametersInfoW
TrackMouseEvent
WindowFromDC
DragFinish
DragQueryFileW
SHBrowseForFolderW
SHDefExtractIconW
SHGetFileInfoW
SHGetSpecialFolderPathW
SHGetStockIconInfo
Shell_NotifyIconW
PdhValidatePathW
wglGetLayerPaletteEntries

wglGetProcAddress
wglMakeCurrent
wglSwapLayerBuffers
wglUseFontBitmapsW
oleaut32.dll
SysAllocString
ole32.dll
CoCreateInstance
CoTaskMemFree
OleInitialize
OleUninitialize
ActivateActCtx
CloseHandle
CreateActCtxW
GetConsoleWindow
GetNumberFormatW
GetPhysicallyInstalledSystemMemory
GetProfileStringW
GetThreadUILanguage
GlobalAlloc
GlobalFree
GlobalLock
GlobalUnlock
RtlMoveMemory
LoadResource
SetLastError
SizeofResource
SystemTimeToFileTime
GdipCreateBitmapFromFile
GdipCreateHBITMAPFromBitmap
GdipDisposeImage
GdiplusShutdown
GdiplusStartup
GenericError
Win32Error
UnknownImageFormat
GdiplusNotInitialized
PropertyNotFound
msimg32.dll
AbortDoc
ChoosePixelFormat
CombineRgn
CreateBitmap
CreateCompatibleDC
CreateDIBSection
CreateEnhMetaFileW
CreateFontIndirectW

CreatePatternBrush
CreateRectRgn
ExcludeClipRect
ExtCreatePen
GetEnhMetaFileHeader
GetObjectW
GetTextExtentExPointW
IntersectClipRect
MoveToEx
Rectangle
SetBkColor
SetBrushOrgEx
SetStretchBltMode
SetViewportOrgEx
SwapBuffers
AlphaBlend
TransparentBlt
comdlg32.dll
ChooseColorW
GetSaveFileNameW
PrintDlgExW
ImageList_Add
ImageList_Create
LoadIconWithScaleDown
RegQueryValueExW
RegEnumValueW
RegSetValueExW
Unable to run function '%v': %v
FUNCTION

XButton1
Hanja / Kanji
Nonconvert
ModeChange
BrowserBack
BrowserRefresh
BrowserHome
VolumeDown
MediaNextTrack
MediaPrevTrack
LaunchMail
LaunchApp1
OEMMinus
ProcessKey
GetClientRect
CreateWindowEx
SetWindowLongPtr

```
GetModuleHandle
LoadCursor
IWebBrowser2.Navigate2
tooltips_class32
invalid index
LVM_SETCOLUMNWIDTH failed
SetTimer
SendMessage(LVM_SETITEMSTATE)
GetWindowLong
SendMessage(LVM_SETITEMSTATE)
SendMessage(LVM_ENSUREVISIBLE)
\o/ Walk_Spacer_Class \o/
\o/ Walk_ScrollView_Class \o/
ReflectListModel
ReflectListModel
Shell_NotifyIcon
Shell_NotifyIcon
Shell_NotifyIcon
Shell_TrayWnd
\o/ Walk_MainWindow_Class \o/
applyLayoutResults
BeginDeferWindowPos
TaskbarCreated
invalid style
failed to create default font
%s: Error %d
%s
```

Stack:

%s

```
Can't convert float64 to %s.
SHGetPathFromIDList failed
invalid index
GetDC failed
GetTextExtentPoint32 failed
GetDC failed
container required
CreateCompatibleDC failed
GetWindowRect failed
Dynamic Annotation not available
IAccPropServices.SetHwndPropStr
App().Settings() must not be nil
App().Settings() must not be nil
GetTextMetrics failed
GetTextExtentPoint32 failed
MoveWindow
GetWindowRect
```

SetWindowPos
walk: negative WindowGroup refs counter
RemoveMenu
InsertMenuItem failed
SetMenuItemInfo failed
CheckMenuRadioItem failed
clientComposite
ITaskbarList3.SetProgressValue
SHDefExtractIcon
LoadIconWithScaleDown
GetWindowLong
SetParent
SetWindowPos
effect == nil
SelectObject failed
DrawTextEx failed
MoveToEx failed
LineTo failed
bmp cannot be nil
bmp cannot be nil
CreateFontIndirect failed
SelectObject failed
SetBKMode failed
GetEnhMetaFileHeader failed
SelectObject failed
StretchBlt failed
GetDIBits #1
GetDIBits #2
GetDIBits get bitmapinfo failed
GetDIBits failed
\Kometa\User Data
\Vivaldi\User Data
google-chrome-sxs
\Google\Chrome SxS\User Data
google-chrome
epic-privacy-browser
LOCALAPPDATA
\uCozMedia\Uran\User Data
\BraveSoftware\Brave-Browser\User Data
LOCALAPPDATA
\Iridium\User Data
vboxservice.exe
vboxtray.exe
vmttoolsd.exe
ollydbg.exe
vgauthservice.exe
vmacthlp.exe

vmsrvc.exe
x32dbg.exe
Task Manager
System Configuration
00:0c:29
00:03:BA
08:00:20
2C:C2:60
00:14:4F
00:0c:29:2c:c1:21
c8:9f:1d:b6:58:e4
00:15:5d:00:00:f3
00:15:5d:13:6d:0c
00:15:5d:13:66:ca
56:e8:92:2e:76:0d
00:e0:4c:94:1f:20
00:1b:21:13:15:20
00:50:56:b3:38:68
00:e0:4c:7b:7b:86
00:15:5d:00:1c:9a
00:15:5d:00:1a:b9
b6:ed:9d:27:f4:fa
4e:79:c0:d9:af:c3
00:15:5d:b6:e0:cc
1c:99:57:1c:ad:e4
00:15:5d:00:00:c3
12:8a:5c:2a:65:d1
00:25:90:36:f0:3b
00:1b:21:13:21:26
00:1b:21:13:32:51
a6:24:aa:ae:e6:12
d4:81:d7:ed:25:54
^D{1}[5-9A-HJ-NP-U]{1}[1-9A-HJ-NP-U]{7,8}\$
^0x[a-fA-F0-9]{40}\$
^0x[0-9a-fA-F]{40}\$
fhbohimaelbohpbjbbldcngcnapndodjp
pdadjkfkkgcafgbceimcpbkalnfnepbnk
nkbihfbeogaeaoehlefnkodbefgpgknn
Jaxx Liberty
philaeimlignddkjgofkcbgekenbh
ibnejdfjmmkpcnlpebklmnkoeioihofec
Terra Station
aiifbnnfbopmeekipheeijimdplpgpp
fnnegphlobjdpkhecapkijjdkgcjkhkib
nlbmnnijcnlegkjpcfjclmcfggfefdm
TON Crystal Wallet
cgeodpfagjceefiefldmfphplkenlfk

BitApp Wallet
Saturn Wallet
Coin98 Wallet
aeachknmefpheapccionboohckonoeemg
EQUAL Wallet
\Bytecoin\
MultiBitHD
Electrum-LTC
\ElectronCash\wallets\
AtomicWallet
wallet.dat
LocalAppData
\lbry\lbryum\wallets\
UserProfile
\DashCore\
\Litecoin\
\DogeCoin\
wallet.dat
MultiDoge
multidoge.wallet
address.db
sendmail.ini
XAMPP_phpMyAdmin
C:\xampp\phpMyAdmin\
\transmission\
settings.json
\Documents\ShareX\
UploadersConfig.json
drives.js
profiles.ini
Proxifier
\Proxifier\Profiles\
LocalAppData
\Notepad++\backup\
\obs-studio\basic\profiles\
LocalAppData
Dashlane
\Dashlane\profiles\
Muon Snowflake
session-store.json
UserProfile
GitHub Desktop
UserProfile
PHP Composer
\Composer\
COMPOSER_HOME
accounts.dat

UserProfile
\.squirrel-sql\
robomongo.json
robo3t.json
PostgreSQL
\postgresql\
\Subversion\auth\
profiles.ini
profiles.ini
Cyberfox
\CoffeeCup Software\
SharedSettings.ccs
CoffeeCup_1
SharedSettings.ccs
SharedSettings_1_0_5.sqlite
JDownloader
\1Password\data\
UserProfile
UserProfile
git-credentials
UserProfile
PrivateVPN
LocalAppData
\OpenVPN Connect\profiles\
3QUICK.DAT
FTPInfo_CFG
\FTPInfo\
FTPInfo_XML
ServerList.xml
Staff-FTP
ProgramFiles
sites.ini
ProgramFiles
\GoFTP\settings\
\DeluxeFTP\
\EasyFTP\data\
NetSarang
\Documents\NetSarang\Xftp\Sessions\
NetDrive
\NetDrive\
\BitKinex\
bitkinex.ds
\INSoftware\NovaFTP\
NovaFTP.db
ftpsite.ini
NexusFile1
ProgramFiles

```
\NexusFile\userdata\  
profiles.conf  
ProgramFiles  
\Far Manager\Profile\PluginsData\  
\Cyberduck\Bookmarks\  
IDM-History  
UrlHistory.txt  
\Mikrotik\Winbox\  
FileZilla1  
sitemanager.xml  
FileZilla_PEM  
\TS3Client\  
\Slack\storage\  
Slack_Cookies  
\Slack\Cookies\  
config.json  
config.json  
\The Bat!\br/>\Opera Mail\Opera Mail\  
\PocoMail\  
\Documents\Pocomail\  
\Mailbird\Store\  
Thunderbird  
accounts.xml  
LocalAppData  
Rogues Tale  
UserProfile  
Kalypso Media  
\Kalypso Media\Launcher\  
launcher.ini  
\Ubisoft Game Launcher\  
\SmartFTP\  
Sherrod FTP  
ProgramFiles  
\Sherrod Computers\sherrod FTP\favorites\  
Minecraft LavaServer  
\.LavaServer\  
Settings.reg  
\.vimeworld\  
settings.bin  
\loliland\  
Minecraft RedServer  
LocalAppData  
\qBittorrent\  
qBittorrent.ini  
WinRAR_History  
Vitalwerks DUC x64
```

Vitalwerks DUC
IntelliForms
ClassicFTP
Google Talk
PlagueCheats
AutoLogon
DownloadManagerIDM
Atomic Wallet
guildWallet
nanjmdknhkinifnkgdcggcfnhdaammj
User Data
LOCALAPPDATA
User Data
User Data
LOCALAPPDATA
liquidityWallet
LOCALAPPDATA
mathWallet
LOCALAPPDATA
afbcbjbpfadlkmhmc lhkeodmamcflc
LOCALAPPDATA
hnfanknocfeofbddgcijnmhnfnkdnaad
LOCALAPPDATA
User Data
jaxxLiberty
wombatPath
LOCALAPPDATA
bitappWallet
LOCALAPPDATA
Local Extension Settings
kncchdigobghenbbaddojjnaogfppfj
LOCALAPPDATA
LOCALAPPDATA
LOCALAPPDATA
Metamask
LOCALAPPDATA
User Data
Local Extension Settings
ejbalbakoplchlghcedalmeeeajnimh
LOCALAPPDATA
gpbdlngfkgihnfeekcmkbbalpdfmg
trustWallet
Microsoft
User Data
Microsoft
Coin98 Wallet
Local Extension Settings

aeachknmefpheapccionboohckonoeemg
aeachknmefpheapccionboohckonoeemg
Guild Wallet
LOCALAPPDATA
pdadjkfkkgcafgbceimcpbkalfnepbnk
Mail Bird
LocalAppData
\Mailbird\Store\
LocalAppData
NordPass
UserProfile
gitconfig
UserProfile
\Privat_Kommunikation_AB\
user.config
\OpenVPN Connect\profiles\
3QUICK.DAT
FTPInfo_CFG
FTPInfo_CFG
FTPInfo_XML
ServerList.xml
ProgramFiles
\GoFTP\settings\
Connections.txt
DeluxeFTP
ProgramFiles
\DeluxeFTP\
sites.xml
UserProfile
NetSarang1
\NetDrive\
NDSites.ini
BitKinex
\BitKinex\
LocalAppData
SystemRoot
\Signal\sql\
Signal_Config
\Signal\
Mailspring
Mailspring
Opera Mail
PocoMail
PocoMail
\PocoMail\
accounts.ini
UserProfile

```
profiles.ini
Store.db
Thunderbird
Thunderbird
user32.dll
GetWindowTextW
GetForegroundWindow
ShowWindow
EnumWindows
SendMessageA
GetKeyboardState
GetKeyboardLayoutList
GetKeyboardLayout
GetKeyState
GetAsyncKeyState
CloseClipboard
SetClipboardData
EnumChildWindows
IsDebuggerPresent
IsBadReadPtr
VirtualAllocEx
SetThreadContext
GlobalAlloc
LocalFree
GlobalLock
GlobalUnlock
CreateMutexW
GetModuleFileNameA
Wow64RevertWow64FsRedirection
VirtualProtectEx
CreateThread
CloseHandle
kernel32.dll
NtRaiseHardError
NtUnmapViewOfSection
Crypt32.dll
CryptUnprotectData
CredEnumerateW
CredFree
Wininet.dll
InternetGetCookieExW
SOFTWARE\Microsoft\Windows\CurrentVersion\Run
advapi32.dll
RegCloseKey
BANDIT STEALER
RegSetValueExW
/proc/self/status
```

```
Username: %s
Computer Name: %s
IP Address: %s
systeminfo
Processor(s):
kernel32.dll
GetDiskFreeSpaceExW
Total Size: %.2f GB
Free Space: %.2f GB

Location:
Hard Drive Info

UAC Info:
settings
USERPROFILE
Telegram Desktop
Telegram.exe
SELECT name, value, date_created FROM autofill
LOCALAPPDATA
%s_cookies.txt
LOCALAPPDATA
Error scanning row:
%s_logins.txt
Local State
os_crypt
advapi32.dll
comdlg32.dll
oleaut32
opengl32.dll
psapi.dll
winmm.dll
dxva2.dll
msimg32.dll
RegisterClassExW
CreateWindowW
CreateWindowExW
AdjustWindowRectEx
DestroyWindow
PostQuitMessage
GetMessageW
WaitMessage
CallWindowProcW
SetClassLongPtrW
EnableWindow
GetClientRect
```

SetCapture
ReleaseCapture
MessageBoxW
EqualRect
IntersectRect
IsRectEmpty
OffsetRect
DialogBoxParamW
ClientToScreen
DrawTextW
OpenClipboard
SetClipboardData
MapVirtualKeyW
MapVirtualKeyExW
GetAsyncKeyState
MonitorFromPoint
MonitorFromWindow
GetMonitorInfoW
ChangeDisplaySettingsExW
CallNextHookEx
GetWindowPlacement
GetForegroundWindow
FindWindowW
MessageBeep
EnumWindows
GetSysColorBrush
CheckMenuItem
CreatePopupMenu
EnableMenuItem
GetMenuBarInfo
GetMenuItemCount
GetMenuItemInfoW
GetMenuState
GetMenuStringW
GetSystemMenu
HiliteMenuItem
InsertMenuW
LoadMenuW
MenuItemFromPoint
RemoveMenu
SetMenuInfo
SetMenuItemBitmaps
IsDlgButtonChecked
LookupIconIdFromDirectoryEx
SetForegroundWindow
ScrollWindow
PrintWindow

RegGetValueW
RegEnumKeyExW
RegSetValueExW
OpenSCManagerW
CloseServiceHandle
OpenServiceW
StartServiceW
InitCommonControlsEx
ImageList_Destroy
ImageList_ReplaceIcon
ImageList_Remove
DefSubclassProc
GetOpenFileNameW
DwmExtendFrameIntoClientArea
DwmFlush
DwmGetTransportAttributes
DwmModifyPreviousDxFrameDuration
DwmSetWindowAttribute
DwmShowContact
DwmTetherContact
DwmUpdateThumbnailProperties
CloseEnhMetaFile
CreateCompatibleDC
CreateDIBSection
CreateEnhMetaFileW
CreateICW
GetTextMetricsW
SelectObject
SetBkMode
SetStretchBltMode
ChoosePixelFormat
DescribePixelFormat
SetPixelFormat
SwapBuffers
SetDCPenColor
SetDCBrushColor
CreatePen
Polyline
PolyBezier
GetModuleHandleW
GetConsoleWindow
GlobalAlloc
GlobalFree
RtlMoveMemory
FindResourceW
SizeofResource
LockResource

```
LoadResource
CreateToolhelp32Snapshot
GetDiskFreeSpaceExW
GetProcessTimes
GetCurrentProcessId
GetVersion
GetCurrentActCtx
CreateFileW
CoUninitialize
CreateStreamOnHGlobal
VariantInit
SysFreeString
SysStringLen
wglGetProcAddress
wglMakeCurrent
EnumProcesses
DragAcceptFiles
DragQueryPoint
ShellExecuteW
ExtractIconW
GdiplusStartup
VerQueryValueW
PlaySoundW
WNetAddConnection3W
failed to copy file to form field: %v
user_data#%d
no such process
https://api.telegram.org/bot%s/sendDocument
Content-Type
ShowWindow
84N|)17$73@L3R
blacklist.txt
blacklist.txt
blacklist.txt
LOCALAPPDATA
USERINFO.txt
LOCALAPPDATA
LOCALAPPDATA
Telegram
LOCALAPPDATA
sessiondata
Telegram.exe
LOCALAPPDATA
Testing /tmp/test/f1adfff10bef716f3a826b7b935b6f0afc4d5838939b84d4a56e9b7d15deddfc
complex128
reflect: call of
reflect.Value.Len
```

t.inCount > 0
reflect: Len of non-array type
reflect: In of non-func type
reflect: Elem of invalid type
name flag field
name offset field
non-empty string
t.mcount > 0
i < s.Len
short buffer
unexpected EOF
Seek: invalid offset
file already exists
file already closed
illegal instruction
bus error
floating point exception
user defined signal 1
segmentation fault
broken pipe
alarm clock
1.3.6.1.5.5.7.3.1
2.16.840.1.113730.4.1
advertise error
bad message
invalid slot
operation canceled
no child processes
disk quota exceeded
file exists
bad address
interrupted system call
invalid argument
is a named type file
key has expired
level 2 halted
level 2 not synchronized
level 3 halted
level 3 reset
cannot exec a shared library directly
wrong medium type
too many links
message too long
no such device
exec format error
package not installed
not a XENIX named type file

state not recoverable
operation not supported
name not unique on network
no such device or address
operation not supported
owner died
operation not permitted
broken pipe
protocol error
object is remote
interrupted system call should be restarted
read-only file system
illegal seek
srmount error
stale NFS file handle
streams pipe error
text file busy
protocol driver not attached
invalid cross-device link
advapi32.dll
dnsapi.dll
msock.dll
netapi32.dll
ntdll.dll
shell32.dll
ws2_32.dll
CryptReleaseContext
GetLengthSid
GetTokenInformation
DnsQuery_W
CancelIo
CreateDirectoryW
CreateFileMappingW
CreatePipe
CreateProcessW
FindFirstFileW
GetCommandLineW
GetComputerNameW
GetCurrentDirectoryW
GetCurrentProcessId
GetFileAttributesW
GetFileInformationByHandle
GetFullPathNameW
GetLongPathNameW
GetProcAddress
GetShortPathNameW
GetTempPathW

GetVersion
LoadLibraryW
LocalFree
Process32FirstW
Process32NextW
ReadDirectoryChangesW
SetCurrentDirectoryW
SetFileCompletionNotificationModes
SetHandleInformation
VirtualUnlock
AcceptEx
GetAcceptExSockaddr
CommandLineToArgvW
GetUserProfileDirectoryW
GetAddrInfoW
WSACleanup
WSAEnumProtocolsW
WSAStartup
getsockopt
setsockopt
failed to find ConnectEx:
winapi error #
advapi32.dll
iphlpapi.dll
ws2_32.dll
RevertToSelf
SetTokenInformation
LockFileEx
Module32NextW
MoveFileExW
MultiByteToWideChar
NetShareAdd
GetProcessMemoryInfo
1220703125
6103515625
30517578125
3814697265625
19073486328125
95367431640625
11920928955078125
1490116119384765625
37252902984619140625
4656612873077392578125
14551915228366851806640625
3552713678800500929355621337890625
11102230246251565404236316680908203125
ryuFtoaFixed64 called with prec > 18

```
ryuFtoaFixed32 called with prec > 9  
ParseInt  
ParseUint  
strconv.  
parsing  
ParseFloat  
ParseFloat  
ParseFloat  
ParseFloat  
Balinese  
Balinese  
Buginese  
Chorasmian  
Egyptian_Hieroglyphs  
Ethiopic  
Georgian  
Glagolitic  
Gujarati  
Imperial_Aramaic  
Inscriptional_Pahlavi  
Javanese  
Katakana  
Khitani_Small_Script  
Khudawadi  
Mende_Kikakui  
Meroitic_Cursive  
Mongolian  
Nandinagari  
New_Tai_Lue  
Nyiakeng_Puachue_Hmong  
Old_Hungarian  
Old_North_Arabian  
Old_Permic  
Old_South_Arabian  
Old_Turkic  
Pahawh_Hmong  
Phags_Pa  
Phoenician  
Psalter_Pahlavi  
Saurashtra  
Sundanese  
Sundanese  
Tai_Viet  
Ugaritic  
Bidi_Control  
Deprecated  
Logical_Order_Exception
```

Other_Alphabetic
Other_Default_Ignorable_Code_Point
Other_Grapheme_Extend
Other_ID_Start
Pattern_Syntax
Prepended_Concatenation_Mark
Sentence_Terminal
Variation_Selector
White_Space
Inherited
to pointer to array with length
reflect.MakeSlice: negative len
reflect.MakeSlice: negative cap
reflect.Copy
method ABI and value ABI do not align
precomputed stack offset
methodFrame's size > retOffset
of unexported method
reflect:
typ.size > 0
precomputed value offset
mismatch between ABI description and types
returned zero Value
i < length
has invalid name
reflect.StructOf: field
has no type
&x.field safe
reflect: call of MakeFunc with non-Func type
bad argSize
reflect: Out of non-func type
reflect: Len of non-array type
reflect: FieldByName of non-struct type
: value of type
<invalid Value>
reflect.Value.Slice3
reflect.Value.SetMapIndex
reflect.Value.SetInt
reflect.Set
reflect.Value.Pointer
reflect.Value.NumMethod
reflect.Value.Method
reflect: Method index out of range
reflect: Method on nil interface value
reflect.MapIter.SetKey
reflect.Value.IsZero
i < s.Len

same as non-reflect &v.field
reflect.Value.Elem
reflect.Value.Complex
reflect.Value.Cap
reflect:
 as type
reflect.Value.Call
mismatch between ABI description and types
CallSlice
reflect.Value.Bytes of non-rune slice
reflect:
 t.xcount > 0
 t.mcount > 0
 name flag field
 advapi32.dll
 RegCreateKeyExW
 RegLoadMUIStringW
 Wednesday
 Egypt Standard Time
 W. Central Africa Standard Time
 E. Africa Standard Time
 Libya Standard Time
 SA Pacific Standard Time
 Argentina Standard Time
 Venezuela Standard Time
 Mountain Standard Time (Mexico)
 Central Brazilian Standard Time
 Pacific Standard Time
 Saint Pierre Standard Time
 Central Asia Standard Time
 Jordan Standard Time
 Arabic Standard Time
 SE Asia Standard Time
 India Standard Time
 Afghanistan Standard Time
 Nepal Standard Time
 North Asia Standard Time
 Sakhalin Standard Time
 Singapore Standard Time
 West Asia Standard Time
 Ekaterinburg Standard Time
 Cen. Australia Standard Time
 W. Australia Standard Time
 AUS Eastern Standard Time
 Turkey Standard Time
 Russian Standard Time
 Russia Time Zone 3

Samoa Standard Time
West Pacific Standard Time
Tonga Standard Time
,M3.2.0,M11.1.0
time: invalid duration
time: invalid duration
: extra text:
parsing time
Time.UnmarshalBinary: invalid length
year outside of range [0,9999]
2006-01-02T15:04:05.999999999Z07:00
2006-01-02 15:04:05.999999999 -0700 MST
skip this directory
skip everything and stop the walk
use of closed network connection
use of closed file
file type does not support deadline
unreachable:
setsockopt
unixpacket
internal error: unknown network type
i/o timeout
/dev/stderr
pattern contains path separator
ComputerNameEx
FindFirstFile
RemoveAll
OpenProcess
fork/exec
SetReadDeadline
SyscallConn
syntax error scanning complex number
%!(BADWIDTH)
%!(NOVERB)
0123456789abcdefx
0123456789ABCDEFX
0123456789abcdefx
0123456789abcdefx
strings: Repeat count causes overflow
BigEndian
bytes.Reader.WriteTo: invalid Write count
bytes.Reader.ReadAt: negative offset
%!%c(big.Int=%s)
negative bit index
impossible
impossible
division by zero

division by zero
crypto/rand: argument to Int is <= 0
linkpath
invalid format
USTAR cannot encode %s=%v
ChangeTime
GNU.sparse.
only PAX supports PAXRecords
Format specifies PAX
Format specifies GNU
bufio: buffer full
bufio: negative count
bufio.Scanner: token too long
final token
flate: closed writer
index > windowEnd
not available
gzip: invalid header
gzip.Write: non-Latin-1 header string
context deadline exceeded
.WithValue(type
cannot create context from nil parent
.WithDeadline(
execwait
SYSTEMROOT
SYSTEMROOT=
nil Context

os/exec.Command(
exec: Stdin already set
exec: not started
exec: canceling Cmd
exec: no command
missing ']' in host
invalid character

Sint64Kind
FloatKind
DoubleKind
MessageKind
<unknown:%d>
<unknown: %T>
deprecated
idempotency_level
uninterpreted_option
deprecated

uninterpreted_option
uninterpreted_option
uninterpreted_option
leading_comments
leading_detached_comments
identifier_value
positive_int_value
negative_int_value
double_value
deprecated
input_type
deprecated
java_multiple_files
java_generic_services
cc_enable_arenas
objc_class_prefix
csharp_namespace
ruby_package
json_name
proto3_optional
nested_type
oneof_decl
dependency
enum_type
Optional
Repeated
Cardinality(%d)
extension
google/protobuf/api.proto
google/protobuf/type.proto
google/protobuf/
google.golang.org/protobuf/types/known/
file %q has a package name conflict over %v
fallthrough
cannot parse invalid wire-format data
descriptor mismatch: %v != %v
descriptor mismatch
invalid kind %v
ReservedNames
RequiredNumbers
Extensions
HasJSONName
HasPresence
IsPacked
MapValue
HasDefault
ContainingOneof

```
ContainingMessage
ReservedNames
IsPlaceholder
FullName
EnumRanges
[:^alnum:]
[:^ascii:]
[:digit:]
[:^digit:]
[:^lower:]
[:^print:]
[:punct:]
[:^punct:]
[:^space:]
[:^word:]
InstFail
unknown empty width arg
\.+*?()|[]{}^$
regex: Compile(
invalid hex escape code %q in string
invalid escape code %q in string
index out of range
invalid range: %v
non-contiguous repeated field
overlapping ranges: %v with %v
no support for proto1 weak fields
missing Go struct field for
missing Go struct field for
missing Go struct field for
UNKNOWN_%d
XXX_OneofFuncs
ExtensionRangeArray
protobuf_key
protobuf_oneof
invalid Go type %v for field %v
invalid type: got %v, want %v
invalid type: got %v, want %v
invalid type: got %v, want %v
invalid type: got %v, want %v
invalid field: no encoder for %v %v %v
invalid type: got %v, want %v
weak message %v is not linked in
string field contains invalid UTF-8
protobuf_oneof
%v: unable to resolve extension %v: %v
missing Go struct field for
%v: assigning invalid value
```

invalid nil pointer
mismatching extension lengths
SEND_FAILURE
DISCONNECT
SEND_FAILURE
DISCONNECT
crypto: RegisterHash of unknown hash function
crypto: requested hash function #
 is unavailable
SHA-512/224
SHA-512/256
unknown hash value
crypto/cipher: output smaller than input
cipher: incorrect length IV
crypto/aes: output not full block
crypto/aes: invalid buffer overlap
crypto/aes: output not full block
crypto/aes: output not full block
invalid scalar length
P256 point not on curve
invalid scalar length
invalid P256 compressed point encoding
invalid P224 point encoding
crypto/ecdh: invalid private key size
negative coordinate
bigmod: invalid montgomeryMul input
empty integer
generalized
printable
data truncated
sequence tag mismatch
non-minimal length
060102150405Z0700
base 128 integer too large
empty integer
invalid boolean
invalid boolean
asn1: syntax error:
 out points to big.Int, but defaultValue does not
 20060102150405Z0700
 out does not point to an integer type
cryptobyte: internal error
no assembly implementation available
negative coordinate
invalid scalar encoding
edwards25519: invalid point encoding
ed25519: bad private key length:

```
crypto/rsa: decryption error
d.nx != 0
crypto/sha256: invalid hash state size
SERIALNUMBER
2.5.4.17
netip.ParsePrefix(
): bad bits after slash:
netip.ParsePrefix(
missing ]
IPv4 field must have at least one digit
invalid IP
unexpected slice size
TypeHINFO
ClassHESIOD
RCodeNameError
RCodeRefused
too many pointers (>10)
insufficient data for resource body length
too many Additionals to pack (>65535)
ResourceHeader
skipping:
unpacking header
authorities
additional
server misbehaving
pointtopoint
ipv6-icmp
no such host
unixpacket
unknown mode:
wsaiocctl
setsockopt
setsockopt
setsockopt
setsockopt
transmitfile
criterion too short
unclosed criterion bracket
continue
i/o timeout
non-IPv6 address
non-IPv4 address
CIDR address
sockaddr
getadaptersaddresses
getadaptersaddresses
invalid address family
```

unexpected address type
wsasendmsg
wsasendmsg
wsarecvmsg
shutdown
unixpacket
.localhost
.localhost.localdomain
cannot unmarshal DNS message
unknown network
unixpacket
mismatched local address type
IP address
invalid IP address
crypto/des: invalid buffer overlap
AES-128-CBC
AES-192-CBC
x509: decryption password incorrect
x509usefallbackroots
SHA256-RSA
SHA384-RSA
SHA512-RSA
SHA256-RSAPSS
SHA384-RSAPSS
ECDSA-SHA256
ECDSA-SHA384
x509sha1
X509 CRL
x509: unknown elliptic curve
x509: invalid X25519 private key: %v
trailing data
x509: trailing data
x509: malformed certificate
x509: invalid version
x509: malformed public key algorithm identifier
x509: malformed subjectUniqueID
x509: invalid CRL distribution point
x509: invalid authority key identifier
x509: invalid authority info access
x509: empty name constraints extension
x509: invalid extended key usages
x509: RSA key missing NULL parameters
x509: invalid RSA modulus
x509: invalid DSA public key
x509: unsupported time format
x509: invalid RDNSsequence: invalid attribute
invalid UTF-8 string

```
invalid NumericString
getCert can't be nil
2006-01-02T15:04:05Z07:00
avx512vbmi
avx512vnni
avx512vbmi2
avx512bf16
pclmulqdq
GODEBUG sys/cpu: value "
", missing CPU support

chacha20: wrong HChaCha20 key size
chacha20poly1305: invalid buffer overlap
bad record MAC
handshake failure
revoked certificate
unknown certificate
illegal parameter
inappropriate fallback
user canceled
bad certificate status response
certificate required
tls: invalid ClientKeyExchange message
master secret
server finished
CERTIFICATE
PRIVATE KEY
CERTIFICATE
PRIVATE KEY
PRIVATE KEY
master secret
res master
TLS 1.3, client CertificateVerify
c ap traffic
c hs traffic
tls: received malformed key_share extension
resumption
res binder
DOWNGRD
tls: NextProtos values too large
remote error
TLS: sequence number wraparound
tls: failed to verify certificate: %s
traffic upd
chain is not signed by an acceptable CA
tls: internal error: unsupported key (%T)
unsupported signature algorithm: %v
```

```
PKCS1WithSHA1
ECDSAWithSHA1
PKCS1WithSHA512
SignatureScheme(
expected an ECDSA public key, got %T
tls: alert(
avx512vbmi
avx512vnni
avx512vbmi2
avx512bf16
pclmulqdq
GODEBUG sys/cpu: value "
", missing CPU support

chacha20: wrong HChaCha20 key size
chacha20poly1305: invalid buffer overlap
invalid checksum
invalid HRP: %q
illegal zero padding
bad scalar length:
bad input point: low order point
encrypted value has unexpected length
malformed recipient %q: invalid type %q
failed to compute header MAC: %v
  Rectangle has huge or negative dimensions
hash/adler32: invalid hash state size
bad palette length:
invalid image size:
ORGANOSOLS
WHIRLWINDS
REDUCIBILITIES
SUPERATOMS
QUINTUPLET
SUPPORTIVE
REENLARGING
DEPRECIATOR
DRAUGHTSMAN
SEMITRAILER
TEABOARD
ALLEGRETTOS
ADOPTIONIST
BUCKSHOT
REVERSER
DISAPPROBATIONS
HIEROGLYPHIC
MEANINGFULLY
GARNISHEE
```

AUTHENTICITY
REEMBARKS
ACCIACCATURAS
REFUSENIK
BUTTERFAT
REPLETION
BACKHANDER
CHOROGRAPHERS
MEDICATING
EXPLICABLE
HYPERLIPEMIAS
CAMELIZE
SCAGLIOLAS
SKIMOBILED
PREPROCESSING
CIGUATERAS
RATCHETING
CORNCRAKES
BOWDLERISE
REVOCATION
MAUMETRIES
GROUNDINGS
POLLINOSIS
STUDIOUSLY
FEDERALIZES
REDEVELOPED
DECLIVITIES
PREDOMINATE
GRAVIDITIES
FADEAWAY
CONFERMENTS
OSTRACISING
BEAMLESS
SANDBARS
APPENDIX
PURCHASE
INEFFECTUALNESS
STOWABLE
SUBROUTINES
DOUBLEHEADER
GUESTING
OUTBOAST
HYPERALIVATION
NONDECEPTIVE
OVERBUILDING
ADVANTAGE
YTTRIUMS

INNOVATIONAL
ABNEGATOR
KERCHIEFS
OVERORGANIZE
EPIFAUNAS
REPUTABLE
EMBRASURE
LAMINATOR
ARCHIPELAGOES
VIRTUOSITIES
PRESANCTIFIED
GAILLARDIA
UNWARRANTABLE
MANIACALLY
VACATIONED
OUTCOACHED
TETRAHEDRA
NONDEFENSE
PERICYCLIC
UNSHEATHED
CRYSTALLIZING
HIEROPHANT
EPITOMISED
WITCHWEEDS
SUBSIDISES
CARDIOTHORACIC
decryption failed
IH7LJOJXC6IYM6CKSWXWU3JER6JXJVZE
invalid encoded signature
invalid encoded public key
incompatible key identifiers
invalid global signature
illegal instruction
trace/breakpoint trap
trace/breakpoint trap
broken pipe
2.16.840.1.113730.4.1
advapi32.dll
dnsapi.dll
dnsapi.dll
iphlpapi.dll
iphlpapi.dll
netapi32.dll
ntdll.dll
ntdll.dll
ntdll.dll
sechost.dll

setupapi.dll
user32.dll
wintrust.dll
ws2_32.dll
CM_Get_DevNode_Status
CM_Get_Device_Interface_List_SizeW
CM_MapCrToWin32Err
AdjustTokenPrivileges
CheckTokenMembership
ConvertStringSidToSidW
DeleteService
EnumServicesStatusExW
EqualSid
GetLengthSid
GetSecurityDescriptorControl
GetSecurityDescriptorGroup
GetSecurityDescriptorOwner
GetSecurityDescriptorSacl
GetSidIdentifierAuthority
ImpersonateSelf
InitiateSystemShutdownExW
IsTokenRestricted
MakeAbsoluteSD
NotifyServiceStatusChangeW
QueryServiceConfig2W
QueryServiceConfigW
QueryServiceDynamicInformation
QueryServiceStatus
SetEntriesInAclW
SetKernelObjectSecurity
SetSecurityDescriptorDacl
SetSecurityDescriptorGroup
SetSecurityDescriptorOwner
SetSecurityInfo
StartServiceCtrlDispatcherW
CertCreateCertificateContext
CertDeleteCertificateFromStore
CertEnumCertificatesInStore
CertFindCertificateInStore
CertGetCertificateChain
CertGetNameStringW
CryptDecodeObject
DnsNameCompare_W
DnsNameCompare_W
DnsRecordListFree
DwmGetWindowAttribute
GetAdaptersAddresses

GetAdaptersInfo
GetBestInterfaceEx
GetBestInterfaceEx
ConnectNamedPipe
CreatePipe
CreateProcessW
CreateSymbolicLinkW
DuplicateHandle
ExitProcess
ExitProcess
FindFirstVolumeW
FindNextChangeNotification
FindNextVolumeMountPointW
FindNextVolumeW
FindVolumeClose
FindVolumeMountPointClose
FlushViewOfFile
FreeLibrary
GetCommandLineW
GetComputerNameExW
GetComputerNameW
GetConsoleMode
GetConsoleScreenBufferInfo
GetCurrentProcessId
GetCurrentThreadId
GetDiskFreeSpaceExW
GetLogicalDriveStringsW
GetLongPathNameW
GetModuleFileNameW
GetNamedPipeInfo
GetOverlappedResult
GetProcessPreferredUILanguages
GetProcessShutdownParameters
GetProcessWorkingSetSizeEx
GetStdHandle
GetSystemWindowsDirectoryW
GetVolumeInformationW
GetVolumePathNamesForVolumeNameW
LoadLibraryExW
LockFileEx
LockFileEx
Module32FirstW
OpenMutexW
PostQueuedCompletionStatus
Process32FirstW
Process32NextW
ReadFile

ReadProcessMemory
ResetEvent
ResumeThread
SetCommTimeouts
SetConsoleCursorPosition
SetStdHandle
SetVolumeMountPointW
UnmapViewOfFile
UpdateProcThreadAttribute
VirtualAlloc
VirtualFree
VirtualLock
VirtualProtect
VirtualQuery
VirtualUnlock
WaitForSingleObject
WriteConsoleW
GetAcceptExSockaddrs
RtlDefaultNpAcl
RtlInitUnicodeString
CoGetObject
CoTaskMemFree
StringFromGUID2
EnumProcessModules
EnumProcesses
GetModuleFileNameExW
GetUserNameExW
SetupDiBuildDriverInfoList
SetupDiClassGuidsFromNameExW
SetupDiDestroyDeviceInfoList
SetupDiGetClassDevsExW
SetupDiGetClassInstallParamsW
SetupDiGetDeviceInfoListDetailW
SetupDiGetDevicePropertyW
SetupDiSetClassInstallParamsW
SetupDiSetSelectedDriverW
SHGetKnownFolderPath
EnumChildWindows
EnumWindows
ExitWindowsEx
GetShellWindow
IsWindowVisible
DestroyEnvironmentBlock
WinVerifyTrustEx
GetAddrInfoW
WSAIoctl
WSARecvFrom

```
WSASocketW
WSAStartup
closesocket
getpeername
getprotobyname
getsockname
setsockopt
AddDllDirectory
  procedure in
Error reallocating code: %w
Incomplete headers
Error allocating headers: %w
Error copying sections: %w
No functions exported
Incomplete section
advapi32.dll
RegConnectRegistryW
RegDeleteKeyW
RegEnumValueW
ExpandEnvironmentStringsW
DWORD value is not 4 bytes long
Kernel32.dll
User32.dll
advapi32.dll
MiniDumpWriteDump
GetDesktopWindow
CreateThread
HeapReAlloc
Module32FirstW
PssCaptureSnapshot
GetProcessMemoryInfo
Void Main()
OleAut32.dll
Entering into io.BufferStderr()...
kernel32.dll
GetConsoleWindow
AllocConsole
OleAut32.dll
%s is not loadable for some reason
Entering into iclrruntimeinfo.Release()...
Entering into assembly.GetEntryPoint()...
C:\Windows\System32\kernel32.dll
AmsiScanBuffer
unhandled type: %d
could not retrieve service status: %v
invalid extended attribute buffer
extended attribute value too large
```

kernel32.dll
AdjustTokenPrivileges
BackupRead
GetNamedPipeHandleStateW
GetQueuedCompletionStatus
LocalAlloc
NtCreateNamedPipeFile
RtlDefaultNpAcl
i/o timeout
failed key exchange
D:(A;;;0x1f019f;;;WD)
DocumentPropertiesW
EnumPrintersW
uxtheme.dll
DrawThemeBackground
DrawThemeTextEx
GetThemeColor
IsAppThemed
OpenThemeData
AdjustWindowRect
CallWindowProcW
ChangeWindowMessageFilterEx
ClientToScreen
CreateMenu
CreateWindowExW
DefWindowProcW
DeleteMenu
DispatchMessageW
DrawFocusRect
DrawMenuBar
EnableMenuItem
EnumChildWindows
GetActiveWindow
GetClassNameW
GetClientRect
GetCursorPos
GetDlgItem
GetIconInfo
GetKeyState
GetParent
GetRawInputData
GetScrollInfo
GetSubMenu
GetSysColorBrush
GetSystemMetrics
GetWindowLongW
GetWindowRect

IsWindowVisible
LoadImageW
LoadStringW
OpenClipboard
PostMessageW
ReleaseCapture
RemoveMenu
SetMenuInfo
SetMenuItemBitmaps
SetParent
SetScrollInfo
SetWindowPos
ShowWindow
SystemParametersInfoW
TrackPopupMenuEx
DragQueryFileW
SHBrowseForFolderW
SHGetPathFromIDListW
SHGetStockIconInfo
ShellExecuteW
SHParseDisplayName
PdhCloseQuery
PdhValidatePathW
wglCopyContext
wglDeleteContext
wglGetCurrentContext
wglSetLayerPaletteEntries
wglUseFontBitmapsW
wglUseFontOutlinesW
oleaut32.dll
SysAllocString
SysStringLen
CoGetClassObject
CoInitializeEx
CoTaskMemFree
CoUninitialize
OleInitialize
OleSetContainedObject
CloseHandle
FileTimeToSystemTime
FindResourceW
GetConsoleWindow
GetLocaleInfoW
GetProfileStringW
GetThreadUILanguage
GlobalLock
GlobalUnlock

SetLastError
GdiplusStartup
gdi32.dll
msimg32.dll
AddFontResourceExW
AddFontMemResourceEx
CreateBitmap
CreateCompatibleDC
CreatePatternBrush
DeleteObject
ExtCreatePen
GetBkColor
GetDeviceCaps
GetDIBits
GetEnhMetaFileW
GetObjectW
GetTextColor
GetViewportOrgEx
Rectangle
SetBrushOrgEx
SetDIBits
SetStretchBltMode
SetViewportOrgEx
StartPage
TextOutW
AlphaBlend
GradientFill
CommDlgExtendedError
GetOpenFileNameW
GetSaveFileNameW
PrintDlgExW
ImageList_Destroy
RegOpenKeyExW
EnumDisplayMonitors
EnumDisplaySettingsW
CreateCompatibleBitmap failed
BitBlt failed
Iphlpapi.dll
Kernel32.dll
CreateToolhelp32Snapshot
Process32First
unable to derive key for checksum: %v
error decrypting: %v
Data not valid to pad: Zero size
kerberos
des-cbc-md5
des3-cbc-md5

```
des3-cbc-raw
rsaES-OAEP-ENV-0ID
des-ede3-cbc-Env-0ID
aes256-sha1
aes128-sha2
arcfour-hmac
arcfour-hmac-md5
arcfour-hmac-exp
rc4-hmac-exp
camellia256-cts-cmac
kerberos
explicit string type given to non-string member
asn1: string not valid UTF-8
unknown Go type
IA5String contains invalid character
generalstring
application
data truncated
tags don't match (%d vs %+v) %+v %s @%d
non-minimal tag
asn1: invalid UTF-8 string
20060102150405Z0700
060102150405Z0700
base 128 integer too large
empty integer
invalid boolean
invalid boolean
asn1: syntax error:
error generating confounder: %v
error getting encryption type: %v
KRB_AP_ERR_MSG_TYPE Invalid msg type
KRB_AP_ERR_NOKEY Service key not available
KDC_ERR_KEY_TOO_WEAK Reserved for PKINIT
%d cannot be less than zero
%d cannot be less than zero
%s's length is less than %d
invalid time duration
invalid time duration
invalid time duration value
^\\s*\\[libdefaults\\]\\s*
domain_realm
error processing libdefaults section: %v
error processing domaain_realm section: %v
/etc/krb5.keytab
aes256-cts-hmac-sha1-96
arcfour-hmac-md5
des-cbc-md4
```

des-cbc-crc
des-cbc-md4
des3-cbc-sha1
arcfour-hmac-md5
camellia256-cts-cmac
kerberos-adm
unpaired curly brackets
kpasswd_server
master_kdc
allow_weak_crypto
ccache_type
libdefaults section line (%s)
libdefaults section line (%s): %v
dns_lookup_realm
forwardable
libdefaults section line (%s): %v
k5login_directory
kdc_default_options
permitted_encetypes
proxiable
libdefaults section line (%s)
safe_checksum_type
ticket_lifetime
wrong length byte slice (%d)
%x-%x-%x-%x-%x
encapsulated
conformant
size not valid: %v
could not read private header filler: %v
unionField
could not fill %s: %v
could not fill %s: %v
could not fill %s: %v
could not fill %v: %v
X-subStringArray
unsupported type
conformant
could not read size of dimension %d: %v
could not fill index %v of slice: %v
could not fill index %d of fixed array: %v
error processing ServerChecksum: %v
could not process UPN_DNSInfo: %v
could not process DeviceInfo: %v
error unmarshaling DeviceInfo: %v
application,explicit,tag:%v
Encoding_Error
Encoding_Error

```
failed to unmarshal KDC's reply
Encoding_Error
changepw
KRBMessage_Handling_Error
error unmarshaling TGS_REQ
KRBMessage_Handling_Error
Encoding_Error
Checksum_Error
KRBMessage_Handling_Error
KRBMessage_Handling_Error
Encoding_Error
KRBMessage_Handling_Error
KRBMessage_Handling_Error
Decrypting_Error
KRBMessage_Handling_Error
KDC FAST negotiation response error
Checksum_Error
Encoding_Error
Encoding_Error
Decrypting_Error
Decrypting_Error
Encoding_Error
Encoding_Error
application,explicit,tag:%v
Encoding_Error
Encoding_Error
Encrypting_Error
error creating Authenticator for AP_REQ
Encoding_Error
marshaling error of AP_REQ
unmarshal error of AP_REQ
Encoding_Error
service ticket provided is not yet valid
KRBMessage_Handling_Error
Encrypting_Error
Encrypting_Error
error getting key from credentials
error getting etype for pre-auth encryption
Encrypting_Error
error getting key from credentials
TGT session renewed for %s (EndTime: %v)
error refreshing session: %v
TGT session added for %s (EndTime: %v)
KRBMessage_Handling_Error
Encoding_Error
KRBMessage_Handling_Error
Encoding_Error
```

KDC_Error
Networking_Error
image/avif
image/jpeg
application/json
application/pdf
mime: bogus characters after %: %q
us-ascii
mime: duplicate parameter name
mime: expected token after slash
multipartfiles
multipartmaxparts
Connection
Content-Length
Content-Range
Content-Type
Keep-Alive
Proxy-Authenticate
:authority
accept-charset
accept-encoding
cache-control
content-disposition
content-language
content-range
if-unmodified-since
last-modified
set-cookie
strict-transport-security
user-agent
:authority
/index.html
content-language
if-range
if-unmodified-since
strict-transport-security
accept-language
content-disposition
content-encoding
content-location
content-type
last-modified
max-forwards
retry-after
HTTPS_PROXY
https_proxy
no_proxy

seeker can't seek
INTERNAL_ERROR
CONNECT_ERROR
INADEQUATE_SECURITY
received from peer
pseudo header field after regular
PUSH_PROMISE
WINDOW_UPDATE
END_STREAM
END_STREAM
END_HEADERS
END_HEADERS
http2: frame too large
HalfClosedRemote
INITIAL_WINDOW_SIZE
http2: timeout awaiting response headers
client disconnected
timeout waiting for client preface
Proxy-Connection
User-Agent
Content-Length
http-server
Content-Type
Connection
silence-semicolons
http2server
text/xml; charset=utf-8
%!PS-Adobe-
image/x-icon
RIFF WEBPVP
image/webp
FORM AIFF
audio/mpeg
RIFF AVI
application/vnd.ms-fontobject
font/collection
font/woff2
application/x-gzip
application/zip
Content-Type
Transfer-Encoding
http: unexpected EOF reading trailer
http2client
http: server closed idle connection
net/http: timeout awaiting response headers
http2debug=1
frame_continuation_zero_stream

```
frame_windowupdate_bad_len
frame_pushpromise_zero_stream
frame_settings_has_stream
frame_settings_mod_6
PRIORITY frame with stream ID 0
frame_data_pad_too_big
stream error: stream ID %d; %v
Frame accessor called on non-owned Frame
cookiejar: no host name available (IP only)
error marshalling AP_REQ for MechToken: %v
invalid state %d
rsa-sha2-256
rsa-sha2-512-cert-v01@openssh.com
rsa-sha2-512
ecdsa-sha2-nistp256
ecdsa-sha2-nistp384-cert-v01@openssh.com
ecdsa-sha2-nistp384
ssh-ed25519
aes256-ctr
arcfour256
chacha20-poly1305@openssh.com
arcfour256
aes128-cbc
aes192-ctr
curve25519-sha256@libssh.org
diffie-hellman-group1-sha1
diffie-hellman-group-exchange-sha1
curve25519-sha256
ecdh-sha2-nistp256
ecdh-sha2-nistp384
diffie-hellman-group14-sha256
ecdsa-sha2-nistp521
rsa-sha2-256
rsa-sha2-256
ecdsa-sha2-nistp256
sk-ecdsa-sha2-nistp256@openssh.com
ecdsa-sha2-nistp256
ecdsa-sha2-nistp384
ecdsa-sha2-nistp521
rsa-sha2-256
rsa-sha2-512
chacha20-poly1305@openssh.com
sk-ecdsa-sha2-nistp256@openssh.com
nistp256
hmac-sha1-96
kexInitMsg
kexDHInitMsg
```

userAuthRequestMsg
userAuthPubKeyOkMsg
channelOpenConfirmMsg
channelOpenFailureMsg
channelRequestMsg
ssh: got bogus newkeys message
pointer to unknown type in field %d: %T
slice of unsupported type
pointer to unsupported type
ssh: disconnect, reason %d: %s
ssh: invalid openssh private key format
ssh: malformed OpenSSH key
nistp384
DSA PRIVATE KEY
OPENSSH PRIVATE KEY
ssh: signature did not verify
ssh-ed25519
ssh-ed25519
nistp384
ssh: DSA signature parse error
ssh: exponent too large
ssh: signature type %s for key type %s
ssh: trailing junk in public key
sk-ssh-ed25519-cert-v01@openssh.com
ecdh-sha2-nistp521
curve25519-sha256
key exchange
host key
server to client cipher
client to server MAC
server to client compression
rsa-sha2-512
rsa-sha2-512-cert-v01@openssh.com
public key signature algorithm
ssh-userauth
SSH-2.0-Go
unknown channel type: %v
exit-status
ssh: max packet length exceeded
ssh: packet too large
ssh: MAC failure
unknown reason %d
ssh: invalid window update for %d bytes
ssh: wrong packet length
ssh: remote side wrote too much
unknown certificate type for key type
rsa-sha2-256

```
rsa-sha2-512-cert-v01@openssh.com
ecdsa-sha2-nistp384-cert-v01@openssh.com
ecdsa-sha2-nistp384
ecdsa-sha2-nistp521
sk-ecdsa-sha2-nistp256@openssh.com
rsa-sha2-512
agent: unsupported key type %T
ssh-ed25519
ssh-ed25519
agent: unsupported key type %T
unreachable
unreachable
agent: failure
response too large
not support version
datagram to short
datagram to short
dial udp invalid
failed to send reply, %v
write data to client %s failed, %v
failed to send reply: %v
failed to send reply, %v
process terminated
Invalid ID

uuid: incorrect UUID format in string %q
uuid: incorrect UUID format in string %q
language not supported
could not find kernel32 dll:
Server 2012
```

Source: <https://research.openanalysis.net/garble/go/obfuscation/strings/2023/08/03/garble.html>