Project TajMahal – a sophisticated new APT framework

SL securelist.com/project-tajmahal/90240/



Authors

• Expert AMR
• Expert GReAT

Executive summary

'TajMahal' is a previously unknown and technically sophisticated APT framework discovered by Kaspersky Lab in the autumn of 2018. This full-blown spying framework consists of two packages named 'Tokyo' and 'Yokohama'. It includes backdoors, loaders, orchestrators, C2 communicators, audio recorders, keyloggers, screen and webcam grabbers, documents and cryptography key stealers, and even its own file indexer for the victim's machine. We discovered up to 80 malicious modules stored in its encrypted Virtual File System, one of the highest numbers of plugins we've ever seen for an APT toolset.

Just to highlight its capabilities, TajMahal is able to steal data from a CD burnt by a victim as well as from the printer queue. It can also request to steal a particular file from a previously seen USB stick; next time the USB is connected to the computer, the file will be stolen.

TajMahal has been developed and used for at least the past five years. The first known 'legit' sample timestamp is from August 2013, and the last one is from April 2018. The first confirmed date when TajMahal samples were seen on a victim's machine is August 2014.

More details about TajMahal are available to customers of the Kaspersky Intelligence Reporting service (contact intelligence-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-based-contact-

Technical details

We have discovered two different types of TajMahal packages, self-named Tokyo and Yokohama. The targeted systems found by Kaspersky Lab were infected with both packages. This suggests that Tokyo was used as first stage infection, deploying the fully-functional Yokohama package on interesting victims, and then left in for backup purposes. The packages share the same code base, we identified the following interesting features:

- Capable of stealing documents sent to the printer queue.
- Data gathered for victim recon includes the backup list for Apple mobile devices.
- Takes screenshots when recording VoiceIP app audio.
- Steals written CD images.
- Capable of stealing files previously seen on removable drives once they are available again.
- Steals Internet Explorer, Netscape Navigator, FireFox and RealNetworks cookies.
- If deleted from Frontend file or related registry values, it will reappear after reboot with a new name and startup type.

Victims

So far we have detected a single victim based on our telemetry – a diplomatic entity from a country in Central Asia.

Conclusion

The TajMahal framework is an intriguing discovery that's of great interest, not least for its high level of technical sophistication, which is beyond any doubt. The huge amount of plugins that implement a number of features is something we have never before seen in any other APT activity. For example, it has its own indexer, emergency C2s, is capable of stealing specific files from external drives when they become available again, etc.

The question is, why go to all that trouble for just one victim? A likely hypothesis is that there are other victims we haven't found yet. This theory is reinforced by the fact that we couldn't see how one of the files in the VFS was used by the malware, opening the door to the possibility of additional versions of the malware that have yet to be detected.

Kaspersky Lab products detect the TajMahal APT samples as HEUR:Trojan.Multi.Chaperone.gen

Appendix I – Indicators of compromise

A full set of IOCs and Yara rules is available to customers of Kaspersky Intelligence Reporting service – contact intelreports@kaspersky.com

Domains and IPs

104.200.30.125 50.56.240.153 rahasn.webhop.org rahasn.akamake.net rahasn.homewealth.biz

File Hashes

22d142f11cf2a30ea4953e1fffb0fa7e 2317d65da4639f4246de200650a70753 27612cb03c89158225ca201721ea1aad 412956675fbc3f8c51f438c1abc100eb 490a140093b5870a47edc29f33542fd2 51a7068640af42c3a7c1b94f1c11ab9d 533340c54bd25256873b3dca34d7f74e 684eca6b62d69ce899a3ec3bb04d0a5b 69a19abf5ba56ee07cdd3425b07cf8bf 6cfd131fef548fcd60fbcdb59317df8e 72dc98449b45a7f1ccdef27d51e31e91 7c733607a0932b1b9a9e27cd6ab55fe0 7d5265e814843b24fcb3787768129040 80c37e062aa4c94697f287352acf2e9d 815f1f8a7bc1e6f94cb5c416e381a110 a43d3b31575846fa4c3992b4143a06da 08e82dc7bae524884b7dc2134942aadb 7bcd736a2394fc49f3e27b3987cce640 57314359df11ffdf476f809671ec0275 b72737b464e50aa3664321e8e001ff32 ce8ce92fb6565181572dce00d69c24f8 5985087678414143d33ffc6e8863b887

84730a6e426fbd3cf6b821c59674c8a0 d5377dc1821c935302c065ad8432c0d2 d8f1356bebda9e77f480a6a60eab36bb 92f8e3f0f1f7cc49fad797a62a169acd 9003cfaac523e94d5479dc6a10575e60 df91b86189adb0a11c47ce2405878fa1 e17bd40f5b5005f4a0c61f9e79a9d8c2 c1e7850da5604e081b9647b58248d7e8 99828721ac1a0e32e4582c3f615d6e57 f559c87b4a14a4be1bd84df6553aaf56 b9c208ea8115232bfd9ec2c62f32d6b8 061089d8cb0ca58e660ce2e433a689b3 0e9afd3a870906ebf34a0b66d8b07435 9c115e9a81d25f9d88e7aaa4313d9a8f 520ee02668a1c7b7c262708e12b1ba6b 7bfba2c69bed6b160261bdbf2b826401 77a745b07d9c453650dd7f683b02b3ed 3a771efb7ba2cd0df247ab570e1408b2 0969b2b399a8d4cd2d751824d0d842b4 fc53f2cd780cd3a01a4299b8445f8511 4e39620afca6f60bb30e031ddc5a4330 bfe3f6a79cad5b9c642bb56f8037c43b 3dfebce4703f30eed713d795b90538b5 9793afcea43110610757bd3b800de517 36db24006e2b492cafb75f2663f241b2 21feb6aa15e02bb0cddbd544605aabad 21feb6aa15e02bb0cddbd544605aabad 649ef1dd4a5411d3afcf108d57ff87af 320b2f1d9551b5d1df4fb19bd9ab253a 3d75c72144d873b3c1c4977fbafe9184 b9cf4301b7b186a75e82a04e87b30fe4 b4e67706103c3b8ee148394ebee3f268 7bfbd72441e1f2ed48fbc0f33be00f24 cdb303f61a47720c7a8c5086e6b2a743 2a6f7ec77ab6bd4297e7b15ae06e2e61 8403a28e0bffa9cc085e7b662d0d5412 3ffd2915d285ad748202469d4a04e1f5 04078ef95a70a04e95bda06cc7bec3fa 235d427f94630575a4ea4bff180ecf5d 8035a8a143765551ca7db4bc5efb5dfd cacaa3bf3b2801956318251db5e90f3c 1aadf739782afcae6d1c3e4d1f315cbd

c3e255888211d74cc6e3fb66b69bbffb d9e9f22988d43d73d79db6ee178d70a4 16ab79fb2fd92db0b1f38bedb2f02ed8 8da15a97eaf69ff7ee184fc446f19cf1 ffc7305cb24c1955f9625e525d58aeee c0e72eb4c9f897410c795c1b360090ef 9ad6fa6fdedb2df8055b3d30bd6f64f1 44619a88a6cff63523163c6a4cf375dd a571660c9cf1696a2f4689b2007a12c7 81229c1e272218eeda14892fa8425883 0ac48cfa2ff8351365e99c1d26e082ad

Appendix II – Additional technical details

The following table provides the full list of files stored in the VFS with a short description describing what the plugins do:

| nn | Name | Short description |
|----------|--------------------------------|------------------------------------------------------------------------------------------------------|
| 00 01 | cs64.dll cs32.dll | C2 communication and command processing. WatchPoints document stealer. |
| 02 03 | li64.dll li32.dll | LocalInfo. Collects a large amount of information, titled "TAJ MAHAL" |
| 04 06 | ad64.dll ad32.dll | AudioRecorder. Microphone, Voice IP applications. |
| 07 08 | le64.dll le32.dll | Open source-based LAME mp3 encoder ("Mar 27 2014") used by AudioRecorder plugins (adXX.dll). |
| 09 | dd.m | MP3 file is sent by AudioRecorder (adXX.dll) when cache is cleared. |
| 10 11 | me64.dll me32.dll | AudioRecorder for Windows Metro applications. Injects ma32.dll into "wwahost.exe" or "audacity.exe". |
| 12 | ma32.dll | AudioRecorder for Windows COM. Hooks IAudioClient, IAudioRenderClient, IMMDevice. |
| 13 14 | ams_api64.dll ams_api32.dll | Handy wrapper around API of exXX.dll, pdXX.dll, sgXX.dll. |
| 15 16 | ex64.dll ex32.dll | Orchestrator. Update/install/uninstall, selects target processes and loads plugins. |
| 17 18 | fe64.dll fe32.dll | Template of "Yokohama" Frontend module; is used for reinstalling. |

| 19 20 | pd64.dll pd32.dll | Provides API to access configuration settings, working files, egress queue. |
|----------------|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 21 22 | libpng64.dll libpng32.dll | Open source "libpng" library version 1.5.8 (February 1, 2012). Used by Screenshoter plugin (ssXX.dll). |
| 23 24 | rs64.dll rs32.dll | Reinstaller/Injector. |
| 25 26 | ix32.dll ix64.dll | LoadLibrary call template dll is used by Reinstaller/Injector plugin (rsXX.dll) for injecting LoadLibrary call into running processes. |
| 05 27 28 | obj32.bin obj32.bin obj64.bin | Shellcode template is used by Reinstaller/Injector (rsXX.dll) and AudioRecorder4MetroApp (meXX.dll) for injecting into running processes. Both versions of "obj32.bin" are the same; it seems to be stored twice by mistake. |
| 29 30 | sc64.dll sc32.dll | Utility library. Provides API for cryptography, file, registry, memory management operations and so on. |
| 31 32 | sg64.dll sg32.dll | Library for managing egress queue (files and messages prepared to send to CC). |
| 33 34 | st64.dll st32.dll | SuicideWatcher. Watches uninstall time, checks time diff (local time vs internet time). |
| 35 36 | zip64.dll zip32.dll | Open source "XZip/XUnzip" library by Info-Zip + Lucian Wischik + Hans Dietrich. Is used by Indexer (inXX.dll) and C2 communication (csXX.dll) plugins. |
| 37 38 | zlib64.dll zlib32.dll | Open source "zlib" version 1.2.3 used by libpngXX.dll for compressing screenshots (ssXX.dll). |
| 39 | il32.dll | IM-Stealer. Steals conversation content from chat windows of instant messaging applications. |
| 40 55 | in32.dll in64.dll | Indexer. Indexes files on victim drives, user profiles, removable drives. Built index files are zipped (by zipXX.dll) and put in send queue. |
| | · | |

| September Adding to the proprietary "ISYS Search Software" components are used by Indexer plugin. Licensee_ID1 "QsGXU H5W67 23B4W SCQFD 4G7HV 9GSLW" Sys.cwd Sys.ewd | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| tn32.dll freeimage_32.dll freeimage_32.dll freeimage_glus_32.dll freeimageplus_32.dll freeimageplus_64.dll ku32.dll freeimageplus_64.dll Keylogger & clipboard monitor. Keylogger & clipboard monitor. Keylogger & clipboard monitor. Freelmage open source library supports popular graphics image formats (ver 3.15.4 2012-10-27) (http://freeimage.sourceforge.net). Is used by Thumbnailer (tnXX.dll) plugin. Keylogger & clipboard monitor. Freelmage open source library supports popular graphics image formats (ver 3.15.4 2012-10-27) (http://freeimage.sourceforge.net). Is used by Thumbnailer (tnXX.dll) plugin. Steals printed documents from spooler queue. This is done by enabling the "KeepPrintedJobs" attribute for each configured printer stored in Windows Registry: key: "SOFTWARE\Microsoft\Windows NT\\CurrentVerrint\Version\\Printt\\Printers" value: "Attributes" Freelmage open source library supports popular graphics image formats (ver 3.15.4 2012-10-27) (http://freeimage.sourceforge.net). Is used by Thumbnailer (tnXX.dll) plugin. Freelmage open source library supports popular graphics image formats (ver 3.15.4 2012-10-27) (http://freeimage.sourceforge.net). Is used by Thumbnailer (tnXX.dll) plugin. Freelmage open source library supports popular graphics image formats (ver 3.15.4 2012-10-27) (http://freeimage.sourceforge.net). Is used by Thumbnailer (tnXX.dll) plugin. | 42 43 44 46 47 48 49 50 51 52 53 | isyspdf6_64.dll isyspdfl_64.dll isysdc_64.dll isys9.key isys.cwd isys.elx isys9_32.dll isys9core_32.dll isyspdf6_32.dll isyspdfl_32.dll isyspdfl_32.dll | Indexer plugin. Licensee_ID1 "Q5GXU H5W67 23B4W SCQFD 4G7HV 9GSLW" |
| freeimage_32.dll freeimage_64.dll freeimageplus_32.dll freeimage_64.dll freeimageplus_64.dll freeimageplus_64.dll freeimageplus_64.dll freeimageplus_64.dll freeimageplus_64.dll freeimageplus_64.dll freeimageplus_64.dll Keylogger & clipboard monitor. Keylogger & clipboard monitor. Steals printed documents from spooler queue. This is done by enabling the "KeepPrintedJobs" attribute for each configured printer stored in Windows Registry: key: "SOFTWARE\Microsoft\Windows NT\Current\Version\\Print\\Printers" value: "Attributes" FigressSender. Sends files from output queue to C2. priced devices, Apple mobile devices backups list, IE version, SecurityCenterInfo (AV, Firewalls and AntiSpyware products), Hardware info, Installed soft including Metro Apps, Users, Autoruns). Check and send to C2 if something changed. Screenshoter. Periodic low resolution screenshots. High resolution screenshots of specified process windows and when recording VoiceIP application audio. See "ss_pr" & | | | Open source "sqlite" library. Used by "ISYS Search". |
| freeimageplus_32.dll freeimage_64.dll freeimageplus_64.dll freeimage_sourceforge.net). Is used by Thumbnailer freelmage_sourceforge.net). Is used by Thumbnailer freelmage_sourcefore.net). In the suse of t | | | · |
| 64 ku32.dll 65 pm64.dll 66 pm32.dll Steals printed documents from spooler queue. This is done by enabling the "KeepPrintedJobs" attribute for each configured printer stored in Windows Registry: key: "SOFTWARE\Microsoft\Windows NT\\CurrentVersion\\Printt\\Printers" value: "Attributes" 67 rc64.dll 68 rc32.dll 69 rn64.dll 70 rn32.dll Daily "ClientRecon" (ComputerName, OS information, MacAddress, WirelessNetwork keys, connected Apple devices, Apple mobile devices backups list, IE version, SecurityCenterInfo (AV, Firewalls and AntiSpyware products), Hardware info, Installed soft including Metro Apps, Users, Autoruns). Check and send to C2 if something changed. 71 ss64.dll 72 ss32.dll Screenshoter. Periodic low resolution screenshots. High resolution screenshots of specified process windows and when recording VoiceIP application audio. See "ss_pr" & | 60 61 | freeimageplus_32.dll freeimage_64.dll | image formats (ver 3.15.4 2012-10-27) (http://freeimage.sourceforge.net). Is used by Thumbnailer |
| This is done by enabling the "KeepPrintedJobs" attribute for each configured printer stored in Windows Registry: key: "SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Print\\Printers" value: "Attributes" 67 rc64.dll | | | Keylogger & clipboard monitor. |
| 68 rc32.dll 69 rn64.dll 70 rn32.dll Daily "ClientRecon" (ComputerName, OS information, MacAddress, WirelessNetwork keys, connected Apple devices, Apple mobile devices backups list, IE version, SecurityCenterInfo (AV, Firewalls and AntiSpyware products), Hardware info, Installed soft including Metro Apps, Users, Autoruns). Check and send to C2 if something changed. 71 ss64.dll 72 ss32.dll Screenshoter. Periodic low resolution screenshots. High resolution screenshots of specified process windows and when recording VoiceIP application audio. See "ss_pr" & | | • | This is done by enabling the "KeepPrintedJobs" attribute for each configured printer stored in Windows Registry: key: "SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Print\\Printers" |
| 70 rn32.dll MacAddress, WirelessNetwork keys, connected Apple devices, Apple mobile devices backups list, IE version, SecurityCenterInfo (AV, Firewalls and AntiSpyware products), Hardware info, Installed soft including Metro Apps, Users, Autoruns). Check and send to C2 if something changed. 71 ss64.dll 72 ss32.dll Screenshoter. Periodic low resolution screenshots. High resolution screenshots of specified process windows and when recording VoiceIP application audio. See "ss_pr" & | | | EgressSender. Sends files from output queue to C2. |
| 72 ss32.dll resolution screenshots of specified process windows and when recording VoiceIP application audio. See "ss_pr" & | | | MacAddress, WirelessNetwork keys, connected Apple devices, Apple mobile devices backups list, IE version, SecurityCenterInfo (AV, Firewalls and AntiSpyware products), Hardware info, Installed soft including Metro Apps, Users, Autoruns). |
| | | | resolution screenshots of specified process windows and when recording VoiceIP application audio. See "ss_pr" & |

| 73 74 | vm32.dll vm64.dll | Steal documents from fixed and removable drives. Watch CDBurnArea and steals written CD images. |
|----------|----------------------|-------------------------------------------------------------------------------------------------|
| 75 76 | wc64.dll wc32.dll | Periodically makes webcamera snapshots. |
| 77 | default.cfg | Default configuration settings file. |
| 78 | runin.bin | List of processes names and associated plugins should be run inside these processes. |
| 79 | morph.dat | Configuration file stores path of work folders and registry keys. |

Project TajMahal – a sophisticated new APT framework

Your email address will not be published. Required fields are marked *