

How to recover files encrypted by Yanluowang


By Marc Rivero

Published: 2022-04-18 · Archived: 2026-04-05 20:09:14 UTC

Yanluowang is a type of targeted ransomware discovered by the Symantec Threat Hunter team as they were investigating an incident on a large corporate network. Kaspersky experts have found a vulnerability in the Yanluowang encryption algorithm and created a free decryptor to help victims of this ransomware with recovering their files.

Yanluowang description


The ransomware is relatively recent, its name a reference to the Chinese deity Yanluo Wang, one of the Ten Kings of Hell. Unfortunately, we do not know much about the victims. According to Kaspersky Security Network data, attacks have been carried out in the United States, Brazil, Turkey and a few other countries. The low number of infections is due to the targeted nature of the ransomware: threat actors prepare and implement attacks on specific companies only.



kaspersky

Geography of the Yanluowang attacks, December 4th, 2021 – April 8th, 2022 ([download](#))

In the ransom note, the cybercriminals demand not to contact law enforcement and not ‘keep them for fools’:





The ransomware program has the functionality to terminate virtual machines, processes and services. This is necessary to make files used by other programs available for encryption. The main parts of stopped services and processes include databases, email services, browsers, programs for working with documents, security solutions, backups and shadow copy services.

Lists of stopped services and processes

According to public information about the ransomware, it is only used in targeted attacks rather than in other RaaS families. Yanluowang itself needs parameters to be executed in the system, meaning it will be executed either manually or through a combination of scripts in the compromised system. The available syntax in the ransomware is:

```
encrypt.exe [(-p,-path,--path)<path>]
```

The Sosemanuk stream cipher is used to encrypt files, its key then encrypted using the RSA-1024 asymmetric algorithm. The RSA public key itself is embedded in the program but additionally encrypted with the RC4 stream cipher whose key is a string and also embedded in ransomware. Files before and after encryption:



When the encryption process is completed, the file extensions will be changed to .yanluowang

Yanluowang divides files into big and small along a 3 GB threshold. Small files are encrypted completely from beginning to end, big files are encrypted in stripes: 5 megabytes after every 200 megabytes.

```

pos_low = 0;
pos_high = 0;
for ( i = 0; ; i = offset + 0xC800000 )// 200 MB
{
    if ( !ReadFile(FileW, original_data, 0x500000u, &NumberOfBytesRead, 0) ) // 5 MB
    {
        ...
        Log(&log_ctx, "Stop reading");
        ...
    }
    if ( NumberOfBytesRead < 0x500000 )
        eof = 1;
    SosemanukCrypt(NumberOfBytesRead, (int)original_data, (int)&savedregs, (int)encrypted_data, a2);
    ...
    if ( !SetFilePointerEx(FileW, (LARGE_INTEGER)-NumberOfBytesRead, 0, 1u) )
        goto LABEL_112;
    if ( !WriteFile(FileW, encrypted_data, NumberOfBytesRead, &NumberOfBytesRead, 0) )
    {
        Log(&log_ctx, "Stop writing ");
        ...
    }
    v40 = __CFADD__(NumberOfBytesRead, i) + v38;
    offset = NumberOfBytesRead + i;
    if ( (((FileSize.QuadPart - __PAIR64__(v40, offset) - 0xC800000) >> 32) & 0x80000000) != 0i64 || eof )
        break;
    if ( !SetFilePointerEx(FileW, (LARGE_INTEGER)0xC800000i64, 0, 1u) )
        goto LABEL_112;
    v38 = (__PAIR64__(v40, offset) + 0xC800000) >> 32;
}
if ( !SetFilePointerEx(FileW, 0i64, 0, 2u)
    || !WriteFile(FileW, v63, 0x80u, &NumberOfBytesRead, 0)
    || !SetFileTime(FileW, 0, 0, &FileTime) )
{
LABEL_112:
    v72 = 0;
    goto LABEL_113;
}

```

The encryption code for big files

After a file is encrypted, an RSA-encrypted Sosemanuk key is written to the end of it. The encrypted endfile block has a size of 1024 bytes.

17FFFFFFE0	00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
17FFFFFFF0	00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
1800000000	88 7F 21 A5 FD 07 14 DC 93 9D 50 B9 BF CA B6 C9	€. !Гэ..б"кРПіКЦЙ
1800000010	8A 52 E7 A9 2A DF D5 E0 4A AC 26 25 E3 09 B5 98	БРэ@*ЯХаJ-а%г.µ.
1800000020	44 A6 65 E1 9A 2D A4 6A 8B 67 A7 B3 FD D2 EF 42	D ебъ-яj<г\$ієТпВ
1800000030	74 65 A5 F0 7B 92 68 1B F8 28 8A F0 80 FB AB 4B	теГр{'h.ш(БрВы«К
1800000040	71 6D 11 AA C9 CA 2D 9B CC 92 AC DD 2A 15 F3 FF	qm.ейК-»M'→Э*.уя
1800000050	FE D9 D1 D2 6C EC D5 C3 73 AB 45 0A 2A 3F EA 63	юЩСТІмХГ's«E.*?кє
1800000060	BC 61 AC 10 BB 15 C8 1A 69 BB D4 31 1E F3 29 F9	ja-.».И.и»фl.y)щ
1800000070	08 B3 C7 18 51 4D 4F 27 B7 08 61 74 E6 7B BF 00	.іВ.QMO' .atж{i.

An encrypted block with a Sosemanuk key

Files decryption

Kaspersky experts have analyzed the ransomware and found a vulnerability that allows decrypting files of affected users via a known-plaintext attack. All that was required for this to work was added to [the Rannoh decryption tool](#).

To decrypt a file, you should have at least one original file. As mentioned earlier, the Yanluowang ransomware divides files into big and small files along a 3 gigabyte threshold. This creates a number of conditions that must be met in order to decrypt certain files:

- To decrypt small files (less than or equal to 3 GB), you need a pair of files with a size of 1024 bytes or more. This is enough to decrypt all other small files.
- To decrypt big files (more than 3 GB), you need a pair of files (encrypted and original) no less than 3 GB in size each. This will be enough to decrypt both big and small files.

By virtue of the above points, if the original file is larger than 3 GB, it is possible to decrypt all files on the infected system, both big and small. But if there is an original file smaller than 3 GB, then only small files can be decrypted.

Indicators of Compromise

Kaspersky solutions detect and protect against this ransomware, detecting it as **Trojan-Ransom.Win32.Yanluowang** with File Threat Protection and proactively as **PDM:Trojan.Win32.Generic** with Behavior Detection.

MD5

[afaf2d4ebb6dc47e79a955df5ad1fc8a](#)

[ba95a2f1f1f39a24687ebe3a7a7f7295](#)

Piece of advice

Still, it is important for a company to have a security solution that would enable instant response to such ransomware threats in order to avoid large financial losses. Yanluowang was deployed in targeted human-operated attacks. As usual in such cases, we would like to remind you that a comprehensive cybersecurity strategy is required to protect against this type of threats.

Here are Kaspersky's recommendations for staying safe from ransomware attacks:

- Do not expose remote desktop services (such as RDP) to public networks unless absolutely necessary, and always use strong passwords.
- Promptly install available patches for commercial VPN solutions that provide access for remote employees and act as gateways to your network.
- Always keep software up to date on all your devices to prevent ransomware from exploiting vulnerabilities.
- Focus your defense strategy on detecting lateral movement and data exfiltration to the Internet. Pay special attention to outgoing traffic to detect cybercriminals' connections.
- Back up data regularly. Make sure you can quickly access your backups in an emergency.
- To protect the corporate environment, educate your employees. Dedicated training courses can help, such as the ones provided on [Kaspersky Automated Security Awareness Platform](#).
- Use the latest [Threat Intelligence](#) information to stay on top of actual TTPs used by threat actors.
- Use solutions like [Kaspersky Endpoint Detection and Response](#) and [Kaspersky Managed Detection and Response](#) service which help to identify and stop an attack in the early stages, before attackers can achieve

their objectives.

- Use a reliable endpoint security solution, such as Kaspersky Endpoint Security for Business, that is powered by exploit prevention, behavior detection and a remediation engine capable of rolling back malicious actions. KESB also has self-defense mechanisms that can prevent its removal by cybercriminals.

Source: <https://securelist.com/how-to-recover-files-encrypted-by-yanlouwang/106332/>